

References

- [1] Jeff Abrahamson and Ali Shokoufandeh. Euclidean tsp on two polygons. *Theor. Comput. Sci.*, 411(7-9):1104–1114, 2010.
- [2] Eyal Ackerman, Oren Ben-Zwi, and Guy Wolfowitz. Combinatorial model and bounds for target set selection. *Theor. Comput. Sci.*, 411(44-46):4017–4022, 2010.
- [3] D. Adjiashvili and D. Peleg. Equal-area locus-based convex polygon decomposition. *Theor. Comput. Sci.*, 411(14-15):1648–1667, 2010.
- [4] Artiom Alhazov, Chang Li, and Ion Petre. Computing the graph-based parallel complexity of gene assembly. *Theor. Comput. Sci.*, 411(25):2359–2367, 2010.
- [5] M. Alpuente, D. Ballis, F. Correa, and M. Falaschi. An integrated framework for the diagnosis and correction of rule-based programs. *Theor. Comput. Sci.*, 411(47):4055–4101, 2010.
- [6] M. Alpuente, M. Comini, S. Escobar, M. Falaschi, and J. Iborra. A compact fixpoint semantics for term rewriting systems. *Theor. Comput. Sci.*, 411(37):3348–3371, 2010.
- [7] M. Alpuente, S. Escobar, B. Gramlich, and S. Lucas. On-demand strategy annotations revisited: An improved on-demand evaluation strategy. *Theor. Comput. Sci.*, 411(2):504–541, 2010.
- [8] Sandra Alves, Maribel Fernández, Mário Florido, and Ian Mackie. Gödel’s system \sqcup revisited. *Theor. Comput. Sci.*, 411(11-13):1484–1500, 2010.
- [9] Neal G. Anderson. On the physical implementation of logical transformations: Generalized l -machines. *Theor. Comput. Sci.*, 411(48):4179–4199, 2010.
- [10] Spyros Angelopoulos and Allan Borodin. Randomized priority algorithms. *Theor. Comput. Sci.*, 411(26-28):2542–2558, 2010.
- [11] Dana Angluin, James Aspnes, and Lev Reyzin. Optimally learning social networks with activations and suppressions. *Theor. Comput. Sci.*, 411(29-30):2729–2740, 2010.

- [12] Martin Anthony and Joel Ratsaby. Maximal width learning of binary functions. *Theor. Comput. Sci.*, 411(1):138–147, 2010.
- [13] András Antos, Varun Grover, and Csaba Szepesvári. Active learning in heteroscedastic noise. *Theor. Comput. Sci.*, 411(29-30):2712–2728, 2010.
- [14] Luís Antunes and André Souto. Information measures for infinite sequences. *Theor. Comput. Sci.*, 411(26-28):2602–2611, 2010.
- [15] Bruno Apolloni, Simone Bassis, Sabrina Gaito, Dario Malchiodi, and Italo Zoppis. Playing monotone games to understand learning behaviors. *Theor. Comput. Sci.*, 411(25):2384–2405, 2010.
- [16] Amitai Armon, Adi Avidor, and Oded Schwartz. Cooperative tsp. *Theor. Comput. Sci.*, 411(31-33):2847–2863, 2010.
- [17] Katerina Asdre and Stavros D. Nikolopoulos. A polynomial solution to the k -fixed-endpoint path cover problem on proper interval graphs. *Theor. Comput. Sci.*, 411(7-9):967–975, 2010.
- [18] Patrick Baillot and Damiano Mazza. Linear logic by levels and bounded time complexity. *Theor. Comput. Sci.*, 411(2):470–503, 2010.
- [19] Adam Bains and Therese Biedl. Reconstructing hv -convex multi-coloured polyominoes. *Theor. Comput. Sci.*, 411(34-36):3123–3128, 2010.
- [20] Paolo Ballarini and Maria Luisa Guerriero. Query-based verification of qualitative trends and oscillations in biochemical systems. *Theor. Comput. Sci.*, 411(20):2019–2036, 2010.
- [21] Richard W. Barraclough, David Binkley, Sebastian Danicic, Mark Harman, Robert M. Hierons, Ákos Kiss, Mike Laurence, and Lahcen Ouarbya. A trajectory-based strict semantics for program slicing. *Theor. Comput. Sci.*, 411(11-13):1372–1386, 2010.
- [22] Ezio Bartocci, Flavio Corradini, Emanuela Merelli, and Luca Tesei. Detecting synchronisation of biological oscillators by model checking. *Theor. Comput. Sci.*, 411(20):1999–2018, 2010.

- [23] Ingo Battenfeld. Comparing free algebras in topological and classical domain theory. *Theor. Comput. Sci.*, 411(19):1900–1917, 2010.
- [24] Leonor Becerra-Bonache, John Case, Sanjay Jain, and Frank Stephan. Iterative learning of simple external contextual languages. *Theor. Comput. Sci.*, 411(29-30):2741–2756, 2010.
- [25] Florent Becker, Sergio Rajsbaum, Ivan Rapaport, and Eric Rémy. Average long-lived binary consensus: Quantifying the stabilizing role played by memory. *Theor. Comput. Sci.*, 411(14-15):1558–1566, 2010.
- [26] Paul C. Bell, Jean-Charles Delvenne, Raphaël M. Jungers, and Vincent D. Blondel. The continuous skolem-pisot problem. *Theor. Comput. Sci.*, 411(40-42):3625–3634, 2010.
- [27] Petra Berenbrink and Oliver Schulte. Evolutionary equilibrium in bayesian routing games: Specialization and niche formation. *Theor. Comput. Sci.*, 411(7-9):1054–1074, 2010.
- [28] K. Bertet and B. Monjardet. The multiple facets of the canonical direct unit implicational basis. *Theor. Comput. Sci.*, 411(22-24):2155–2166, 2010.
- [29] Davide Bilò, Thomas Erlebach, Matúš Mihalák, and Peter Widmayer. Discovery of network properties with all-shortest-paths queries. *Theor. Comput. Sci.*, 411(14-15):1626–1637, 2010.
- [30] Vittorio Bilò, Angelo Fanelli, Michele Flammini, and Luca Moscardelli. When ignorance helps: Graphical multicast cost sharing games. *Theor. Comput. Sci.*, 411(3):660–671, 2010.
- [31] Lars Birkedal, Kristian Støvring, and Jacob Thamsborg. The category-theoretic solution of recursive metric-space equations. *Theor. Comput. Sci.*, 411(47):4102–4122, 2010.
- [32] Péter Biró, Tamás Fleiner, Robert W. Irving, and David F. Manlove. The college admissions problem with lower and common quotas. *Theor. Comput. Sci.*, 411(34-36):3136–3153, 2010.
- [33] Péter Biró, David F. Manlove, and Shubham Mittal. Size versus stability in the marriage problem. *Theor. Comput. Sci.*, 411(16-18):1828–1841, 2010.

- [34] Arijit Biswas, Swagatam Das, Ajith Abraham, and Sambarta Dasgupta. Stability analysis of the reproduction operator in bacterial foraging optimization. *Theor. Comput. Sci.*, 411(21):2127–2139, 2010.
- [35] Henrik Björklund and Thomas Schwentick. On notions of regularity for data languages. *Theor. Comput. Sci.*, 411(4-5):702–715, 2010.
- [36] Brandon Blakeley, F. Blanchet-Sadri, Josh Gunter, and Narad Rampersad. On the complexity of deciding avoidability of sets of partial words. *Theor. Comput. Sci.*, 411(49):4263–4271, 2010.
- [37] Frédéric Blanqui, Claude Kirchner, and Colin Riba. On the confluence of lambda-calculus with conditional rewriting. *Theor. Comput. Sci.*, 411(37):3301–3327, 2010.
- [38] S.L. Bloom and Z. Ésik. A mezei-wright theorem for categorical algebras. *Theor. Comput. Sci.*, 411(2):341–359, 2010.
- [39] Manuel Bodirsky and Hubie Chen. Peek arc consistency. *Theor. Comput. Sci.*, 411(2):445–453, 2010.
- [40] Hans L. Bodlaender, Michael R. Fellows, Pinar Heggernes, Federico Mancini, Charis Papadopoulos, and Frances Rosamond. Clustering with partial information. *Theor. Comput. Sci.*, 411(7-9):1202–1211, 2010.
- [41] Mario Boley, Tamás Horváth, Axel Poigné, and Stefan Wrobel. Listing closed sets of strongly accessible set systems with applications to data mining. *Theor. Comput. Sci.*, 411(3):691–700, 2010.
- [42] Anthony Bonato, Ehsan Chiniforooshan, and Paweł Prałat. Cops and robbers from a distance. *Theor. Comput. Sci.*, 411(43):3834–3844, 2010.
- [43] Paola Bonizzoni. Constants and label-equivalence: A decision procedure for reflexive regular splicing languages. *Theor. Comput. Sci.*, 411(6):865–877, 2010.
- [44] Paola Bonizzoni, Clelia De Felice, and Rosalba Zizza. A characterization of (regular) circular languages generated by monotone complete splicing systems. *Theor. Comput. Sci.*, 411(48):4149–4161, 2010.

- [45] Viera Borbel'ová and Katarína Cechlárová. Rotations in the stable b -matching problem. *Theor. Comput. Sci.*, 411(16-18):1750–1762, 2010.
- [46] Allan Borodin, Joan Boyar, Kim S. Larsen, and Nazanin Mirmohammadi. Priority algorithms for graph optimization problems. *Theor. Comput. Sci.*, 411(1):239–258, 2010.
- [47] Luca Bortolussi and Alberto Policriti. Hybrid dynamics of stochastic programs. *Theor. Comput. Sci.*, 411(20):2052–2077, 2010.
- [48] Hartwig Bosse, Jaroslaw Byrka, and Evangelos Markakis. New algorithms for approximate nash equilibria in bimatrix games. *Theor. Comput. Sci.*, 411(1):164–173, 2010.
- [49] N. Bourgeois, G. Lucarelli, I. Milis, and V.Th. Paschos. Approximating the max-edge-coloring problem. *Theor. Comput. Sci.*, 411(34-36):3055–3067, 2010.
- [50] Mathilde Bouvel and Elisa Pergola. Posets and permutations in the duplication-loss model: Minimal permutations with d descents. *Theor. Comput. Sci.*, 411(26-28):2487–2501, 2010.
- [51] Zohir Bouzid, Maria Gradinariu Potop-Butucaru, and Sébastien Tixeuil. Optimal byzantine-resilient convergence in uni-dimensional robot networks. *Theor. Comput. Sci.*, 411(34-36):3154–3168, 2010.
- [52] Joan Boyar, Leah Epstein, and Asaf Levin. Tight results for next fit and worst fit with resource augmentation. *Theor. Comput. Sci.*, 411(26-28):2572–2580, 2010.
- [53] Laura Bozzelli and Ruggero Lanotte. Complexity and succinctness issues for linear-time hybrid logics. *Theor. Comput. Sci.*, 411(2):454–469, 2010.
- [54] Andreas Brandstädt, Van Bang Le, and Dieter Rautenbach. Exact leaf powers. *Theor. Comput. Sci.*, 411(31-33):2968–2977, 2010.
- [55] Gaëlle Brevier, Romeo Rizzi, and Stéphane Vialette. Complexity issues in color-preserving graph embeddings. *Theor. Comput. Sci.*, 411(4-5):716–729, 2010.

- [56] Robert Brijder and Hendrik Jan Hoogeboom. Combining overlap and containment for gene assembly in ciliates. *Theor. Comput. Sci.*, 411(6):897–905, 2010.
- [57] Robert Brijder, Miika Langille, and Ion Petre. Extended strings and graphs for simple gene assembly. *Theor. Comput. Sci.*, 411(4-5):730–738, 2010.
- [58] Michelangelo Bucci, Aldo de Luca, and Alessandro De Luca. On the number of episturmian palindromes. *Theor. Comput. Sci.*, 411(40-42):3668–3684, 2010.
- [59] Costas Busch and Marios Mavronicolas. An efficient counting network. *Theor. Comput. Sci.*, 411(34-36):3001–3030, 2010.
- [60] Costas Busch and Srikanta Tirthapura. Concurrent counting is harder than queuing. *Theor. Comput. Sci.*, 411(43):3823–3833, 2010.
- [61] Jin-Yi Cai and Pinyan Lu. On blockwise symmetric signatures for matchgates. *Theor. Comput. Sci.*, 411(4-5):739–750, 2010.
- [62] Luís Caires and Hugo Torres Vieira. Conversation types. *Theor. Comput. Sci.*, 411(51-52):4399–4440, 2010.
- [63] Dario Campagna and Carla Piazza. Hybrid automata, reachability, and systems biology. *Theor. Comput. Sci.*, 411(20):2037–2051, 2010.
- [64] Qian Cao and Zhaohui Liu. Online scheduling with reassignment on two uniform machines. *Theor. Comput. Sci.*, 411(31-33):2890–2898, 2010.
- [65] Jean Cardinal and Martin Hoefer. Non-cooperative facility location and covering games. *Theor. Comput. Sci.*, 411(16-18):1855–1876, 2010.
- [66] Jean Cardinal and Eytan Levy. Connected vertex covers in dense graphs. *Theor. Comput. Sci.*, 411(26-28):2581–2590, 2010.
- [67] Pascal Caron, Jean-Marc Champarnaud, and Ludovic Mignot. Acyclic automata and small expressions using multi-tilde-bar operators. *Theor. Comput. Sci.*, 411(38-39):3423–3435, 2010. see Erratum in *Theor. Comput. Sci.*, Vol. 412, 2011, No. 29, 3795-3796.

- [68] Arturo Carpi and Valerio D’Alonzo. On factors of synchronized sequences. *Theor. Comput. Sci.*, 411(44-46):3932–3937, 2010.
- [69] Catarina Carvalho, Víctor Dalmau, and Andrei Krokhin. Csp duality and trees of bounded pathwidth. *Theor. Comput. Sci.*, 411(34-36):3188–3208, 2010.
- [70] G. Castiglione, A. Restivo, and M. Sciortino. On extremal cases of hopcroft’s algorithm. *Theor. Comput. Sci.*, 411(38-39):3414–3422, 2010.
- [71] Gianluca Caterina and Bruce Boghosian. An order-preserving property of additive invariants for takesue-type reversible cellular automata. *Theor. Comput. Sci.*, 411(43):3877–3881, 2010.
- [72] Ching-Lueh Chang and Yuh-Dauh Lyuu. Optimal bounds on finding fixed points of contraction mappings. *Theor. Comput. Sci.*, 411(16-18):1742–1749, 2010.
- [73] Jianer Chen, Iyad A. Kanj, and Ge Xia. Improved upper bounds for vertex cover. *Theor. Comput. Sci.*, 411(40-42):3736–3756, 2010.
- [74] Tianshi Chen, Jun He, Guoliang Chen, and Xin Yao. Choosing selection pressure for wide-gap problems. *Theor. Comput. Sci.*, 411(6):926–934, 2010.
- [75] WenBin Chen, Dengpan Yin, and Zhengzhang Chen. Inapproximability results for equations over infinite groups. *Theor. Comput. Sci.*, 411(26-28):2513–2519, 2010.
- [76] Yen-Chiu Chen, Hsin-Wen Wei, Pei-Chi Huang, Wei-Kuan Shih, and Tsan-sheng Hsu. The bridge-connectivity augmentation problem with a partition constraint. *Theor. Comput. Sci.*, 411(31-33):2878–2889, 2010.
- [77] Ying-ping Chen and Pei Jiang. Analysis of particle interaction in particle swarm optimization. *Theor. Comput. Sci.*, 411(21):2101–2115, 2010.
- [78] Yukun Cheng, Liying Kang, and Changhong Lu. The pos/neg-weighted 1-median problem on tree graphs with subtree-shaped customers. *Theor. Comput. Sci.*, 411(7-9):1038–1044, 2010.

- [79] Alexey Chernov, Yuri Kalnishkan, Fedor Zhdanov, and Vladimir Vovk. Supermartingales in prediction with expert advice. *Theor. Comput. Sci.*, 411(29-30):2647–2669, 2010.
- [80] Yannick Chevalier and Michael Rusinowitch. Symbolic protocol analysis in the union of disjoint intruder theories: Combining decision procedures. *Theor. Comput. Sci.*, 411(10):1261–1282, 2010.
- [81] Andrzej Chmielowiec. Fixed points of the rsa encryption algorithm. *Theor. Comput. Sci.*, 411(1):288–292, 2010.
- [82] Well Y. Chou and Chiuyuan Chen. All-to-all personalized exchange in generalized shuffle-exchange networks. *Theor. Comput. Sci.*, 411(16-18):1669–1684, 2010.
- [83] Marek Chrobak and Jiří Sgall. Three results on frequency assignment in linear cellular networks. *Theor. Comput. Sci.*, 411(1):131–137, 2010.
- [84] Wai-Fong Chuan and Hui-Ling Ho. Factors of characteristic words: Location and decompositions. *Theor. Comput. Sci.*, 411(31-33):2827–2846, 2010.
- [85] Paolo Ciancarini and Gian Piero Favini. Playing the perfect kriegspiel endgame. *Theor. Comput. Sci.*, 411(40-42):3563–3577, 2010.
- [86] Serafino Cicerone, Gianlorenzo D’Angelo, Gabriele Di Stefano, and Daniele Frigioni. Partially dynamic efficient algorithms for distributed shortest paths. *Theor. Comput. Sci.*, 411(7-9):1013–1037, 2010.
- [87] Alessandro Cincotti. n -player partizan games. *Theor. Comput. Sci.*, 411(34-36):3224–3234, 2010.
- [88] Adam Clarridge and Kai Salomaa. Analysis of a cellular automaton model for car traffic with a slow-to-stop rule. *Theor. Comput. Sci.*, 411(38-39):3507–3515, 2010.
- [89] Hagai Cohen and Ely Porat. Fast set intersection and two-patterns matching. *Theor. Comput. Sci.*, 411(40-42):3795–3800, 2010.
- [90] Thomas Colcombet. Factorization forests for infinite words and applications to countable scattered linear orderings. *Theor. Comput. Sci.*, 411(4-5):751–764, 2010.

- [91] Colin Cooper, Ralf Klasing, and Tomasz Radzik. Locating and repairing faults in a network with mobile agents. *Theor. Comput. Sci.*, 411(14-15):1638–1647, 2010.
- [92] András Csernenszky. The picker-chooser diameter game. *Theor. Comput. Sci.*, 411(40-42):3757–3762, 2010.
- [93] Marek Cygan and Marcin Pilipczuk. Exact and approximate bandwidth. *Theor. Comput. Sci.*, 411(40-42):3701–3713, 2010.
- [94] Elena Czeizler, Lila Kari, and Shinnosuke Seki. On a special class of primitive words. *Theor. Comput. Sci.*, 411(3):617–630, 2010.
- [95] Giovanna D’Agostino and Giacomo Lenzi. On the μ -calculus over transitive and finite transitive frames. *Theor. Comput. Sci.*, 411(50):4273–4290, 2010.
- [96] Ugo Dal Lago, Andrea Masini, and Margherita Zorzi. Quantum implicit computational complexity. *Theor. Comput. Sci.*, 411(2):377–409, 2010.
- [97] Paolo D’Arco, Alfredo De Santis, Anna Lisa Ferrara, and Barbara Masicci. Variations on a theme by akl and taylor: Security and tradeoffs. *Theor. Comput. Sci.*, 411(1):213–227, 2010.
- [98] Andreas Darmann, Ulrich Pferschy, and Joachim Schauer. Resource allocation with time intervals. *Theor. Comput. Sci.*, 411(49):4217–4234, 2010.
- [99] Nicoletta De Francesco, Giuseppe Lettieri, and Luca Martini. Using abstract interpretation to add type checking for interfaces in java bytecode verification. *Theor. Comput. Sci.*, 411(22-24):2174–2201, 2010.
- [100] Camil Demetrescu, Bruno Escoffier, Gabriel Moruz, and Andrea Ribičini. Adapting parallel algorithms to the w-stream model, with applications to graph problems. *Theor. Comput. Sci.*, 411(44-46):3994–4004, 2010.
- [101] Stéphane Demri, Ranko Lazić, and Arnaud Sangnier. Model checking memoryful linear-time logics over one-counter automata. *Theor. Comput. Sci.*, 411(22-24):2298–2316, 2010.

- [102] A. Denise, Y. Ponty, and M. Termier. Controlled non-uniform random generation of decomposable structures. *Theor. Comput. Sci.*, 411(40-42):3527–3552, 2010.
- [103] Dariusz Dereniowski. Phutball is pspace-hard. *Theor. Comput. Sci.*, 411(44-46):3971–3978, 2010.
- [104] P. Di Lena and L. Margara. On the undecidability of the limit behavior of cellular automata. *Theor. Comput. Sci.*, 411(7-9):1075–1084, 2010.
- [105] Shlomi Dolev and Hen Fitoussi. Masking traveling beams: Optical solutions for *np*-complete problems, trading space for time. *Theor. Comput. Sci.*, 411(6):837–853, 2010.
- [106] Shlomi Dolev, Elad M. Schiller, Paul G. Spirakis, and Philippas Tsigas. Game authority for robust and scalable distributed selfish-computer systems. *Theor. Comput. Sci.*, 411(26-28):2459–2466, 2010.
- [107] Yair Dombb, Ohad Lipsky, Benny Porat, Ely Porat, and Asaf Tsur. The approximate swap and mismatch edit distance. *Theor. Comput. Sci.*, 411(43):3814–3822, 2010.
- [108] Frank Drewes, Berthold Hoffmann, Dirk Janssens, and Mark Minas. Adaptive star grammars and their languages. *Theor. Comput. Sci.*, 411(34-36):3090–3109, 2010.
- [109] Ye Du, Rahul Sami, and Yaoyun Shi. Path auctions with multiple edge ownership. *Theor. Comput. Sci.*, 411(1):293–300, 2010.
- [110] Eric Duchêne and Michel Rigo. Invariant games. *Theor. Comput. Sci.*, 411(34-36):3169–3180, 2010.
- [111] Phan Thi Ha Duong and Tran Thi Thu Huong. On the stability of sand piles model. *Theor. Comput. Sci.*, 411(3):594–601, 2010.
- [112] Tomáš Dvořák and Václav Koubek. Computational complexity of long paths and cycles in faulty hypercubes. *Theor. Comput. Sci.*, 411(40-42):3774–3786, 2010.
- [113] Pavlos S. Efraimidis, Lazaros Tsavlidis, and George B. Mertzios. Window-games between tcp flows. *Theor. Comput. Sci.*, 411(31-33):2798–2817, 2010.

- [114] Charilaos Efthymiou and Paul G. Spirakis. Sharp thresholds for hamiltonicity in random intersection graphs. *Theor. Comput. Sci.*, 411(40-42):3714–3730, 2010.
- [115] Martin R. Ehmsen, Lene M. Favrholdt, Jens S. Kohrt, and Rodica Mihai. Comparing first-fit and next-fit for online edge coloring. *Theor. Comput. Sci.*, 411(16-18):1734–1741, 2010.
- [116] Jörg Endrullis, Clemens Grabmayer, Dimitri Hendriks, Ariya Isihara, and Jan Willem Klop. Productivity of stream definitions. *Theor. Comput. Sci.*, 411(4-5):765–782, 2010.
- [117] Leah Epstein. Two-dimensional online bin packing with rotation. *Theor. Comput. Sci.*, 411(31-33):2899–2911, 2010.
- [118] Leah Epstein, Csanad Imreh, and Asaf Levin. Class constrained bin packing revisited. *Theor. Comput. Sci.*, 411(34-36):3073–3089, 2010.
- [119] Leah Epstein and Asaf Levin. Improved randomized results for the interval selection problem. *Theor. Comput. Sci.*, 411(34-36):3129–3135, 2010.
- [120] Leah Epstein and Rob van Stee. Maximizing the minimum load for selfish agents. *Theor. Comput. Sci.*, 411(1):44–57, 2010.
- [121] Guy Feigenblat, Ofra Itzhaki, and Ely Porat. The frequent items problem, under polynomial decay, in the streaming model. *Theor. Comput. Sci.*, 411(34-36):3048–3054, 2010.
- [122] Henning Fernau. Parameterized algorithms for d -HITTING SET: The weighted case. *Theor. Comput. Sci.*, 411(16-18):1698–1713, 2010.
- [123] Paolo Ferragina, Igor Nitto, and Rossano Venturini. On compact representations of all-pairs-shortest-path-distance matrices. *Theor. Comput. Sci.*, 411(34-36):3293–3300, 2010.
- [124] Guillaume Fertin, Danny Hermelin, Romeo Rizzi, and Stephane Vialette. Finding common structured patterns in linear graphs. *Theor. Comput. Sci.*, 411(26-28):2475–2486, 2010.

- [125] Ivana Filipović, Peter O’Hearn, Noam Rinetzky, and Hongseok Yang. Abstraction for concurrent objects. *Theor. Comput. Sci.*, 411(51–52):4379–4398, 2010.
- [126] Michele Flammini, Gianpiero Monaco, Luca Moscardelli, Hadas Shachnai, Mordechai Shalom, Tami Tamir, and Shmuel Zaks. Minimizing total busy time in parallel scheduling with application to optical networks. *Theor. Comput. Sci.*, 411(40-42):3553–3562, 2010.
- [127] Paola Flocchini, David Ilcinkas, Andrzej Pelc, and Nicola Santoro. Remembering without memory: Tree exploration by asynchronous oblivious robots. *Theor. Comput. Sci.*, 411(14-15):1583–1598, 2010.
- [128] Fedor V. Fomin, Serge Gaspers, Dieter Kratsch, Mathieu Liedloff, and Saket Saurabh. Iterative compression and exact algorithms. *Theor. Comput. Sci.*, 411(7-9):1045–1053, 2010.
- [129] Fedor V. Fomin, Petr A. Golovach, Jan Kratochvíl, Nicolas Nisse, and Karol Suchan. Pursuing a fast robber on a graph. *Theor. Comput. Sci.*, 411(7-9):1167–1181, 2010.
- [130] Pierre Fraigniaud, Emmanuelle Lebhar, and Zvi Lotker. Recovering the long-range links in augmented graphs. *Theor. Comput. Sci.*, 411(14–15):1613–1625, 2010.
- [131] Rūsiņš Freivalds. Amount of nonconstructivity in deterministic finite automata. *Theor. Comput. Sci.*, 411(38-39):3436–3443, 2010.
- [132] Dominik D. Freydenberger and Daniel Reidenbach. Existence and nonexistence of descriptive patterns. *Theor. Comput. Sci.*, 411(34–36):3274–3286, 2010.
- [133] Tobias Friedrich, Nils Hebbinghaus, and Frank Neumann. Plateaus can be harder in multi-objective optimization. *Theor. Comput. Sci.*, 411(6):854–864, 2010.
- [134] Pierluigi Frisco and Oscar H. Ibarra. On sets of numbers accepted by p/t systems composed by *join*. *Theor. Comput. Sci.*, 411(44-46):3905–3916, 2010.

- [135] Yuxi Fu and Hao Lu. On the expressiveness of interaction. *Theor. Comput. Sci.*, 411(11-13):1387–1451, 2010.
- [136] Ken-etsu Fujita. Cps-translation as adjoint. *Theor. Comput. Sci.*, 411(2):324–340, 2010.
- [137] Akio Fujiyoshi. Recognition of directed acyclic graphs by spanning tree automata. *Theor. Comput. Sci.*, 411(38-39):3493–3506, 2010.
- [138] Travis Gagie and Giovanni Manzini. Move-to-front, distance coding, and inversion frequencies revisited. *Theor. Comput. Sci.*, 411(31-33):2925–2944, 2010.
- [139] Jose Gaintzarin, Montserrat Hermo, Paqui Lucio, and Marisa Navarro. Translating propositional extended conjunctions of horn clauses into boolean circuits. *Theor. Comput. Sci.*, 411(16-18):1723–1733, 2010.
- [140] Pierre Ganty, Nicolas Maquet, and Jean-François Raskin. Fixed point guided abstraction refinement for alternating automata. *Theor. Comput. Sci.*, 411(38-39):3444–3459, 2010.
- [141] Zhi-Han Gao and Fang-Wei Fu. The minimal polynomial of a sequence obtained from the componentwise linear transformation of a linear recurring sequence. *Theor. Comput. Sci.*, 411(44-46):3883–3893, 2010.
- [142] Nicolas Gast and Bruno Gaujal. Infinite labeled trees: From rational to sturmian trees. *Theor. Comput. Sci.*, 411(7-9):1146–1166, 2010.
- [143] Philippe Gaucher. Combinatorics of labelling in higher-dimensional automata. *Theor. Comput. Sci.*, 411(11-13):1452–1483, 2010.
- [144] Paweł Gawrychowski, Marin Gutan, and Andrzej Kisielewicz. On the problem of freeness of multiplicative matrix semigroups. *Theor. Comput. Sci.*, 411(7-9):1115–1120, 2010.
- [145] Viliam Geffert and Jozef Gajdoš. Multiway in-place merging. *Theor. Comput. Sci.*, 411(16-18):1793–1808, 2010.
- [146] Wouter Gelade. Succinctness of regular expressions with interleaving, intersection and counting. *Theor. Comput. Sci.*, 411(31-33):2987–2998, 2010.

- [147] Laura Giambruno and Sabrina Mantaci. Transducers for the bidirectional decoding of prefix codes. *Theor. Comput. Sci.*, 411(16-18):1785–1792, 2010.
- [148] Fatih Gökçe and Erol Şahin. The pros and cons of flocking in the long-range “migration” of mobile robot swarms. *Theor. Comput. Sci.*, 411(21):2140–2154, 2010.
- [149] Filip Goldefus, Tomáš Masopust, and Alexander Meduna. Left-forbidding cooperating distributed grammar systems. *Theor. Comput. Sci.*, 411(40-42):3661–3667, 2010.
- [150] Carlos Gómez-Rodríguez, Miguel A. Alonso, and Manuel Vilares. Error-repair parsing schemata. *Theor. Comput. Sci.*, 411(7-9):1121–1139, 2010.
- [151] C. Goodman-Strauss. A hierarchical strongly aperiodic set of tiles in the hyperbolic plane. *Theor. Comput. Sci.*, 411(7-9):1085–1093, 2010.
- [152] Olga Grinchtein, Bengt Jonsson, and Martin Leucker. Learning of event-recording automata. *Theor. Comput. Sci.*, 411(47):4029–4054, 2010.
- [153] R. Groult and G. Richomme. Optimality of some algorithms to detect quasiperiodicities. *Theor. Comput. Sci.*, 411(34-36):3110–3122, 2010.
- [154] Xin Han, Tak-Wah Lam, Lap-Kei Lee, Isaac K.K. To, and Prudence W.H. Wong. Deadline scheduling and power management for speed bounded processors. *Theor. Comput. Sci.*, 411(40-42):3587–3600, 2010.
- [155] Xin Han and Kazuhisa Makino. Online removable knapsack with limited cuts. *Theor. Comput. Sci.*, 411(44-46):3956–3964, 2010.
- [156] Md. Kamrul Hasan, Mohammad Kaykobad, Young-Koo Lee, and Sungyoung Lee. A comprehensive analysis of degree based condition for hamiltonian cycles. *Theor. Comput. Sci.*, 411(1):285–287, 2010.
- [157] Ichiro Hasuo, Yoshinobu Kawabe, and Hideki Sakurada. Probabilistic anonymity via coalgebraic simulations. *Theor. Comput. Sci.*, 411(22-24):2239–2259, 2010.

- [158] Richard A. Hayden and Jeremy T. Bradley. A fluid analysis framework for a markovian process algebra. *Theor. Comput. Sci.*, 411(22-24):2260–2297, 2010.
- [159] Christina Hayes and Tomáš Gedeon. Hyperbolicity of the fixed point set for the simple genetic algorithm. *Theor. Comput. Sci.*, 411(25):2368–2383, 2010.
- [160] Jifeng He and Tony Hoare. Csp is a retract of ccs. *Theor. Comput. Sci.*, 411(11-13):1311–1337, 2010.
- [161] Pierre-Cyrille Héam, Cyril Nicaud, and Sylvain Schmitz. Parametric random generation of deterministic tree automata. *Theor. Comput. Sci.*, 411(38-39):3469–3480, 2010.
- [162] Edith Hemaspaandra, Lane A. Hemaspaandra, Till Tantau, and Osamu Watanabe. On the complexity of kings. *Theor. Comput. Sci.*, 411(4-5):783–798, 2010.
- [163] William Hendrix, Matthew C. Schmidt, Paul Breimyer, and Nagiza F. Samatova. Theoretical underpinnings for maximal clique enumeration on perturbed graphs. *Theor. Comput. Sci.*, 411(26-28):2520–2536, 2010.
- [164] Claire Herrbach, Alain Denise, and Serge Dulucq. Average complexity of the jiang-wang-zhang pairwise tree alignment algorithm and of a rna secondary structure alignment algorithm. *Theor. Comput. Sci.*, 411(26-28):2423–2432, 2010.
- [165] María Isabel Herrero, Gabriela Jeronimo, and Juan Sabia. Computing isolated roots of sparse polynomial systems in affine space. *Theor. Comput. Sci.*, 411(44-46):3894–3904, 2010.
- [166] Wim H. Hesselink. Alternating states for dual nondeterminism in imperative programming. *Theor. Comput. Sci.*, 411(22-24):2317–2330, 2010.
- [167] Robert M. Hierons. Canonical finite state machines for distributed systems. *Theor. Comput. Sci.*, 411(2):566–580, 2010.

- [168] Robert M. Hierons. Checking experiments for stream x-machines. *Theor. Comput. Sci.*, 411(37):3372–3385, 2010.
- [169] Peter Hines. Quantum circuit oracles for abstract machine computations. *Theor. Comput. Sci.*, 411(11-13):1501–1520, 2010.
- [170] Dorit S. Hochbaum and Asaf Levin. Covering the edges of bipartite graphs using $k_{2,2}$ graphs. *Theor. Comput. Sci.*, 411(1):1–9, 2010.
- [171] Michael Hoffmann and Richard M. Thomas. Notions of hyperbolicity in monoids. *Theor. Comput. Sci.*, 411(4-5):799–811, 2010.
- [172] Markus Holzer and Andreas Maletti. An $n \log n$ algorithm for hyper-minimizing a (minimized) deterministic automaton. *Theor. Comput. Sci.*, 411(38-39):3404–3413, 2010.
- [173] Kohei Honda and Olivier Laurent. An exact correspondence between a typed pi-calculus and polarised proof-nets. *Theor. Comput. Sci.*, 411(22-24):2223–2238, 2010.
- [174] Cheng W. Hong. The biased, distance-restricted n -in-a-row game for small p . *Theor. Comput. Sci.*, 411(16-18):1895–1897, 2010.
- [175] Tamáš Horváth and Jan Ramon. Efficient frequent connected subgraph mining in graphs of bounded tree-width. *Theor. Comput. Sci.*, 411(31-33):2784–2797, 2010.
- [176] Omer Horvitz and Jonathan Katz. Bounds on the efficiency of black-box commitment schemes. *Theor. Comput. Sci.*, 411(10):1251–1260, 2010.
- [177] P. Hrubeš, S. Jukna, A. Kulikov, and P. Pudlák. On convex complexity measures. *Theor. Comput. Sci.*, 411(16-18):1842–1854, 2010.
- [178] Qiang-Sheng Hua, Yuexuan Wang, Dongxiao Yu, and Francis C.M. Lau. Dynamic programming based algorithms for set multicover and multiset multicover problems. *Theor. Comput. Sci.*, 411(26-28):2467–2474, 2010.
- [179] Yun Bao Huang and William D. Weakley. A note on the complexity of c^∞ -words. *Theor. Comput. Sci.*, 411(40-42):3731–3735, 2010.

- [180] Yumei Huo and Joseph Y.-T. Leung. Fast approximation algorithms for job scheduling with processing set restrictions. *Theor. Comput. Sci.*, 411(44-46):3947–3955, 2010.
- [181] Wilfried Huss, Ecaterina Sava, and Wolfgang Woess. Entropy sensitivity of languages defined by infinite automata, via markov chains with forbidden transitions. *Theor. Comput. Sci.*, 411(44-46):3917–3922, 2010.
- [182] Oscar H. Ibarra, Juhani Karhumäki, and Alexander Okhotin. On stateless multihead automata: Hierarchies and the emptiness problem. *Theor. Comput. Sci.*, 411(3):581–593, 2010.
- [183] Oscar H. Ibarra, Igor Potapov, and Hsu-Chun Yen. On decision problems for parameterized machines. *Theor. Comput. Sci.*, 411(7-9):1192–1201, 2010.
- [184] David Ilcinkas, Dariusz R. Kowalski, and Andrzej Pelc. Fast radio broadcasting with advice. *Theor. Comput. Sci.*, 411(14-15):1544–1557, 2010.
- [185] Kazuhiro Inaba and Haruo Hosoya. Compact representation for answer sets of n -ary regular queries. *Theor. Comput. Sci.*, 411(38-39):3481–3492, 2010.
- [186] Florentin Ipate. Bounded sequence testing from deterministic finite state machines. *Theor. Comput. Sci.*, 411(16-18):1770–1784, 2010.
- [187] Tseren-Onolt Ishdorj, Alberto Leporati, Linqiang Pan, Xiangxiang Zeng, and Xingyi Zhang. Deterministic solutions to qsat and q3sat by spiking neural p systems with pre-computed resources. *Theor. Comput. Sci.*, 411(25):2345–2358, 2010.
- [188] Kazuo Iwama, Kazuhisa Seto, and Suguru Tamaki. The complexity of the hajós calculus for planar graphs. *Theor. Comput. Sci.*, 411(7-9):1182–1191, 2010.
- [189] Tomoko Izumi, Taisuke Izumi, Hirotaka Ono, and Koichi Wada. Approximability and inapproximability of the minimum certificate dispersal problem. *Theor. Comput. Sci.*, 411(31-33):2773–2783, 2010.

- [190] Sanjay Jain, Steffen Lange, Samuel E. Moelius III, and Sandra Zilles. Incremental learning with temporary memory. *Theor. Comput. Sci.*, 411(29-30):2757–2772, 2010.
- [191] Mauro Jaskelioff and Eugenio Moggi. Monad transformers as monoid transformers. *Theor. Comput. Sci.*, 411(51-52):4441–4466, 2010.
- [192] Emmanuel Jeandel. The periodic domino problem revisited. *Theor. Comput. Sci.*, 411(44-46):4010–4016, 2010.
- [193] Minghui Jiang. On the parameterized complexity of some optimization problems related to multiple-interval graphs. *Theor. Comput. Sci.*, 411(49):4253–4262, 2010.
- [194] Ken Kaneiwa and Ken Satoh. On the complexities of consistency checking for restricted uml class diagrams. *Theor. Comput. Sci.*, 411(2):301–323, 2010.
- [195] Bart Kastermans and Steffen Lempp. Comparing notions of randomness. *Theor. Comput. Sci.*, 411(3):602–616, 2010.
- [196] Ken-ichi Kawarabayashi and Kenta Ozeki. A simple algorithm for 4-coloring 3-colorable planar graphs. *Theor. Comput. Sci.*, 411(26-28):2619–2622, 2010.
- [197] J. Mark Keil, Jing Liu, and Ian McQuillan. Algorithmic properties of ciliate sequence alignment. *Theor. Comput. Sci.*, 411(6):919–925, 2010.
- [198] Shuji Kijima, Masashi Kiyomi, Yoshio Okamoto, and Takeaki Uno. On listing, sampling, and counting the chordal graphs with edge constraints. *Theor. Comput. Sci.*, 411(26-28):2591–2601, 2010.
- [199] Masashi Kiyomi, Toshiki Saitoh, and Ryuhei Uehara. Reconstruction of interval graphs. *Theor. Comput. Sci.*, 411(43):3859–3866, 2010.
- [200] Ralf Klasing, Adrian Kosowski, and Alfredo Navarra. Taking advantage of symmetries: Gathering of many asynchronous oblivious robots on a ring. *Theor. Comput. Sci.*, 411(34-36):3235–3246, 2010.
- [201] H. Kleine Büning and A. Remshagen. An upper bound for the circuit complexity of existentially quantified boolean formulas. *Theor. Comput. Sci.*, 411(31-33):2864–2870, 2010.

- [202] Markus Kuba and Alois Panholzer. A combinatorial approach to the analysis of bucket recursive trees. *Theor. Comput. Sci.*, 411(34-36):3255–3273, 2010.
- [203] Petr Kůrka. Erratum to “entropy of turing machines with moving head”. *Theor. Comput. Sci.*, 411(31-33):2999–3000, 2010. Originally in *Theor. Comput. Sci.*, Vol 174, 1997, No. 1-2, 203-216.
- [204] Martin Kutrib and Andreas Malcher. Cellular automata with sparse communication. *Theor. Comput. Sci.*, 411(38-39):3516–3526, 2010.
- [205] Martin Kutrib and Andreas Malcher. Real-time reversible iterative arrays. *Theor. Comput. Sci.*, 411(4-5):812–822, 2010.
- [206] Pao-Lien Lai, Hong-Chun Hsu, Chang-Hsiung Tsai, and Iain A. Stewart. A class of hierarchical graphs as topologies for interconnection networks. *Theor. Comput. Sci.*, 411(31-33):2912–2924, 2010.
- [207] Pao-Lien Lai and Chang-Hsiung Tsai. Embedding of tori and grids into twisted cubes. *Theor. Comput. Sci.*, 411(40-42):3763–3773, 2010.
- [208] Ivan Lanese and Davide Sangiorgi. An operational semantics for a calculus for wireless systems. *Theor. Comput. Sci.*, 411(19):1928–1948, 2010.
- [209] Ruggero Lanotte, Andrea Maggiolo-Schettini, and Angelo Troina. Weak bisimulation for probabilistic timed automata. *Theor. Comput. Sci.*, 411(50):4291–4322, 2010.
- [210] Ulrich Laube and Markus E. Nebel. Maximum likelihood analysis of algorithms and data structures. *Theor. Comput. Sci.*, 411(1):188–212, 2010.
- [211] Jiao-fen Li, Xi-yan Hu, and Lei Zhang. Dykstra’s algorithm for constrained least-squares doubly symmetric matrix problems. *Theor. Comput. Sci.*, 411(31-33):2818–2826, 2010.
- [212] Peng Li and Steve Zdancewic. Arrows for secure information flow. *Theor. Comput. Sci.*, 411(19):1974–1994, 2010.

- [213] Shisheng Li and Jinjiang Yuan. Parallel-machine scheduling with deteriorating jobs and rejection. *Theor. Comput. Sci.*, 411(40-42):3642–3650, 2010.
- [214] Xiang-Yang Li, Zheng Sun, WeiZhao Wang, Xiaowen Chu, ShaoJie Tang, and Ping Xu. Mechanism design for set cover games with selfish element agents. *Theor. Comput. Sci.*, 411(1):174–187, 2010.
- [215] Xin Li and Tian Liu. On exponential time lower bound of knapsack under backtracking. *Theor. Comput. Sci.*, 411(16-18):1883–1888, 2010.
- [216] Lan Lin, Stacy J. Prowell, and Jesse H. Poore. An axiom system for sequence-based specification. *Theor. Comput. Sci.*, 411(2):360–376, 2010.
- [217] Mingen Lin, Yang Yang, and Jinhui Xu. On lazy bin covering and packing problems. *Theor. Comput. Sci.*, 411(1):277–284, 2010.
- [218] Tien-Ching Lin and D.T. Lee. Efficient algorithms for the sum selection problem and k maximum sums problem. *Theor. Comput. Sci.*, 411(7-9):986–994, 2010.
- [219] J.J. Liu. Distinct squares in run-length encoded strings. *Theor. Comput. Sci.*, 411(49):4235–4241, 2010.
- [220] Xingchang Liu, Xiaofan Yang, Shenglin Li, and Yong Ding. Solving the minimum bisection problem using a biologically inspired computational model. *Theor. Comput. Sci.*, 411(6):888–896, 2010.
- [221] Yun Liu. Compositions of maximal codes. *Theor. Comput. Sci.*, 411(1):228–238, 2010.
- [222] Vadim V. Lozin. A decidability result for the dominating set problem. *Theor. Comput. Sci.*, 411(44-46):4023–4027, 2010.
- [223] Shenpeng Lu, Haodi Feng, and Xiuqian Li. Minimizing the makespan on a single parallel batching machine. *Theor. Comput. Sci.*, 411(7-9):1140–1145, 2010.
- [224] Laurent Lyaudet. np -hard and linear variants of hypergraph partitioning. *Theor. Comput. Sci.*, 411(1):10–21, 2010.

- [225] R.C.S. Machado, C.M.H. de Figueiredo, and K. Vušković. Chromatic index of graphs with no cycle with a unique chord. *Theor. Comput. Sci.*, 411(7-9):1221–1234, 2010.
- [226] Hosam M. Mahmoud. Distributional analysis of swaps in quick select. *Theor. Comput. Sci.*, 411(16-18):1763–1769, 2010.
- [227] Florin Manea. A series of algorithmic results related to the iterated hairpin completion. *Theor. Comput. Sci.*, 411(48):4162–4178, 2010.
- [228] Filip Marić. Formal verification of a modern sat solver by shallow embedding into isabelle/hol. *Theor. Comput. Sci.*, 411(50):4333–4356, 2010.
- [229] Keye Martin, Ira S. Moskowitz, and Gerard Allwein. Algebraic information theory for binary channels. *Theor. Comput. Sci.*, 411(19):1918–1927, 2010.
- [230] Toshimitsu Masuzawa and Sébastien Tixeuil. Quiescence of self-stabilizing gossiping among mobile agents in graphs. *Theor. Comput. Sci.*, 411(14-15):1567–1582, 2010.
- [231] Luke Mathieson. The parameterized complexity of editing graphs for bounded degeneracy. *Theor. Comput. Sci.*, 411(34-36):3181–3187, 2010.
- [232] Christian Mathissen. Definable transductions and weighted logics for texts. *Theor. Comput. Sci.*, 411(3):631–659, 2010.
- [233] Yasuko Matsui, Ryuhei Uehara, and Takeaki Uno. Enumeration of the perfect sequences of a chordal graph. *Theor. Comput. Sci.*, 411(40-42):3635–3641, 2010.
- [234] Daniel Meister. Treewidth and minimum fill-in on permutation graphs in linear time. *Theor. Comput. Sci.*, 411(40-42):3685–3700, 2010.
- [235] D. Merlini and R. Sprugnoli. The relevant prefixes of coloured motzkin walks: An average case analysis. *Theor. Comput. Sci.*, 411(1):148–163, 2010.

- [236] Mauro Mezzini. On the complexity of finding chordless paths in bipartite graphs and some interval operators in graphs and hypergraphs. *Theor. Comput. Sci.*, 411(7-9):1212–1220, 2010.
- [237] Mauro Mezzini and Marina Moscarini. Simple algorithms for minimal triangulation of a graph and backward selection of a decomposable markov network. *Theor. Comput. Sci.*, 411(7-9):958–966, 2010.
- [238] Victor Mitrana, Ion Petre, and Vladimir Rogojin. Accepting splicing systems. *Theor. Comput. Sci.*, 411(25):2414–2422, 2010.
- [239] Tal Mizrahi and Yoram Moses. Continuous consensus with ambiguous failures. *Theor. Comput. Sci.*, 411(34-36):3031–3041, 2010.
- [240] Linda Morales and Hal Sudborough. A quadratic lower bound for topswops. *Theor. Comput. Sci.*, 411(44-46):3965–3970, 2010.
- [241] Tal Moran and Moni Naor. Basing cryptographic protocols on tamper-evident seals. *Theor. Comput. Sci.*, 411(10):1283–1310, 2010.
- [242] Achour Mostéfaoui, Michel Raynal, and Corentin Travers. Narrowing power vs. efficiency in synchronous set agreement: Relationship, algorithms and lower bound. *Theor. Comput. Sci.*, 411(1):58–69, 2010.
- [243] Indraneel Mukherjee and Robert E. Schapire. Learning with continuous experts using drifting games. *Theor. Comput. Sci.*, 411(29-30):2670–2683, 2010.
- [244] Markus Müller. Stationary algorithmic probability. *Theor. Comput. Sci.*, 411(1):113–130, 2010.
- [245] Frank Neumann and Carsten Witt. Ant colony optimization and the minimum spanning tree problem. *Theor. Comput. Sci.*, 411(25):2406–2413, 2010.
- [246] C.T. Ng, Shisheng Li, T.C.E. Cheng, and Jinjiang Yuan. Preemptive scheduling with simple linear deterioration on a single machine. *Theor. Comput. Sci.*, 411(40-42):3578–3586, 2010.
- [247] Yoshiaki Nonaka, Hirotaka Ono, Kunihiko Sadakane, and Masafumi Yamashita. The hitting and cover times of metropolis walks. *Theor. Comput. Sci.*, 411(16-18):1889–1894, 2010.

- [248] Q.Q. Nong, T.C.E. Cheng, and C.T. Ng. A polynomial-time algorithm for the weighted link ring loading problem with integer demand splitting. *Theor. Comput. Sci.*, 411(31-33):2978–2986, 2010.
- [249] Zeev Nutov. Approximating minimum power covers of intersecting families and directed edge-connectivity problems. *Theor. Comput. Sci.*, 411(26-28):2502–2512, 2010.
- [250] Russell O’Connor and Bas Spitters. A computer-verified monadic functional implementation of the integral. *Theor. Comput. Sci.*, 411(37):3386–3402, 2010.
- [251] Colm ÓDúnlaithe and Natalie Schluter. A shorter proof that palindromes are not a church-rosser language, with extensions to almost-confluent and preperfect thue systems. *Theor. Comput. Sci.*, 411(3):677–690, 2010.
- [252] Alexander Okhotin and Christian Reitwießner. Conjunctive grammars with restricted disjunction. *Theor. Comput. Sci.*, 411(26-28):2559–2571, 2010.
- [253] Michael Okun. Strong order-preserving renaming in the synchronous message passing model. *Theor. Comput. Sci.*, 411(40-42):3787–3794, 2010.
- [254] Ronald Ortner. Online regret bounds for markov decision processes with deterministic transitions. *Theor. Comput. Sci.*, 411(29-30):2684–2695, 2010.
- [255] Simona Orzan and Tim A.C. Willemse. Invariants for parameterised boolean equation systems. *Theor. Comput. Sci.*, 411(11-13):1338–1371, 2010.
- [256] Shunsuke Ota, Ehab Morsy, and Hiroshi Nagamochi. A plane graph representation of triconnected graphs. *Theor. Comput. Sci.*, 411(44-46):3979–3993, 2010.
- [257] Luca Padovani. Contract-based discovery of web services modulo simple orchestrators. *Theor. Comput. Sci.*, 411(37):3328–3347, 2010.

- [258] Michele Pagani and Lorenzo Tortora de Falco. Strong normalization property for second order linear logic. *Theor. Comput. Sci.*, 411(2):410–444, 2010.
- [259] Linqiang Pan and Gheorghe Păun. Spiking neural p systems: An improved normal form. *Theor. Comput. Sci.*, 411(6):906–918, 2010.
- [260] Tomi A. Pasanen. Random binary search tree with equal elements. *Theor. Comput. Sci.*, 411(43):3867–3872, 2010.
- [261] Reinhard Pichler and Vadim Savenkov. Towards practical feasibility of core computation in data exchange. *Theor. Comput. Sci.*, 411(7-9):935–957, 2010.
- [262] Antonio E. Porreca, Giancarlo Mauri, and Claudio Zandron. Non-confluence in divisionless p systems with active membranes. *Theor. Comput. Sci.*, 411(6):878–887, 2010.
- [263] Alexander Rabinovich. Complexity of metric temporal logics with counting and the pnueli modalities. *Theor. Comput. Sci.*, 411(22-24):2331–2342, 2010.
- [264] Romain Ravaux. Decomposing trees with large diameter. *Theor. Comput. Sci.*, 411(34-36):3068–3072, 2010.
- [265] Vlady Ravelomanana. Birth and growth of multicyclic components in random hypergraphs. *Theor. Comput. Sci.*, 411(43):3801–3813, 2010.
- [266] Elaine Render and Mark Kambites. Semigroup automata with rational initial and terminal sets. *Theor. Comput. Sci.*, 411(7-9):1004–1012, 2010.
- [267] David Richeson, Paul Winkler, and Jim Wiseman. Itineraries of rigid rotations and diffeomorphisms of the circle. *Theor. Comput. Sci.*, 411(1):259–265, 2010.
- [268] Alessandro Romanel and Corrado Priami. On the computational power of blenx. *Theor. Comput. Sci.*, 411(2):542–565, 2010.
- [269] Vladimir Rybakov. Rules admissible in transitive temporal logic t_{S4} , sufficient condition. *Theor. Comput. Sci.*, 411(50):4323–4332, 2010.

- [270] Sadish Sadasivam and Huaming Zhang. *np*-completeness of *st*-orientations for plane graphs. *Theor. Comput. Sci.*, 411(7-9):995–1003, 2010.
- [271] Arto Salomaa. Criteria for the matrix equivalence of words. *Theor. Comput. Sci.*, 411(16-18):1818–1827, 2010.
- [272] Andrea Sattler-Klein. Some complexity results for prefix gröbner bases in free monoid rings. *Theor. Comput. Sci.*, 411(4-5):823–833, 2010.
- [273] Thomas Sauerwald and Dirk Sudholt. A self-stabilizing algorithm for cut problems in synchronous networks. *Theor. Comput. Sci.*, 411(14-15):1599–1612, 2010.
- [274] Manfred Schmidt-Schauß and David Sabel. On generic context lemmas for higher-order calculi with sharing. *Theor. Comput. Sci.*, 411(11-13):1521–1541, 2010.
- [275] Allan Scott and Ulrike Stege. Parameterized pursuit-evasion games. *Theor. Comput. Sci.*, 411(43):3845–3858, 2010.
- [276] Ohad Shamir, Sivan Sabato, and Naftali Tishby. Learning and generalization with the information bottleneck. *Theor. Comput. Sci.*, 411(29-30):2696–2711, 2010.
- [277] O. Shanker. Complex network dimension and path counts. *Theor. Comput. Sci.*, 411(26-28):2454–2458, 2010.
- [278] Zhendong Shao and Roberto Solis-Oba. $l(2, 1)$ -labelings on the composition of n graphs. *Theor. Comput. Sci.*, 411(34-36):3287–3292, 2010.
- [279] Sujin Shin. Codes and maximal monoids. *Theor. Comput. Sci.*, 411(16-18):1809–1817, 2010.
- [280] Arseny M. Shur. Growth rates of complexity of power-free languages. *Theor. Comput. Sci.*, 411(34-36):3209–3223, 2010.
- [281] Gem Stapleton, John Howse, and Peter Rodgers. A graph theoretic approach to general euler diagram drawing. *Theor. Comput. Sci.*, 411(1):91–112, 2010.

- [282] Dirk Sudholt and Carsten Witt. Runtime analysis of a binary particle swarm optimizer. *Theor. Comput. Sci.*, 411(21):2084–2100, 2010.
- [283] Eijiro Sumii. A bisimulation-like proof method for contextual properties in untyped λ -calculus with references and deallocation. *Theor. Comput. Sci.*, 411(51-52):4358–4378, 2010.
- [284] Kohtaro Tadaki, Tomoyuki Yamakami, and Jack C.H. Lin. Theory of one-tape linear-time turing machines. *Theor. Comput. Sci.*, 411(1):22–43, 2010.
- [285] Kok Kiong Tan, Jian Cheng Lv, Zhang Yi, and Sunan Huang. Adaptive multiple minor directions extraction in parallel using a pca neural network. *Theor. Comput. Sci.*, 411(48):4200–4215, 2010.
- [286] Jun Tarui. Smallest formulas for the parity of 2^k variables are essentially unique. *Theor. Comput. Sci.*, 411(26-28):2623–2627, 2010.
- [287] Véronique Terrier. Simulation of one-way cellular automata by boolean circuits. *Theor. Comput. Sci.*, 411(1):266–276, 2010.
- [288] Wanyong Tian, Minming Li, and Enhong Chen. Energy optimal schedules for jobs with multiple active intervals. *Theor. Comput. Sci.*, 411(3):672–676, 2010.
- [289] Simone Tini. Non-expansive ϵ -bisimulations for probabilistic processes. *Theor. Comput. Sci.*, 411(22-24):2202–2222, 2010.
- [290] Tayssir Touili and Mohamed Faouzi Atig. Verifying parallel programs with dynamic communication structures. *Theor. Comput. Sci.*, 411(38-39):3460–3468, 2010.
- [291] Kei Uchizawa, Takao Nishizeki, and Eiji Takimoto. Energy and depth of threshold circuits. *Theor. Comput. Sci.*, 411(44-46):3938–3946, 2010.
- [292] Daniele Varacca and Nobuko Yoshida. Typed event structures and the linear π -calculus. *Theor. Comput. Sci.*, 411(19):1949–1973, 2010.
- [293] Samuel Alexandre Vidal. An optimal algorithm to generate rooted trivalent diagrams and rooted triangular maps. *Theor. Comput. Sci.*, 411(31-33):2945–2967, 2010.

- [294] Vladimir Vovk and Alexander Shen. Prequential randomness and probability. *Theor. Comput. Sci.*, 411(29-30):2632–2646, 2010.
- [295] Peter Vrancx, Katja Verbeeck, and Ann Nowé. Analyzing the dynamics of stigmergetic interactions through pheromone games. *Theor. Comput. Sci.*, 411(21):2116–2126, 2010.
- [296] Jianxin Wang, Wenjun Li, and Jianer Chen. A parameterized algorithm for the hyperplane-cover problem. *Theor. Comput. Sci.*, 411(44-46):4005–4009, 2010.
- [297] Weifan Wang, Stephen Finbow, and Ping Wang. The surviving rate of an infected network. *Theor. Comput. Sci.*, 411(40-42):3651–3660, 2010.
- [298] Zhenbo Wang, Wenzun Xing, and Shu-Cherng Fang. Two-group knapsack game. *Theor. Comput. Sci.*, 411(7-9):1094–1103, 2010.
- [299] Osamu Watanabe and Masaki Yamamoto. Average-case analysis for the max-2sat problem. *Theor. Comput. Sci.*, 411(16-18):1685–1697, 2010.
- [300] Chan-Shuo Wu and Guan-Shieng Huang. A metric for rooted trees with unlabeled vertices based on nested parentheses. *Theor. Comput. Sci.*, 411(44-46):3923–3931, 2010.