

References

- [1] Jean Berstel, Luc Boasson, and Isabelle Fagnot. Splicing systems and the chomsky hierarchy. *Theor. Comput. Sci.*, 436:2–22, 2012.
- [2] Jérémie Cabessa and Alessandro E.P. Villa. The expressive power of analog recurrent neural networks on infinite input streams. *Theor. Comput. Sci.*, 436:23–34, 2012.
- [3] G. Cattaneo, M. Comito, and D. Bianucci. Sand piles: From physics to cellular automata models. *Theor. Comput. Sci.*, 436:35–53, 2012.
- [4] Tianshi Chen, Ke Tang, Guoliang Chen, and Xin Yao. A large population size can be unhelpful in evolutionary algorithms. *Theor. Comput. Sci.*, 436:54–70, 2012.
- [5] Benjamin Doerr, Daniel Johannsen, and Carola Winzen. Non-existence of linear universal drift functions. *Theor. Comput. Sci.*, 436:71–86, 2012.
- [6] Giuseppe Lettieri. An abstract interpretation framework for genotype elimination algorithms. *Theor. Comput. Sci.*, 436:87–105, 2012.
- [7] Dong Zhou, Dan Luo, Ruqian Lu, and Zhangang Han. The use of tail inequalities on the probable computational time of randomized search heuristics. *Theor. Comput. Sci.*, 436:106–117, 2012.