

## References

- [1] J. Araujo, V. Campos, F. Giroire, N. Nisse, L. Sampaio, and R. Soares. On the hull number of some graph classes. *Theor. Comput. Sci.*, 475:1–12, 2013.
- [2] L’ Balková, E. Pelantová, and Š. Starosta. Proof of the brlek-reutenauer conjecture. *Theor. Comput. Sci.*, 475:120–125, 2013.
- [3] Jørgen Bang-Jensen, Daniel Gonçalves, and Anders Yeo. Partitioning the arcs of a digraph into a star forest of the underlying graph with prescribed orientation properties. *Theor. Comput. Sci.*, 475:13–20, 2013.
- [4] Małgorzata Bednarska-Bzdęga. On weight function methods in chooser-picker games. *Theor. Comput. Sci.*, 475:21–33, 2013.
- [5] Marcin Bienkowski, Marek Chrobak, Christoph Dürr, Mathilde Hurand, Artur Jeż, Łukasz Jeż, and Grzegorz Stachowiak. A  $\phi$ -competitive algorithm for collecting items with increasing weights from a dynamic queue. *Theor. Comput. Sci.*, 475:92–102, 2013.
- [6] F. Blanchet-Sadri and Sean Simmons. Deciding representability of sets of words of equal length. *Theor. Comput. Sci.*, 475:34–46, 2013.
- [7] Achim Blumensath. Erratum to “on the structure of graphs in the caual hierarchy”. *Theor. Comput. Sci.*, 475:126–127, 2013. Originally in *Theor. Comput. Sci.*, Vol. 400, 2008, No. 1-3, 19-45.
- [8] Alain Bretto, Yannick Silvestre, and Thierry Vallée. Factorization of products of hypergraphs: Structure and algorithms. *Theor. Comput. Sci.*, 475:47–58, 2013.
- [9] S. Brocchi, A. Frosini, R. Pinzani, and S. Rinaldi. A tiling system for the class of  $l$ -convex polyominoes. *Theor. Comput. Sci.*, 475:73–81, 2013.
- [10] Shlomi Dolev, Limor Lahiani, and Yinnon Haviv. Unique permutation hashing. *Theor. Comput. Sci.*, 475:59–65, 2013.
- [11] Sigrid Ewert and Andries van der Walt. Necessary conditions for subclasses of random context languages. *Theor. Comput. Sci.*, 475:66–72, 2013.

- [12] Wing-Kai Hon, Tsung-Han Ku, Rahul Shah, Sharma V. Thankachan, and Jeffrey Scott Vitter. Faster compressed dictionary matching. *Theor. Comput. Sci.*, 475:113–119, 2013.
- [13] S. Karim, J. Sawada, Z. Alamgir, and S.M. Husnine. Generating bracelets with fixed content. *Theor. Comput. Sci.*, 475:103–112, 2013.
- [14] Che-Nan Kuo, Hsin-Hung Chou, Nai-Wen Chang, and Sun-Yuan Hsieh. Fault-tolerant path embedding in folded hypercubes with both node and edge faults. *Theor. Comput. Sci.*, 475:82–91, 2013.