

## References

- [1] Jonathan M. Borwein and Armin Straub. Mahler measures, short walks and log-sine integrals. *Theor. Comput. Sci.*, 479:4–21, 2013.
- [2] Robert M. Corless. Pseudospectra of exponential matrix polynomials. *Theor. Comput. Sci.*, 479:70–80, 2013.
- [3] Ioannis Z. Emiris, Tatjana Kalinka, Christos Konaxis, and Thang Luu Ba. Implicitization of curves and (hyper)surfaces using predicted support. *Theor. Comput. Sci.*, 479:81–98, 2013.
- [4] Claudia Fassino and Maria-Laura Torrente. Simple varieties for limited precision points. *Theor. Comput. Sci.*, 479:174–186, 2013.
- [5] Mădălina Hodorog and Josef Schicho. A regularization approach for estimating the type of a plane curve singularity. *Theor. Comput. Sci.*, 479:99–119, 2013.
- [6] Hidenao Iwane, Hitoshi Yanami, Hirokazu Anai, and Kazuhiro Yokoyama. An effective implementation of symbolic-numeric cylindrical algebraic decomposition for quantifier elimination. *Theor. Comput. Sci.*, 479:43–69, 2013.
- [7] Nan Li and Lihong Zhi. Verified error bounds for isolated singular solutions of polynomial systems: Case of breadth one. *Theor. Comput. Sci.*, 479:163–173, 2013.
- [8] Zijia Li and Lihong Zhi. Computing the nearest singular univariate polynomials with given root multiplicities. *Theor. Comput. Sci.*, 479:150–162, 2013.
- [9] Gregory Nuel and Jean-Guillaume Dumas. Sparse approaches for the exact distribution of patterns in long state sequences generated by a markov source. *Theor. Comput. Sci.*, 479:22–42, 2013.
- [10] Akira Terui. Gpgcd: An iterative method for calculating approximate gcd of univariate polynomials. *Theor. Comput. Sci.*, 479:127–149, 2013.
- [11] Elias P. Tsigaridas. Improved bounds for the cf algorithm. *Theor. Comput. Sci.*, 479:120–126, 2013.