

## References

- [1] H. Alaiwan. Equivalence of infinite behavior of finite automata. *Theor. Comput. Sci.*, 31(3):297–306, 1984.
- [2] K.R. Apt. Ten years of hoare’s logic: A survey – part ii: Nondeterminism. *Theor. Comput. Sci.*, 28(1,2):83–109, 1984.
- [3] K.R. Apt, A. Pnueli, and J. Stavi. Fair termination revisited – with delay. *Theor. Comput. Sci.*, 33(1):65–84, 1984.
- [4] E. Astesiano and G. Costa. Distributive semantics for nondeterministic typed  $\lambda$ -calculi. *Theor. Comput. Sci.*, 32(1,2):121–156, 1984.
- [5] E. Astesiano and E. Zucca. Parametric channels via label expressions in ccs. *Theor. Comput. Sci.*, 33(1):45–63, 1984.
- [6] D. Austry and G. Boudol. Algèbre de processus et synchronisation. *Theor. Comput. Sci.*, 30(1):91–131, 1984.
- [7] J.-M. Autebert, J. Beauquier, L. Boasson, and G. Sénizergues. Remarques sur les langages de parenthèses. *Theor. Comput. Sci.*, 31(3):337–349, 1984.
- [8] J. Avenhaus and K. Madlener. The nielsen reduction and p-complete problems in free groups. *Theor. Comput. Sci.*, 32(1,2):61–76, 1984.
- [9] J. Avenhaus and K. Madlener. On the complexity of intersection and conjugacy problems in free groups. *Theor. Comput. Sci.*, 32(3):279–295, 1984.
- [10] F. Bancilhon and Ph. Richard. A sound and complete axiomatization of embedded cross dependencies. *Theor. Comput. Sci.*, 34(3):343–350, 1984.
- [11] J.A. Bergstra and J.W. Klop. Proving program inclusion using hoare’s logic. *Theor. Comput. Sci.*, 30(1):1–48, 1984.
- [12] J.A. Bergstra and J.V. Tucker. Hoare’s logic for programming languages with two data types. *Theor. Comput. Sci.*, 28(1,2):215–221, 1984.

- [13] D. Bini. On commutativity and approximation. *Theor. Comput. Sci.*, 28(1,2):135–150, 1984.
- [14] N. Blum. A boolean function requiring  $3n$  network size. *Theor. Comput. Sci.*, 28(3):337–345, 1984.
- [15] J.P. Braquelaire and B. Courcelle. The solutions of two star-height problems for regular trees. *Theor. Comput. Sci.*, 30(2):205–239, 1984.
- [16] M. Broy, M. Wirsing, and C. Pair. A systematic study of models of abstract data types. *Theor. Comput. Sci.*, 33(2,3):139–174, 1984.
- [17] K. Bruce and G. Longo. On combinatory algebras and their expansions. *Theor. Comput. Sci.*, 31(1,2):31–40, 1984.
- [18] W. Bucher, H.A. Maurer, and K. Culik II. Context-free complexity of finite languages. *Theor. Comput. Sci.*, 28(3):277–285, 1984.
- [19] F.Y. Chin, P. Kossowski, and S.C. Loh. Efficient inference control for range sum queries. *Theor. Comput. Sci.*, 32(1,2):77–86, 1984.
- [20] M. Clerbout and M. Latteux. Partial commutations and faithful rational transductions. *Theor. Comput. Sci.*, 34(3):241–254, 1984.
- [21] S. Cohen, D. Lehmann, and A. Pnueli. Symmetric and economical solutions to the mutual exclusion problem in a distributed system. *Theor. Comput. Sci.*, 34(1,2):215–225, 1984.
- [22] M. Coppo. Completeness of type assignment in continuous lambda models. *Theor. Comput. Sci.*, 29(3):309–324, 1984.
- [23] P.T. Cox and T. Pietrzykowski. A complete, nonredundant algorithm for reversed skolemization. *Theor. Comput. Sci.*, 28(3):239–261, 1984.
- [24] K. Culik II and S. Yu. Iterative tree automata. *Theor. Comput. Sci.*, 32(3):227–247, 1984.
- [25] J.W. de Bakker, J.A. Bergstra, J.W. Klop, and J.-J.Ch. Meyer. Linear time and branching time semantics for recursion with merge. *Theor. Comput. Sci.*, 34(1,2):135–156, 1984.

- [26] N.G. de Bruijn. Some machines defined by directed graphs. *Theor. Comput. Sci.*, 32(3):309–319, 1984.
- [27] R. de Nicola and M.C.B. Hennessy. Testing equivalences for processes. *Theor. Comput. Sci.*, 34(1,2):83–133, 1984.
- [28] R. de Simone. Langages infinitaires et produit de mixage. *Theor. Comput. Sci.*, 31(1,2):83–100, 1984.
- [29] R. de Simone. On meije and sccs: Infinite sum operators vs. non-guarded definitions. *Theor. Comput. Sci.*, 30(1):133–138, 1984.
- [30] M.-P. Delest and G. Viennot. Algebraic languages and polyominoes enumeration. *Theor. Comput. Sci.*, 34(1,2):169–206, 1984.
- [31] L. Denenberg and H.R. Lewis. The complexity of the satisfiability problem for krom formulas. *Theor. Comput. Sci.*, 30(3):319–341, 1984.
- [32] J. Duske and R. Parchmann. Linear indexed languages. *Theor. Comput. Sci.*, 32(1,2):47–60, 1984.
- [33] P. Dybjer. Some results on the deductive structure of join dependencies. *Theor. Comput. Sci.*, 33(1):95–105, 1984.
- [34] A. Ehrenfeucht, M.G. Main, and G. Rozenberg. Restrictions on nlc graph grammars. *Theor. Comput. Sci.*, 31(1,2):211–223, 1984.
- [35] A. Ehrenfeucht, G. Rozenberg, and R. Verraedt. On inherently ambiguous eol languages. *Theor. Comput. Sci.*, 28(1,2):197–214, 1984.
- [36] H. Ehrig, H.-J. Kreowski, J. Thatcher, E. Wagner, and J. Wright. Parameter passing in algebraic specification languages. *Theor. Comput. Sci.*, 28(1,2):45–81, 1984.
- [37] G.S. Eisman. On the ratio of growth functions in edtol languages. *Theor. Comput. Sci.*, 29(3):325–349, 1984.
- [38] T. Elrad and N. Francez. A weakest precondition semantics for communicating processes. *Theor. Comput. Sci.*, 29(3):231–250, 1984.
- [39] E. Fachini and M. Napoli. Hierarchies of primitive recursive wordsequence functions: Comparisons and decision problems. *Theor. Comput. Sci.*, 29(1,2):185–227, 1984.

- [40] E. Fehr. Expressive power of typed and type-free programming languages. *Theor. Comput. Sci.*, 33(2,3):195–238, 1984.
- [41] C. Fernández and P.S. Thiagarajan. D-continuous causal nets: A model of non-sequential processes. *Theor. Comput. Sci.*, 28(1,2):171–196, 1984.
- [42] A.S. Fraenkel. Wythoff games, continued fractions, cedar trees and fibonacci searches. *Theor. Comput. Sci.*, 29(1,2):49–73, 1984.
- [43] N. Francez, D. Lehmann, and A. Pnueli. A linear-history semantics for languages for distributed programming. *Theor. Comput. Sci.*, 32(1,2):25–46, 1984.
- [44] G.N. Frederickson. Recursively rotated orders and implicit data structures: A lower bound. *Theor. Comput. Sci.*, 29(1,2):75–85, 1984.
- [45] D. Frutos Escrig. A characterization of plotkin’s order in powerdomains, and some of its properties. *Theor. Comput. Sci.*, 31(1,2):73–82, 1984.
- [46] H.J. Genrich and P.S. Thiagarajan. A theory of bipolar synchronization schemes. *Theor. Comput. Sci.*, 30(3):241–318, 1984.
- [47] D. Girault-Beauquier. Bilimites de langages reconnaissables. *Theor. Comput. Sci.*, 33(2,3):335–342, 1984.
- [48] M. Gogolla, K. Drosten, U. Lipeck, and H.-D. Ehrich. Algebraic and operational semantics of specifications allowing exceptions and errors. *Theor. Comput. Sci.*, 34(3):289–313, 1984.
- [49] J.A. Goguen and R.M. Burstall. Some fundamental algebraic tools for the semantics of computation. part 1: Comma categories, colimits, signatures and theories. *Theor. Comput. Sci.*, 31(1,2):175–209, 1984.
- [50] J.A. Goguen and R.M. Burstall. Some fundamental algebraic tools for the semantics of computation. part 2: Signed and abstract theories. *Theor. Comput. Sci.*, 31(3):263–295, 1984.
- [51] T.E. Hall. Biprefix codes, inverse semigroups and syntactic monoids of injective automata. *Theor. Comput. Sci.*, 32(1,2):201–213, 1984.

- [52] T. Harju and M. Linna. The equations  $h(w) = w^n$  in binary alphabets. *Theor. Comput. Sci.*, 33(2,3):327–329, 1984.
- [53] J. Hartmanis and Y. Yesha. Computation times of np sets of different densities. *Theor. Comput. Sci.*, 34(1,2):17–32, 1984.
- [54] T. Head. Adherences of dol languages. *Theor. Comput. Sci.*, 31(1,2):139–149, 1984.
- [55] J.R. Hindley. Coppo-dezani types do not correspond to propositional logic. *Theor. Comput. Sci.*, 28(1,2):235–236, 1984.
- [56] J.-W. Hong. A tradeoff theorem for space and reversal. *Theor. Comput. Sci.*, 32(1,2):221–224, 1984.
- [57] J. Honkala. Bases and ambiguity of number systems. *Theor. Comput. Sci.*, 31(1,2):61–71, 1984.
- [58] Dung T. Huynh. Deciding the inequivalence of context-free grammars with 1-letter terminal alphabet is  $\sigma_2^p$ -complete. *Theor. Comput. Sci.*, 33(2,3):305–326, 1984.
- [59] O.H. Ibarra and S.M. Kim. Characterizations and computational complexity of systolic trellis automata. *Theor. Comput. Sci.*, 29(1,2):123–153, 1984.
- [60] M. Ito, M. Iwasaki, K. Taniguchi, and T. Kasami. Membership problems for data dependencies in relational expressions. *Theor. Comput. Sci.*, 34(3):315–335, 1984.
- [61] Y. Itzhaik and A. Yehudai. New families of non real time dpda's and their decidability results. *Theor. Comput. Sci.*, 34(3):255–274, 1984.
- [62] G. Jacob and C. Reutenauer. On formal power series defined by infinite linear systems. *Theor. Comput. Sci.*, 32(3):339–340, 1984.
- [63] R. Janicki. Nets, sequential components and concurrency relations. *Theor. Comput. Sci.*, 29(1,2):87–121, 1984.
- [64] M. Jantzen and M. Kudlek. Homomorphic images of sentential form languages defined by semi-thue systems. *Theor. Comput. Sci.*, 33(1):13–43, 1984.

- [65] T. Kamimura and A. Tang. Effectively given spaces. *Theor. Comput. Sci.*, 29(1,2):155–166, 1984.
- [66] T. Kamimura and A. Tang. Total objects of domains. *Theor. Comput. Sci.*, 34(3):275–288, 1984.
- [67] T. Kanaoka and S. Tomita. The decomposition of stochastic systems. *Theor. Comput. Sci.*, 28(1,2):223–233, 1984.
- [68] S. Kaplan. Conditional rewrite rules. *Theor. Comput. Sci.*, 33(2,3):175–193, 1984.
- [69] J. Karhumäki. The ehrenfeucht conjecture: A compactness claim for finitely generated free monoids. *Theor. Comput. Sci.*, 29(3):285–308, 1984.
- [70] A. Kelemenová. Complexity of normal form grammars. *Theor. Comput. Sci.*, 28(3):299–314, 1984.
- [71] J. Ketonen and R. Weyhrauch. A decidable fragment of predicate calculus. *Theor. Comput. Sci.*, 32(3):297–307, 1984.
- [72] D. Kirkpatrick and S. Reisch. Upper bounds for sorting integers on random access machines. *Theor. Comput. Sci.*, 28(3):263–276, 1984.
- [73] H.A. Klaeren. A constructive method for abstract algebraic software specification. *Theor. Comput. Sci.*, 30(2):139–204, 1984.
- [74] K. Ko. Reducibilities on real numbers. *Theor. Comput. Sci.*, 31(1,2):101–123, 1984.
- [75] K. Kobayashi, M. Takahashi, and H. Yamasaki. Characterization of  $\omega$ -regular languages by first-order formulas. *Theor. Comput. Sci.*, 28(3):315–327, 1984.
- [76] J.-L. Lassez and M.J. Maher. Closure and fairness in the semantics of programming logic. *Theor. Comput. Sci.*, 29(1,2):167–184, 1984.
- [77] A.K. Lenstra. Factoring multivariate integral polynomials. *Theor. Comput. Sci.*, 34(1,2):207–213, 1984.

- [78] B. Mahr and J.A. Makowsky. Characterizing specification languages which admit initial semantics. *Theor. Comput. Sci.*, 31(1,2):49–59, 1984.
- [79] D. Maier and J.D. Ullman. Connections in acyclic hypergraphs. *Theor. Comput. Sci.*, 32(1,2):185–199, 1984.
- [80] J. Maluszyński. Towards a programming language based on the notion of two-level grammar. *Theor. Comput. Sci.*, 28(1,2):13–43, 1984.
- [81] Y. Maon and A. Yehudai. On test sets for checking morphism equivalence on languages with fair distribution of letters. *Theor. Comput. Sci.*, 33(2,3):239–260, 1984.
- [82] K. McAloon. Petri nets and large finite sets. *Theor. Comput. Sci.*, 32(1,2):173–183, 1984.
- [83] R. Meshulam. A geometric construction of a superconcentrator of depth 2. *Theor. Comput. Sci.*, 32(1,2):215–219, 1984.
- [84] M. Mezghiche. Une nouvelle  $c\beta$ -réduction dans la logique combinatoire. *Theor. Comput. Sci.*, 31(1,2):151–163, 1984.
- [85] S. Miyano and T. Hayashi. Alternating finite automata on  $\omega$ -words. *Theor. Comput. Sci.*, 32(3):321–330, 1984.
- [86] P. Narendran and R. McNaughton. The undecidability of the preperfectness of thue systems. *Theor. Comput. Sci.*, 31(1,2):165–174, 1984.
- [87] J. Nešetřil. Some nonstandard ramsey like applications. *Theor. Comput. Sci.*, 34(1,2):3–15, 1984.
- [88] V. Niemi. The undecidability of form equivalence for context-free and eol forms. *Theor. Comput. Sci.*, 32(3):261–277, 1984.
- [89] E.-R. Olderog. Correctness of programs with pascal-like procedures without global variables. *Theor. Comput. Sci.*, 30(1):49–90, 1984.
- [90] E. Orłowska and Z. Pawlak. Representation of nondeterministic information. *Theor. Comput. Sci.*, 29(1,2):27–39, 1984.

- [91] F. Otto. Finite complete rewriting systems for the jantzen monoid and the greendlinger group. *Theor. Comput. Sci.*, 32(3):249–260, 1984.
- [92] F. Otto. Some undecidability results for non-monadic church-rosser thue systems. *Theor. Comput. Sci.*, 33(2,3):261–278, 1984.
- [93] M. Oyamaguchi. Some results on subclass containment problems for special classes of dpda’s related to nonsingular machines. *Theor. Comput. Sci.*, 31(3):317–335, 1984.
- [94] V.Ya. Pan. The techniques of trilinear aggregating and the recent progress in the asymptotic acceleration of matrix operations. *Theor. Comput. Sci.*, 33(1):117–138, 1984.
- [95] F. Parisi-Presicce. Iterative factor algebras and induced metrics. *Theor. Comput. Sci.*, 28(3):287–298, 1984.
- [96] W. Paul. On heads versus tapes. *Theor. Comput. Sci.*, 28(1,2):1–12, 1984.
- [97] D. Perrin. Completing biprefix codes. *Theor. Comput. Sci.*, 28(3):329–336, 1984.
- [98] D. Perrin and P. Schupp. Sur les monoïdes à un relateur qui sont des groupes. *Theor. Comput. Sci.*, 33(2,3):331–334, 1984.
- [99] D.A. Plaisted. New  $np$ -hard and  $np$ -complete polynomial and integer divisibility problems. *Theor. Comput. Sci.*, 31(1,2):125–138, 1984.
- [100] D.H. Potts. Remarks on an example of jantzen. *Theor. Comput. Sci.*, 29(3):277–284, 1984.
- [101] J.C. Raoult. On graph rewritings. *Theor. Comput. Sci.*, 32(1,2):1–24, 1984.
- [102] B. Ravikumar and K.B. Lakshmanan. Coping with known patterns of lies in a search game. *Theor. Comput. Sci.*, 33(1):85–94, 1984.
- [103] S. Ronchi Della Rocca and B. Venneri. Principal type schemes for an extended type theory. *Theor. Comput. Sci.*, 28(1,2):151–169, 1984.



- [104] G. Rozenberg and R. Verraedt. On simulation and propagating eol forms. *Theor. Comput. Sci.*, 29(1,2):41–48, 1984.
- [105] T. Sato and H. Tamaki. Enumeration of success patterns in logic programs. *Theor. Comput. Sci.*, 34(1,2):227–240, 1984.
- [106] U. Schöning. Minimal pairs for p. *Theor. Comput. Sci.*, 31(1,2):41–48, 1984.
- [107] U. Schöning. On small generators. *Theor. Comput. Sci.*, 34(3):337–341, 1984.
- [108] R. Siromoney, K.G. Subramanian, and V.R. Dare. Infinite arrays and controlled deterministic table ol array systems. *Theor. Comput. Sci.*, 33(1):3–11, 1984.
- [109] N. Soundararajan. Denotational semantics of csp. *Theor. Comput. Sci.*, 33(2,3):279–304, 1984.
- [110] N. Soundararajan. A proof technique for parallel programs. *Theor. Comput. Sci.*, 31(1,2):13–29, 1984.
- [111] L. Staiger. Projection lemmas for  $\omega$ -languages. *Theor. Comput. Sci.*, 32(3):331–337, 1984.
- [112] E. Tomita. An extended direct branching algorithm for checking equivalence of deterministic pushdown automata. *Theor. Comput. Sci.*, 32(1,2):87–120, 1984.
- [113] J.F. Traub, G.W. Wasilkowski, and H. Woźniakowski. Average case optimality for linear problems. *Theor. Comput. Sci.*, 29(1,2):1–25, 1984.
- [114] K. Uchimura. Truncations of infinite matrices and algebraic series associated with some of grammars. *Theor. Comput. Sci.*, 31(3):227–261, 1984.
- [115] C.E. Veni Madhavan. Secondary attribute retrieval using tree data structures. *Theor. Comput. Sci.*, 33(1):107–116, 1984.
- [116] M. Venturini Zilli. Reduction graphs in the lambda calculus. *Theor. Comput. Sci.*, 29(3):251–275, 1984.

- [117] U. Vishkin. A parallel-design distributed-implementation (pddi) general-purpose computer. *Theor. Comput. Sci.*, 32(1,2):157–172, 1984.
- [118] P.M.B. Vitányi. On the simulation of many storage heads by one. *Theor. Comput. Sci.*, 34(1,2):157–168, 1984.
- [119] R. Wiehagen, R. Freivalds, and E.B. Kinber. On the power of probabilistic strategies in inductive inference. *Theor. Comput. Sci.*, 28(1,2):111–133, 1984.
- [120] G. Winskel. Synchronization trees. *Theor. Comput. Sci.*, 34(1,2):33–82, 1984.
- [121] H. Yamasaki. Normal petri nets. *Theor. Comput. Sci.*, 31(3):307–315, 1984.
- [122] H. Yamasaki and M. Takahashi. Generalized parenthesis languages and minimization of their parenthesis parts. *Theor. Comput. Sci.*, 31(1,2):1–11, 1984.