

References

- [1] J. Adamek, J. Reiterman, and E. Nelson. Continuous semilattices. *Theor. Comput. Sci.*, 43(2-3):293–313, 1986.
- [2] H. Ait-Kaci. An algebraic semantics approach to the effective resolution of type equations. *Theor. Comput. Sci.*, 45(3):293–351, 1986.
- [3] R. Berghammer and H. Zierer. Relational algebraic semantics of deterministic and nondeterministic programs. *Theor. Comput. Sci.*, 43(2-3):123–147, 1986.
- [4] G. Bernot, M. Bidoit, and C. Choppy. Abstract data types with exception handling: an initial approach based on a distinction between exceptions and errors. *Theor. Comput. Sci.*, 46(1):13–45, 1986.
- [5] G. Berry and R. Sethi. From regular expressions to deterministic automata. *Theor. Comput. Sci.*, 48(1):117–126, 1986.
- [6] F. Blanchard and G. Hansel. Coded systems. *Theor. Comput. Sci.*, 44(1):17–49, 1986.
- [7] F. Blanchard and S. Martinez. Dense orbit points of certain languages of infinite words. *Theor. Comput. Sci.*, 44(1):107–110, 1986.
- [8] A. Brazma and E. Kinber. Generalized regular expressions-a language for synthesis of programs with branching in loops. *Theor. Comput. Sci.*, 46(2-3):175–195, 1986.
- [9] M. Broy. A theory for nondeterminism, parallelism, communication, and concurrency. *Theor. Comput. Sci.*, 45(1):1–61, 1986.
- [10] S. Bublitz, U. Schurfeld, I. Wegener, and B. Voigt. Properties of complexity measures for prams and wrams. *Theor. Comput. Sci.*, 48(1):53–73, 1986.
- [11] J.H. Chang, O.H. Ibarra, M.A. Palis, and B. Ravikumar. On pebble automata. *Theor. Comput. Sci.*, 44(1):111–121, 1986.
- [12] M. Chrobak. Finite automata and unary languages. *Theor. Comput. Sci.*, 47(2):149–158, 1986.

- [13] M. Chrobak. Hierarchies of one-way multihead automata languages. *Theor. Comput. Sci.*, 48(2-3):153–181, 1986.
- [14] M. Crochemore. Transducers and repetitions. *Theor. Comput. Sci.*, 45(1):63–86, 1986.
- [15] K. Culik II and Sheng Yu. Real-time, pseudo real-time, and linear-time ita. *Theor. Comput. Sci.*, 47(1):15–26, 1986.
- [16] Karel Culik II and Juhani Karhumäki. The equivalence of finite valued transducers (on hdt0l languages) is decidable. *Theor. Comput. Sci.*, 47(1):71–84, 1986.
- [17] W. Danko. First-order approximation of algorithmic theories. *Theor. Comput. Sci.*, 48(2-3):257–272, 1986.
- [18] V.R. Dare and R. Siromoney. Subword topology. *Theor. Comput. Sci.*, 47(2):159–168, 1986.
- [19] A. de Luca and A. Restivo. Star-free sets of integers. *Theor. Comput. Sci.*, 43(2-3):265–275, 1986.
- [20] J.-L. Deléage and L. Pierre. The rational index of the dyck language d_1^* . *Theor. Comput. Sci.*, 47(3):335–343, 1986.
- [21] M. Dezani-Ciancaglini and I. Margaria. A characterization of f-complete type assignments. *Theor. Comput. Sci.*, 45(2):121–157, 1986.
- [22] A. Dicky. An algebraic and algorithmic method for analysing transition systems. *Theor. Comput. Sci.*, 46(2-3):285–303, 1986.
- [23] V. Diekert. Commutative monoids have complete presentations by free (non-commutative) monoids. *Theor. Comput. Sci.*, 46(2-3):319–327, 1986.
- [24] V. Diekert. Complete semi-thue systems for abelian groups. *Theor. Comput. Sci.*, 44(2):199–208, 1986.
- [25] V. Diekert. On some variants of the ehrenfeucht conjecture. *Theor. Comput. Sci.*, 46(2-3):313–318, 1986.

- [26] Phan Dinh Dieu, Le Cong Thanh, and Le Tuan Hoa. Average polynomial time complexity of some np -complete problems. *Theor. Comput. Sci.*, 46(2-3):219–237, 1986.
- [27] W.F. Dowling and J.H. Gallier. Continuation semantics for flowgraph equations. *Theor. Comput. Sci.*, 44(3):307–331, 1986.
- [28] C. Duboc. Mixed product and asynchronous automata. *Theor. Comput. Sci.*, 48(2-3):183–199, 1986.
- [29] C. Duboc. On some equations in free partially commutative monoids. *Theor. Comput. Sci.*, 46(2-3):159–174, 1986.
- [30] P.E. Dunne. The complexity of central slice functions. *Theor. Comput. Sci.*, 44(3):247–257, 1986.
- [31] P.W. Dymond. On nondeterminism in parallel computation. *Theor. Comput. Sci.*, 47(2):111–120, 1986.
- [32] K. Edwards. The complexity of colouring problems on dense graphs. *Theor. Comput. Sci.*, 43(2-3):337–343, 1986.
- [33] A. Ehrenfeucht, H.J. Hoogeboom, and G. Rozenberg. On the active and full use of memory in right-boundary grammars and push-down automata. *Theor. Comput. Sci.*, 48(2-3):201–228, 1986.
- [34] Z. ésik and P. Domosi. Complete classes of automata for the α_0 -product. *Theor. Comput. Sci.*, 47(1):1–14, 1986.
- [35] Z. ésik and F. Gecseg. On α_0 -products and α_2 -products. *Theor. Comput. Sci.*, 48(1):1–8, 1986.
- [36] T. Etzion. An algorithm for generating shift-register cycles. *Theor. Comput. Sci.*, 44(2):209–224, 1986.
- [37] F. Fages and G. Huet. Complete sets of unifiers and matchers in equational theories. *Theor. Comput. Sci.*, 43(2-3):189–200, 1986.
- [38] M. Fitting. Partial models and logic programming. *Theor. Comput. Sci.*, 48(2-3):229–255, 1986.

- [39] A. Gibbons and W. Rytter. On the decidability of some problems about rational subsets of free partially commutative monoids. *Theor. Comput. Sci.*, 48(2-3):329–337, 1986.
- [40] S. Ginsburg and C. Tang. Projection of object histories. *Theor. Comput. Sci.*, 48(2-3):297–328, 1986.
- [41] J.-Y. Girard. The system f of variable types, fifteen years later. *Theor. Comput. Sci.*, 45(2):159–192, 1986.
- [42] J. Gonczarowski. Manipulating derivation forests by scheduling techniques. *Theor. Comput. Sci.*, 45(1):87–119, 1986.
- [43] B. Griesser. Lower bounds for the approximative complexity. *Theor. Comput. Sci.*, 46(2-3):329–338, 1986.
- [44] Y.Q. Guo, G.W. Xu, and G. Thierrin. Disjunctive decomposition of languages. *Theor. Comput. Sci.*, 46(1):47–51, 1986.
- [45] P. Hajek. A simple dynamic logic. *Theor. Comput. Sci.*, 46(2-3):239–259, 1986.
- [46] T. Hardin and A. Laville. Proof of termination of the rewriting system subst on ccl. *Theor. Comput. Sci.*, 46(2-3):305–312, 1986.
- [47] K. Hashiguchi. Notes on finitely generated semigroups and pumping conditions for regular languages. *Theor. Comput. Sci.*, 46(1):53–66, 1986.
- [48] T. Head and B. Lando. Periodic d0l languages. *Theor. Comput. Sci.*, 46(1):83–89, 1986.
- [49] T. Head and B. Lando. Regularity of sets of initial strings of periodic d0l-systems. *Theor. Comput. Sci.*, 48(1):101–108, 1986.
- [50] J. Heering. Partial evaluation and ω -completeness of algebraic specifications. *Theor. Comput. Sci.*, 43(2-3):149–167, 1986.
- [51] J. Heintz. On polynomials with symmetric galois group which are easy to compute. *Theor. Comput. Sci.*, 47(1):99–105, 1986.

- [52] S. Homer. On simple and creative sets in np. *Theor. Comput. Sci.*, 47(2):169–180, 1986.
- [53] J.W. Hong and Q. Zuo. Lower bounds on communication overlap of networks. *Theor. Comput. Sci.*, 47(3):323–328, 1986.
- [54] Rodney R. Howell, Louis E. Rosier, Dung T. Huynh, and Hsu-Chun Yen. Some complexity bounds for problems concerning finite and 2-dimensional vector addition systems with states. *Theor. Comput. Sci.*, 46(2/3):107–140, 1986.
- [55] J. Hromkovič. Communication complexity hierarchy. *Theor. Comput. Sci.*, 48(1):109–115, 1986.
- [56] Chua-Huang Huang and C. Lengauer. The automated proof of a trace transformation for a bitonic sort. *Theor. Comput. Sci.*, 46(2-3):261–284, 1986.
- [57] P. Huber, A.M. Jensen, L.O. Jepsen, and K. Jensen. Reachability trees for high-level petri nets. *Theor. Comput. Sci.*, 45(3):261–292, 1986.
- [58] G.F. Italiano. Amortized efficiency of a path retrieval data structure. *Theor. Comput. Sci.*, 48(2-3):273–281, 1986.
- [59] J. Jaffar and P.J. Stuckey. Semantics of infinite tree logic programming. *Theor. Comput. Sci.*, 46(2-3):141–158, 1986.
- [60] R. Janicki, P.E. Lauer, M. Koutny, and R. Devillers. Concurrent and maximally concurrent evolution of nonsequential systems. *Theor. Comput. Sci.*, 43(2-3):213–238, 1986.
- [61] Mark R. Jerrum, Leslie G. Valiant, and Vijay V. Vazirani. Random generation of combinatorial structures from a uniform distribution. *Theor. Comput. Sci.*, 43(2-3):169–188, 1986.
- [62] D.B. Johnson. A simple proof of a time-space trade-off for sorting with linear comparisons. *Theor. Comput. Sci.*, 43(2-3):345–350, 1986.
- [63] J.H. Johnson. Rational equivalence relations. *Theor. Comput. Sci.*, 47(1):39–60, 1986.

- [64] M. Karchmer. Two time-space tradeoffs for element distinctness. *Theor. Comput. Sci.*, 47(3):237–246, 1986.
- [65] L.M. Kirousis and C.H. Papadimitriou. Searching and pebbling. *Theor. Comput. Sci.*, 47(2):205–218, 1986.
- [66] K.-I. Ko. On the notion of infinite pseudorandom sequences. *Theor. Comput. Sci.*, 48(1):9–33, 1986.
- [67] Ker-I Ko. On the continued fraction representation of computable real numbers. *Theor. Comput. Sci.*, 47(3):299–313, 1986.
- [68] Ker-I Ko, T.J. Long, and D.-Z. Du. One one-way functions and polynomial-time isomorphisms. *Theor. Comput. Sci.*, 47(3):263–276, 1986.
- [69] Y. Kobayashi. Repetition-free words. *Theor. Comput. Sci.*, 44(2):175–197, 1986.
- [70] H.-J. Kreowski and A. Wilharm. Net processes correspond to derivation processes in graph grammars. *Theor. Comput. Sci.*, 44(3):275–305, 1986.
- [71] C.P. Kruskal and M. Snir. A unified theory of interconnection network structure. *Theor. Comput. Sci.*, 48(1):75–94, 1986.
- [72] G.M. Landau and U. Vishkin. Efficient string matching with k mismatches. *Theor. Comput. Sci.*, 43(2-3):239–249, 1986.
- [73] M. Latteux and E. Timmerman. Two characterizations of rational adherences. *Theor. Comput. Sci.*, 46(1):101–106, 1986.
- [74] E.L. Leiss. Generalized language equations with multiple solutions. *Theor. Comput. Sci.*, 44(2):155–174, 1986.
- [75] D. Leivant. Typing and computational properties of lambda expressions. *Theor. Comput. Sci.*, 44(1):51–68, 1986.
- [76] N. Lerat and Jr. Lipski, W. Nonapplicable nulls. *Theor. Comput. Sci.*, 46(1):67–82, 1986.

- [77] G. Longo and S. Martini. Computability in higher types, p_ω and the completeness of type assignment. *Theor. Comput. Sci.*, 46(2-3):197–217, 1986.
- [78] Y. Maon, B. Schieber, and U. Vishkin. Parallel ear decomposition search (eds) and st -numbering in graphs. *Theor. Comput. Sci.*, 47(3):277–298, 1986.
- [79] Y. Maon and A. Yehudai. Balance of many-valued transductions and equivalence problems. *Theor. Comput. Sci.*, 47(3):247–262, 1986.
- [80] W. Marek and H. Rasiowa. Approximating sets with equivalence relations. *Theor. Comput. Sci.*, 48(2-3):145–152, 1986.
- [81] Christian Mauduit. Morphismes unispectraux. *Theor. Comput. Sci.*, 46:1–11, 1986.
- [82] J.-J.Ch. Meyer. Merging regular processes by means of fixed-point theory. *Theor. Comput. Sci.*, 45(2):193–260, 1986.
- [83] P. Narendran. On the equivalence problem for regular thue systems. *Theor. Comput. Sci.*, 44(2):237–245, 1986.
- [84] P. Narendran and F. Otto. The problems of cyclic equality and conjugacy for finite complete rewriting systems. *Theor. Comput. Sci.*, 47(1):27–38, 1986.
- [85] S. Okawa, S. Hirose, and M. Yoneda. On the impossibility of the homomorphic characterization of context-sensitive languages. *Theor. Comput. Sci.*, 44(2):225–228, 1986.
- [86] P. Orponen. A classification of complexity core lattices. *Theor. Comput. Sci.*, 47(2):121–130, 1986.
- [87] F. Otto. The undecidability of self-embedding for finite semi-thue and thue systems. *Theor. Comput. Sci.*, 47(2):225–232, 1986.
- [88] R. Parchmann and J. Duske. Self-embedding indexed grammars. *Theor. Comput. Sci.*, 47(2):219–223, 1986.
- [89] A. Pasztor and R. Statman. Scott induction and closure under ω -sups. *Theor. Comput. Sci.*, 43(2-3):251–263, 1986.

- [90] E. Paul. On solving the equality problem in theories defined by horn clauses. *Theor. Comput. Sci.*, 44(2):127–153, 1986.
- [91] J.-P. Pecuchet. On the complementation of buchi automata. *Theor. Comput. Sci.*, 47(1):95–98, 1986.
- [92] A. Pelc. Lie patterns in search procedures. *Theor. Comput. Sci.*, 47(1):61–69, 1986.
- [93] E.T. Poulsen. The ehrenfeucht conjecture: an algebra-framework for its proof. *Theor. Comput. Sci.*, 44(3):333–339, 1986.
- [94] P. Ritzmann. A fast numerical algorithm for the composition of power series with complex coefficients. *Theor. Comput. Sci.*, 44(1):1–16, 1986.
- [95] L.E. Rosier and H.-C. Yen. Boundedness, empty channel detection, and synchronization for communicating finite automata. *Theor. Comput. Sci.*, 44(1):69–105, 1986.
- [96] W. Rytter. On the complexity of parallel parsing of general context-free languages. *Theor. Comput. Sci.*, 47(3):315–321, 1986.
- [97] A. Salomaa and S. Yu. On a public-key cryptosystem based on iterated morphisms and substitutions. *Theor. Comput. Sci.*, 48(2-3):283–296, 1986.
- [98] A. Saoudi. Varieties of automata deriving from infinite trees. *Theor. Comput. Sci.*, 43(2-3):315–335, 1986.
- [99] J.-C. Spehner. The occurrence of the factors of a given word in a text. *Theor. Comput. Sci.*, 48(1):35–52, 1986.
- [100] Jean-Claude Spehner. Le calcul rapide des mélanges de deux mots. *Theor. Comput. Sci.*, 47(2):181–203, 1986.
- [101] R. Statman. Every countable poset is embeddable in the poset of unsolvable terms. *Theor. Comput. Sci.*, 48(1):95–100, 1986.
- [102] I. Suzuki, Y. Motohashi, K. Taniguchi, T. Kasami, and T. Okamoto. Specification and verification of decentralized daisy chain arbiters with ω -extended regular expressions. *Theor. Comput. Sci.*, 43(2-3):277–291, 1986.

- [103] Z. Szalas. Concerning the semantic consequence relation in first-order temporal logic. *Theor. Comput. Sci.*, 47(3):329–334, 1986.
- [104] M. Takahashi. The greatest fixed-points and rational ω -tree languages. *Theor. Comput. Sci.*, 44(3):259–274, 1986.
- [105] M. Tchuente. Sequential simulation of parallel iterations and applications. *Theor. Comput. Sci.*, 48(2-3):135–144, 1986.
- [106] F.J. Urbanek. On greibach normal form construction. *Theor. Comput. Sci.*, 44(2):229–236, 1986.
- [107] L.G. Valiant and V.V. Vazirani. np is as easy as detecting unique solutions. *Theor. Comput. Sci.*, 47(1):85–93, 1986.
- [108] K.W. Wagner. Some observations on the connection between counting and recursion. *Theor. Comput. Sci.*, 47(2):131–147, 1986.
- [109] I. Wegener. More on the complexity of slice functions. *Theor. Comput. Sci.*, 43(2-3):201–211, 1986.
- [110] V. Weispfenning. The complexity of the word problem for abelian l-groups. *Theor. Comput. Sci.*, 48(1):127–132, 1986.
- [111] P. Wyrosteck. On the size of unambiguous context-free grammars. *Theor. Comput. Sci.*, 47(1):107–110, 1986.
- [112] H. Yamasaki, M. Takahashi, and K. Kobayashi. Characterization of ω -regular languages by monadic second-order formulas. *Theor. Comput. Sci.*, 46(1):91–99, 1986.