

References

- [1] Parosh Aziz Abdulla and Bengt Jonsson. Ensuring completeness of symbolic verification methods for infinite-state systems. *Theor. Comput. Sci.*, 256(1-2):145–167, 2001.
- [2] Farid Ablayev, Marek Karpinski, and Rustam Mubarakzjanov. On bpp versus $np \cup conp$ for ordered read-once branching programs. *Theor. Comput. Sci.*, 264(1):127–137, 2001.
- [3] Uri Abraham, Shlomi Dolev, Ted Herman, and Irit Koll. Self-stabilizing l -exclusion. *Theor. Comput. Sci.*, 266(1-2):653–692, 2001.
- [4] Dimitris Achlioptas. Lower bounds for random 3-sat via differential equations. *Theor. Comput. Sci.*, 265(1-2):159–185, 2001.
- [5] Dimitris Achlioptas, Lefteris M. Kirousis, Evangelos Kranakis, and Danny Krizanc. Rigorous results for random $(2 + p)$ -sat. *Theor. Comput. Sci.*, 265(1-2):109–129, 2001.
- [6] G. Aguilera, I.P. de Guzmán, M. Ojeda-Aciego, and A. Valverde. Reductions for non-clausal theorem proving. *Theor. Comput. Sci.*, 266(1-2):81–112, 2001.
- [7] Jürgen Albert, Dora Giammarresi, and Derick Wood. Normal form algorithms for extended context-free grammars. *Theor. Comput. Sci.*, 267(1-2):35–47, 2001.
- [8] M. Aldaz, G. Matera, J.L. Montaña, and L.M. Pardo. A new method to obtain lower bounds for polynomial evaluation. *Theor. Comput. Sci.*, 259(1-2):577–596, 2001.
- [9] Jorge Almeida and Pedro V. Silva. sc -hyperdecidability of r . *Theor. Comput. Sci.*, 255(1-2):569–591, 2001.
- [10] Andris Ambainis. Probabilistic inductive inference: A survey. *Theor. Comput. Sci.*, 264(1):155–167, 2001.
- [11] Andris Ambainis, Kalvis Apsītis, Rūsiņš Freivalds, and Carl H. Smith. Hierarchies of probabilistic and team fin-learning. *Theor. Comput. Sci.*, 261(1):91–117, 2001.

- [12] Christoph Ambühl, Bernd Gärtner, and Bernhard von Stengel. A new lower bound for the list update problem in the partial cost model. *Theor. Comput. Sci.*, 268(1):3–16, 2001.
- [13] Eric Angel and Vassilis Zissimopoulos. On the landscape ruggedness of the quadratic assignment problem. *Theor. Comput. Sci.*, 263(1-2):159–172, 2001.
- [14] B. Apolloni and D. Malchiodi. Gaining degrees of freedom in subsymbolic learning. *Theor. Comput. Sci.*, 255(1-2):295–321, 2001.
- [15] Kalvis Apsītis, Rūsiņš Freivalds, Raimonds Simanovskis, and Juris Smotrovs. Closedness properties in ex-identification. *Theor. Comput. Sci.*, 268(2):367–393, 2001.
- [16] Srinivasa R. Arikati, Anders Dessmark, Andrzej Lingas, and Madhav V. Marathe. Approximation algorithms for maximum two-dimensional pattern matching. *Theor. Comput. Sci.*, 255(1-2):51–62, 2001.
- [17] V. Arvind and Johannes Köbler. On pseudorandomness and resource-bounded measure. *Theor. Comput. Sci.*, 255(1-2):205–221, 2001.
- [18] V. Arvind and Jacobo Torán. A nonadaptive *nc* checker for permutation group intersection. *Theor. Comput. Sci.*, 259(1-2):597–611, 2001.
- [19] David Aspinall and Adriana Compagnoni. Subtyping dependent types. *Theor. Comput. Sci.*, 266(1-2):273–309, 2001.
- [20] Bengt Aspvall, Magnús M. Halldórsson, and Fredrik Manne. Approximation for the general block distribution of a matrix. *Theor. Comput. Sci.*, 262(1-2):145–160, 2001.
- [21] Giuseppe Ateniese, Carlo Blundo, and Alfredo de Santis. Extended capabilities for visual cryptography. *Theor. Comput. Sci.*, 250(1-2):143–161, 2001.
- [22] Vincenzo Auletta, Ioannis Caragiannis, Luisa Gargano, Christos Kaklamanis, and Pino Persiano. Sparse and limited wavelength conversion in all-optical tree networks. *Theor. Comput. Sci.*, 266(1-2):887–934, 2001.

- [23] Yossi Azar and Oded Regev. On-line bin-stretching. *Theor. Comput. Sci.*, 268(1):17–41, 2001.
- [24] Judit Bar-Ilan, Guy Kortsarz, and David Peleg. Generalized submodular cover problems and applications. *Theor. Comput. Sci.*, 250(1-2):179–200, 2001.
- [25] A. Barbé and G. Skordev. Decimation-invariant sequences and their automaticity. *Theor. Comput. Sci.*, 259(1-2):379–403, 2001.
- [26] E. Barcucci and S. Rinaldi. Some linear recurrences and their combinatorial interpretation by means of regular languages. *Theor. Comput. Sci.*, 255(1-2):679–686, 2001.
- [27] Lali Barrière, Johanne Cohen, and Margarida Mitjana. Gossiping in chordal rings under the line model. *Theor. Comput. Sci.*, 264(1):53–64, 2001.
- [28] Yair Bartal, Moses Charikar, and Piotr Indyk. On page migration and other relaxed task systems. *Theor. Comput. Sci.*, 268(1):43–66, 2001.
- [29] Gilles Barthe, John Hatcliff, and Morten Heine Sørensen. Weak normalization implies strong normalization in a class of non-dependent pure type systems. *Theor. Comput. Sci.*, 269(1-2):317–361, 2001.
- [30] Gilles Barthe, John Hatcliff, and Morten Heine B. Sørensen. An induction principle for pure type systems. *Theor. Comput. Sci.*, 266(1-2):773–818, 2001.
- [31] Michel Bauderon and Hélène Jacquet. Node rewriting in graphs and hypergraphs: A categorical framework. *Theor. Comput. Sci.*, 266(1-2):463–487, 2001.
- [32] Cristina Bazgan, Amel Harkat-Benhamdine, Hao Li, and Mariusz Woźniak. Partitioning vertices of 1-tough graphs into paths. *Theor. Comput. Sci.*, 263(1-2):255–261, 2001.
- [33] Donald F. Beal and Martin C. Smith. Temporal difference learning applied to game playing and the results of application to shogi. *Theor. Comput. Sci.*, 252(1-2):105–119, 2001.

- [34] E.G. Belaga. Mod 3 arithmetic on triangulated riemann surfaces. *Theor. Comput. Sci.*, 263(1-2):123–137, 2001.
- [35] Jan A. Bergstra and Alban Ponse. Non-regular iterators in process algebra. *Theor. Comput. Sci.*, 269(1-2):203–229, 2001.
- [36] Alberto Bertoni and Marco Carpentieri. Analogies and differences between quantum and stochastic automata. *Theor. Comput. Sci.*, 262(1-2):69–81, 2001.
- [37] Lars Birkedal and Mads Tofte. A constraint-based region inference algorithm. *Theor. Comput. Sci.*, 258(1-2):299–392, 2001.
- [38] Stefan Bischof and Ernst W. Mayr. On-line scheduling of parallel jobs with runtime restrictions. *Theor. Comput. Sci.*, 268(1):67–90, 2001.
- [39] Nikolaj S. Bjørner, Zohar Manna, Henny B. Sipma, and Tomás E. Uribe. Deductive verification of real-time systems using step. *Theor. Comput. Sci.*, 253(1):27–60, 2001.
- [40] Yngvi Björnsson and Tony A. Marsland. Multi-cut $\alpha\beta$ -pruning in game-tree search. *Theor. Comput. Sci.*, 252(1-2):177–196, 2001.
- [41] Jean R.S. Blair, Pinar Heggernes, and Jan Arne Telle. A practical algorithm for making filled graphs minimal. *Theor. Comput. Sci.*, 250(1-2):125–141, 2001.
- [42] Vincent D. Blondel, Olivier Bournez, Pascal Koiran, Christos H. Papadimitriou, and John N. Tsitsiklis. Deciding stability and mortality of piecewise affine dynamical systems. *Theor. Comput. Sci.*, 255(1-2):687–696, 2001.
- [43] Stephn L. Bloom and Christian Choffrut. Long words: The theory of concatenation and ω -power. *Theor. Comput. Sci.*, 259(1-2):533–548, 2001.
- [44] Norbert Blum. On parsing ll-languages. *Theor. Comput. Sci.*, 267(1-2):49–59, 2001.
- [45] Hans-Joachim Böckenbauer. Communication in the two-way listen-in vertex-disjoint paths mode. *Theor. Comput. Sci.*, 264(1):65–90, 2001.

- [46] Chiara Bodei, Pierpaolo Degano, and Corrado Priami. Names of the π -calculus agents handled locally. *Theor. Comput. Sci.*, 253(2):155–184, 2001.
- [47] Paola Bonizzoni and Ross M. McConnell. Nesting of prime substructures in k -ary relations. *Theor. Comput. Sci.*, 259(1-2):341–357, 2001.
- [48] Paola Bonizzoni and Gianluca Della Vedova. The complexity of multiple sequence alignment with sp -score that is a metric. *Theor. Comput. Sci.*, 259(1-2):63–79, 2001.
- [49] Bernd Borchert and Riccardo Silvestri. Dot operators. *Theor. Comput. Sci.*, 262(1-2):501–523, 2001.
- [50] Michele Boreale, Rocco De Nicola, and Rosario Pugliese. Divergence in testing and readiness semantics. *Theor. Comput. Sci.*, 266(1-2):237–248, 2001.
- [51] Stefan Brass, Jürgen Dix, Ilkka Niemelä, and Teodor C. Przymusiński. On the equivalence of the static and disjunctive well-founded semantics and its computation. *Theor. Comput. Sci.*, 258(1-2):523–553, 2001.
- [52] Dennis M. Breuker, H. Jaap van den Herik, Jos W.H.M. Uiterwijk, and L. Victor Allis. A solution to the ghi problem for best-first search. *Theor. Comput. Sci.*, 252(1-2):121–149, 2001.
- [53] Gerth Stølting Brodal and M. Cristina Pinotti. Comparator networks for binary heap construction. *Theor. Comput. Sci.*, 250(1-2):235–245, 2001.
- [54] Manfred Broy. Refinement of time. *Theor. Comput. Sci.*, 253(1):3–26, 2001.
- [55] Manfred Broy and Gheorghe Ștefănescu. The algebra of stream processing functions. *Theor. Comput. Sci.*, 258(1-2):99–129, 2001.
- [56] Tiziana Calamoneri and Annalisa Massini. Optimal three-dimensional layout of interconnection networks. *Theor. Comput. Sci.*, 255(1-2):263–279, 2001.

- [57] Patrice Calégari, Frédéric Guidic, Pierre Kuonen, and Frank Nielsen. Combinatorial optimization algorithms for radio network planning. *Theor. Comput. Sci.*, 263(1-2):235–245, 2001.
- [58] Cristian S. Calude, Peter H. Hertling, Bakhadyr Khoussainov, and Yongge Wang. Recursively enumerable reals and chaitin ω numbers. *Theor. Comput. Sci.*, 255(1-2):125–149, 2001.
- [59] Colin M. Campbell, Edmund F. Robertson, Nikola Ruškuc, and Richard M. Thomas. Automatic semigroups. *Theor. Comput. Sci.*, 250(1-2):365–391, 2001.
- [60] C. Câmpeanu, N. Sântean, and S. Yu. Minimal cover-automata for finite languages. *Theor. Comput. Sci.*, 267(1-2):3–16, 2001.
- [61] Sérgio Vale Aguiar Campos and Edmund Clarke. The verus language: Representing time efficiently with bdds. *Theor. Comput. Sci.*, 253(1):95–118, 2001.
- [62] S. Caporaso, M. Zito, and N. Galesi. A predicative and decidable characterization of the polynomial classes of languages. *Theor. Comput. Sci.*, 250(1-2):83–99, 2001.
- [63] Philippe Cara, Serge Lehman, and Dimitrii V. Pasechnik. On the number of inductively minimal geometries. *Theor. Comput. Sci.*, 263(1-2):31–35, 2001.
- [64] Arturo Carpi and Aldo de Luca. Words and special factors. *Theor. Comput. Sci.*, 259(1-2):145–182, 2001.
- [65] John Case, Keh-Jiann Chen, and Sanjay Jain. Costs of general purpose learning. *Theor. Comput. Sci.*, 259(1-2):455–473, 2001.
- [66] John Case, Sanjay Jain, Susanne Kaufmann, Arun Sharma, and Frank Stephan. Predictive learning models for concept drift. *Theor. Comput. Sci.*, 268(2):323–349, 2001.
- [67] John Case, Sanjay Jain, and Arun Sharma. Synthesizing noise-tolerant language learners. *Theor. Comput. Sci.*, 261(1):31–56, 2001.

- [68] Patrick Cegielski and Denis Richard. Decidability of the theory of the natural integers with the cantor pairing function and the successor. *Theor. Comput. Sci.*, 257(1-2):51–77, 2001.
- [69] J.-M. Champarnaud. Subset construction complexity for homogeneous automata, position automata and zpc-structures. *Theor. Comput. Sci.*, 267(1-2):17–34, 2001.
- [70] Chiuyuan Chen and Kaiping Wu. Disproving a conjecture on planar visibility graphs. *Theor. Comput. Sci.*, 255(1-2):659–665, 2001.
- [71] Donghui Chen, Ding-Zhu Du, Xiao-Dong Hu, Guo-Hui Lin, Lusheng Wang, and Guoliang Xue. Approximations for steiner trees with minimum number of steiner points. *Theor. Comput. Sci.*, 262(1-2):83–99, 2001.
- [72] Xiao Jun Chen and Rocco de Nicola. Algebraic characterizations of trace and decorated trace equivalences over tree-like structures. *Theor. Comput. Sci.*, 254(1-2):337–361, 2001.
- [73] Yu-Wei Chen and Kuo-Liang Chung. Improved fault-tolerant sorting algorithm in hypercubes. *Theor. Comput. Sci.*, 255(1-2):649–658, 2001.
- [74] Siu-Wing Cheng and Yin-Feng Xu. On β -skeleton as a subgraph of the minimum weight triangulation. *Theor. Comput. Sci.*, 262(1-2):459–471, 2001.
- [75] Szu-En Cheng and Ko-Wei Lih. An improvement on a spernerity proof of horrocks. *Theor. Comput. Sci.*, 263(1-2):355–377, 2001.
- [76] Marek Chrobak and Christoph Dürr. Reconstructing polyatomic structures from discrete x-rays: np -completeness proof for three atoms. *Theor. Comput. Sci.*, 259(1-2):81–98, 2001.
- [77] Fan Chung and Ronald Graham. Dynamic location problems with limited look-ahead. *Theor. Comput. Sci.*, 261(2):213–226, 2001.
- [78] Corina Cirstea. Semantic constructions for the specification of objects. *Theor. Comput. Sci.*, 260(1-2):3–25, 2001.

- [79] Andrea Corradini, Martin Große-Rhode, and Reiko Heckel. A coalgebraic presentation of structured transition systems. *Theor. Comput. Sci.*, 260(1-2):27–55, 2001.
- [80] Flavio Corradini and Dino Di Cola. On testing urgency through laziness over processes with durational actions. *Theor. Comput. Sci.*, 258(1-2):393–407, 2001.
- [81] Flavio Corradini, GianLuigi Ferrari, and Marco Pistore. On the semantics of durational actions. *Theor. Comput. Sci.*, 269(1-2):47–82, 2001.
- [82] Tristan Crolard. Subtractive logic. *Theor. Comput. Sci.*, 254(1-2):151–185, 2001.
- [83] Erzsébet Csuhaj-Varjú and György Vaszil. On context-free parallel communicating grammar systems: Synchronization, communication, and normal forms. *Theor. Comput. Sci.*, 255(1-2):511–538, 2001.
- [84] Felipe Cucker. On weak and weighted computations over the real closure of q . *Theor. Comput. Sci.*, 255(1-2):593–600, 2001.
- [85] Joseph Culberson and Ian Gent. Frozen development in graph coloring. *Theor. Comput. Sci.*, 265(1-2):227–264, 2001.
- [86] Artur Czumaj, Ian Finch, Leszek Gąsieniec, Alan Gibbons, Paul Leng, Wojciech Rytter, and Michele Zito. Efficient web searching using temporal factors. *Theor. Comput. Sci.*, 262(1-2):569–582, 2001.
- [87] Guillaume Damiand, Michel Habib, and Christophe Paul. A simple paradigm for graph recognition: Application to cographs and distance hereditary graphs. *Theor. Comput. Sci.*, 263(1-2):99–111, 2001.
- [88] G. Dányi and Z. Fülöp. The component hierarchy of chain-free co-operating distributed regular tree grammars. *Theor. Comput. Sci.*, 262(1-2):229–240, 2001.
- [89] Philippe Darondeau. On the petri net realization of context-free graphs. *Theor. Comput. Sci.*, 258(1-2):573–598, 2001.

- [90] Bhaskar DasGupta and Eduardo D. Sontag. A polynomial-time algorithm for checking equivalence under certain semiring congruences motivated by the state-space isomorphism problem for hybrid systems. *Theor. Comput. Sci.*, 262(1-2):161–189, 2001.
- [91] René David. On the asymptotic behaviour of primitive recursive algorithms. *Theor. Comput. Sci.*, 266(1-2):159–193, 2001.
- [92] Giorgio Delzanno and Maurizio Martelli. Proofs as computations in linear logic. *Theor. Comput. Sci.*, 258(1-2):269–297, 2001.
- [93] Henning Dierks. Plc-automata: A new class of implementable real-time automata. *Theor. Comput. Sci.*, 253(1):61–93, 2001.
- [94] C. Dimitracopoulos. On end extensions of models of subsystems of peano arithmetic. *Theor. Comput. Sci.*, 257(1-2):79–84, 2001.
- [95] Frank Drewes. Tree-based generation of languages of fractals. *Theor. Comput. Sci.*, 262(1-2):377–414, 2001.
- [96] Xavier Droubay, Jacques Justin, and Giuseppe Pirillo. Episturmian words and some constructions of de luca and rauzy. *Theor. Comput. Sci.*, 255(1-2):539–553, 2001.
- [97] J.-C. Dubacq, B. Durand, and E. Formenti. Kolmogorov complexity and cellular automata classification. *Theor. Comput. Sci.*, 259(1-2):271–285, 2001.
- [98] Olivier Dubois. Upper bounds on the satisfiability threshold. *Theor. Comput. Sci.*, 265(1-2):187–197, 2001.
- [99] G. Duchamp, M. Flouret, É. Laugerotte, and J.-G. Luque. Direct and dual laws for automata with multiplicities. *Theor. Comput. Sci.*, 267(1-2):105–120, 2001.
- [100] Ivo Düntsch and Szabolcs Mikulás. Cylindric structures and dependencies in relational databases. *Theor. Comput. Sci.*, 269(1-2):451–468, 2001.
- [101] Ivo Düntsch, Hui Wang, and Steve McCloskey. A relation-algebraic approach to the region connection calculus. *Theor. Comput. Sci.*, 255(1-2):63–83, 2001.

- [102] J. Duparc, O. Finkel, and J.-P. Ressayre. Computer science and the fine structure of borel sets. *Theor. Comput. Sci.*, 257(1-2):85–105, 2001.
- [103] J.-P. Duval, F. Mignosi, and A. Restivo. Recurrence and periodicity in infinite words from local periods. *Theor. Comput. Sci.*, 262(1-2):269–284, 2001.
- [104] E. Allen Emerson, Charanjit S. Jutla, and A. Prasad Sistla. On model checking for the μ -calculus and its fragments. *Theor. Comput. Sci.*, 258(1-2):491–522, 2001.
- [105] Andreas Engel. Complexity of learning in artificial neural networks. *Theor. Comput. Sci.*, 265(1-2):285–306, 2001.
- [106] Joost Engelfriet and Tjalling Gelsema. Structural inclusion in the pi-calculus with replication. *Theor. Comput. Sci.*, 258(1-2):131–168, 2001.
- [107] Thomas Erlebach and Klaus Jansen. The complexity of path coloring and call scheduling. *Theor. Comput. Sci.*, 255(1-2):33–50, 2001.
- [108] Thomas Erlebach, Peter Rossmanith, Hans Stadtherr, Angelika Steger, and Thomas Zeugmann. Learning one-variable pattern languages very efficiently on average, in parallel, and by asking queries. *Theor. Comput. Sci.*, 261(1):119–156, 2001.
- [109] Henri-Alex Esbelin. Counting modulo finite semigroups. *Theor. Comput. Sci.*, 257(1-2):107–114, 2001.
- [110] Reinhardt Euler. Characterizing bipartite toeplitz graphs. *Theor. Comput. Sci.*, 263(1-2):47–58, 2001.
- [111] O. Favaron and Y. Redouane. Neighborhood unions and regularity in graphs. *Theor. Comput. Sci.*, 263(1-2):247–254, 2001.
- [112] Tomás Feder. Fanout limitations on constraint systems. *Theor. Comput. Sci.*, 255(1-2):281–293, 2001.
- [113] Stephen Fenner, Steven Homer, Randall Pruim, and Marcus Schaefer. Hyper-polynomial hierarchies and the polynomial jump. *Theor. Comput. Sci.*, 262(1-2):241–256, 2001.

- [114] W. Fernandez de la Vega. Random 2-sat: Results and problems. *Theor. Comput. Sci.*, 265(1-2):131–146, 2001.
- [115] H. Fernau, M. Holzer, and R. Freund. Hybrid modes in cooperating distributed grammar systems: Internal versus external hybridization. *Theor. Comput. Sci.*, 259(1-2):405–426, 2001.
- [116] Esteban Feuerstein and Leen Stougie. On-line single-server dial-a-ride problems. *Theor. Comput. Sci.*, 268(1):91–105, 2001.
- [117] Doris Fiebig, Ulf-Rainer Fiebig, and Nataša Jonoska. Multiplicities of covers for sofic shifts. *Theor. Comput. Sci.*, 262(1-2):349–375, 2001.
- [118] A. Finkel and Ph. Schnoebelen. Well-structured transition systems everywhere! *Theor. Comput. Sci.*, 256(1-2):63–92, 2001.
- [119] Olivier Finkel. Locally finite languages. *Theor. Comput. Sci.*, 255(1-2):223–261, 2001.
- [120] Olivier Finkel. Topological properties of omega context-free languages. *Theor. Comput. Sci.*, 262(1-2):669–697, 2001.
- [121] Olivier Finkel. Wadge hierarchy of omega context-free languages. *Theor. Comput. Sci.*, 269(1-2):283–315, 2001.
- [122] Marcelo P. Fiore and Giuseppe Rosolini. Domains in h . *Theor. Comput. Sci.*, 264(2):171–193, 2001.
- [123] Paul F. Fischer, Franco P. Preparata, and John E. Savage. Generalized scans and tridiagonal systems. *Theor. Comput. Sci.*, 255(1-2):423–436, 2001.
- [124] Marc Fischlin. Cryptographic limitations on parallelizing membership and equivalence queries with applications to random-self-reductions. *Theor. Comput. Sci.*, 268(2):199–219, 2001.
- [125] Rudolf Fleischer. On the bahncard problem. *Theor. Comput. Sci.*, 268(1):161–174, 2001.
- [126] Cédric Fournet and Cosimo Laneve. Bisimulations in the join-calculus. *Theor. Comput. Sci.*, 266(1-2):569–603, 2001.

- [127] Hervé Fournier. Sparse np -complete problems over the reals with addition. *Theor. Comput. Sci.*, 255(1-2):607–610, 2001.
- [128] Aviezri S. Fraenkel and Ofer Rahat. Infinite cyclic impartial games. *Theor. Comput. Sci.*, 252(1-2):13–22, 2001.
- [129] Aviezri S. Fraenkel and Dmitri Zusman. A new heap game. *Theor. Comput. Sci.*, 252(1-2):5–12, 2001.
- [130] Paolo Giulio Franciosa, Daniele Frigioni, and Roberto Giaccio. Semidynamic breadth-first search in digraphs. *Theor. Comput. Sci.*, 250(1-2):201–217, 2001.
- [131] John Franco. Results related to threshold phenomena research in satisfiability: Lower bounds. *Theor. Comput. Sci.*, 265(1-2):147–157, 2001.
- [132] Ian Frank and David Basin. A theoretical and empirical investigation of search in imperfect information games. *Theor. Comput. Sci.*, 252(1-2):217–256, 2001.
- [133] Marcelo F. Frias and Roger D. Maddux. Completeness of a relational calculus for program schemes. *Theor. Comput. Sci.*, 254(1-2):543–556, 2001.
- [134] Daniele Frigioni, Alberto Marchetti-Spaccamela, and Umberto Nanni. Dynamic algorithms for classes of constraint satisfaction problems. *Theor. Comput. Sci.*, 259(1-2):287–305, 2001.
- [135] Komei Fukuda, Alain Prodon, and Tadashi Sakuma. Notes on acyclic orientations and the shelling lemma. *Theor. Comput. Sci.*, 263(1-2):9–16, 2001.
- [136] Z. Fülöp and S. Vágvolgyi. Restricted ground tree transducers. *Theor. Comput. Sci.*, 250(1-2):219–233, 2001.
- [137] A. Fúster-Sabater and L.J. García-Villalba. An efficient algorithm to generate binary sequences for cryptographic purposes. *Theor. Comput. Sci.*, 259(1-2):679–688, 2001.
- [138] Xinbo Gao, Hiroyuki Iida, Jos W.H.M. Uiterwijk, and H. Jaap van den Herik. Strategies anticipating a difference in search depth using opponent-model search. *Theor. Comput. Sci.*, 252(1-2):83–104, 2001.

- [139] Włodzimierz Gładzek. Online algorithms for page replication in rings. *Theor. Comput. Sci.*, 268(1):107–117, 2001.
- [140] Heiko Goeman. On parsing and condensing substrings of lr languages in linear time. *Theor. Comput. Sci.*, 267(1-2):61–82, 2001.
- [141] Andreas Goerdt. The giant component threshold for random regular graphs with edge faults. *Theor. Comput. Sci.*, 259(1-2):307–321, 2001.
- [142] Andreas Goerdt. Random regular graphs with edge faults: Expansion through cores. *Theor. Comput. Sci.*, 264(1):91–125, 2001.
- [143] Robert Goldblatt. What is the coalgebraic analogue of birkhoff’s variety theorem? *Theor. Comput. Sci.*, 266(1-2):853–886, 2001.
- [144] Mordecai J. Golin. A combinatorial approach to golomb forests. *Theor. Comput. Sci.*, 263(1-2):283–304, 2001.
- [145] Bernhard Gramlich. On interreduction of semi-complete term rewriting systems. *Theor. Comput. Sci.*, 258(1-2):435–451, 2001.
- [146] Dima Grigoriev. Linear lower bound on degrees of positivstellensatz calculus proofs for the parity. *Theor. Comput. Sci.*, 259(1-2):613–622, 2001.
- [147] Jan Friso Groote and Jos van Wamel. The parallel composition of uniform processes with data. *Theor. Comput. Sci.*, 266(1-2):631–652, 2001.
- [148] Stefano Guerini and Andrea Masini. Parsing mell proof nets. *Theor. Comput. Sci.*, 254(1-2):317–335, 2001.
- [149] Rachid Guerraoui and André Schiper. Genuine atomic multicast in asynchronous distributed systems. *Theor. Comput. Sci.*, 254(1-2):297–316, 2001.
- [150] Stefano Guerrini, Simone Martini, and Andrea Masini. Proof nets, garbage, and computations. *Theor. Comput. Sci.*, 253(2):185–237, 2001.
- [151] David Guijarro, Víctor Lavín, and Vijay Raghavan. Monotone term decision lists. *Theor. Comput. Sci.*, 259(1-2):549–575, 2001.

- [152] H. Peter Gumm. Equational and implicational classes of coalgebras. *Theor. Comput. Sci.*, 260(1-2):57–69, 2001.
- [153] H. Peter Gumm and Tobias Schröder. Covarieties and complete covarieties. *Theor. Comput. Sci.*, 260(1-2):71–86, 2001.
- [154] Leonid Gurvits. A note on a scale-sensitive dimension of linear bounded functionals in banach spaces. *Theor. Comput. Sci.*, 261(1):81–90, 2001.
- [155] Gaétan Hains, Frédéric Louergue, and John Mullins. Concrete data structures and functional parallel programming. *Theor. Comput. Sci.*, 258(1-2):233–267, 2001.
- [156] Vesa Halava, Mika Hirvensalo, and Ronald de Wolf. Marked pcp is decidable. *Theor. Comput. Sci.*, 255(1-2):193–204, 2001.
- [157] Rabah Harbane and Marie-Claude Heydemann. Efficient reconfiguration algorithms of de bruijn and kautz networks into linear arrays. *Theor. Comput. Sci.*, 263(1-2):173–189, 2001.
- [158] Alexander K. Hartmann and Martin Weigt. Statistical mechanics perspective on the phase transition in vertex covering of finite-connectivity random graphs. *Theor. Comput. Sci.*, 265(1-2):199–225, 2001.
- [159] Masatomo Hashimoto and Atsushi Ohori. A typed context calculus. *Theor. Comput. Sci.*, 266(1-2):249–272, 2001.
- [160] Reinhold Heckman. Characterising fs domains by means of power domains. *Theor. Comput. Sci.*, 264(2):195–203, 2001.
- [161] Gerald A. Heuer. Three-partition games on rectangles. *Theor. Comput. Sci.*, 259(1-2):639–661, 2001.
- [162] Eiju Hirowatari and Setsuo Arikawa. A comparison of identification criteria for inductive inference of recursive real-valued functions. *Theor. Comput. Sci.*, 268(2):351–366, 2001.
- [163] Yoram Hirshfeld and Faron Moller. Pushdown automata, multiset automata, and petri nets. *Theor. Comput. Sci.*, 256(1-2):3–21, 2001.
- [164] Chính T. Hoàng and R. Sritharan. Finding houses and holes in graphs. *Theor. Comput. Sci.*, 259(1-2):233–244, 2001.

- [165] Štěpán Holub. Local and global cyclicity in free semigroups. *Theor. Comput. Sci.*, 262(1-2):25–36, 2001.
- [166] Dawei Hong and Jean-Camille Birget. Approximation of some np -hard optimization problems by finite machines, in probability. *Theor. Comput. Sci.*, 259(1-2):323–339, 2001.
- [167] Juha Honkala. On parikh slender context-free languages. *Theor. Comput. Sci.*, 255(1-2):667–677, 2001.
- [168] Juha Honkala and Arto Salomaa. Watson-crick d0l systems with regular triggers. *Theor. Comput. Sci.*, 259(1-2):689–698, 2001.
- [169] Furio Honsell, Marino Miculan, and Ivan Scagnetto. π -calculus in (co)inductive-type theory. *Theor. Comput. Sci.*, 253(2):239–285, 2001.
- [170] Juraĳ Hromkoviĉ and Georg Schnitger. On the power of las vegas ii: Two-way finite automata. *Theor. Comput. Sci.*, 262(1-2):1–24, 2001.
- [171] Sun-Yuan Hsieh, Gen-Huey Chen, and Chin-Wen Ho. Longest fault-free paths in star graphs with vertex faults. *Theor. Comput. Sci.*, 262(1-2):215–227, 2001.
- [172] F.K. Hwang. A complementary survey on double-loop networks. *Theor. Comput. Sci.*, 263(1-2):211–229, 2001.
- [173] Hsien-Kuei Hwang. Uniform asymptotics of some abel sums arising in coding theory. *Theor. Comput. Sci.*, 263(1-2):145–158, 2001.
- [174] Roberto Incitti. The growth function of context-free languages. *Theor. Comput. Sci.*, 255(1-2):601–605, 2001.
- [175] C. Indermitte, Th.M. Liebling, M. Troyanov, and H. Cl  men  on. Voronoi diagrams on piecewise flat surfaces and an application to biological growth. *Theor. Comput. Sci.*, 263(1-2):263–274, 2001.
- [176] Anna Ing  lfsd  ttir and Andrea Schalk. A fully abstract denotational model for observational precongruence. *Theor. Comput. Sci.*, 254(1-2):35–61, 2001.

- [177] Kazuo Iwama, Eiji Miyano, Satoshi Tajima, and Hisao Tamaki. Efficient randomized routing algorithms on the two-dimensional mesh of buses. *Theor. Comput. Sci.*, 261(2):227–239, 2001.
- [178] Marie-Andrée Jacob-Da Col. Applications quasi-affines et pavages du plan discret. *Theor. Comput. Sci.*, 259(1-2):245–269, 2001.
- [179] Sanjay Jain. Branch and bound on the network model. *Theor. Comput. Sci.*, 255(1-2):107–123, 2001.
- [180] Sanjay Jain, Steffen Lange, and Jochen Nessel. On the learnability of recursively enumerable languages from good examples. *Theor. Comput. Sci.*, 261(1):3–29, 2001.
- [181] Petr Jančar. Nonprimitive recursive complexity and undecidability for petri net equivalences. *Theor. Comput. Sci.*, 256(1-2):23–30, 2001.
- [182] Petr Jančar, Antonín Kučera, and Richard Mayr. Deciding bisimulation-like equivalences with finite-state processes. *Theor. Comput. Sci.*, 258(1-2):409–433, 2001.
- [183] Jeannette Janssen and Lata Narayanan. Approximation algorithms for channel assignment with constraints. *Theor. Comput. Sci.*, 262(1-2):649–667, 2001.
- [184] Joanna Jędrzejowicz and Andrzej Szepietowski. Schuffle languages are in p . *Theor. Comput. Sci.*, 250(1-2):31–53, 2001.
- [185] Oliver Jenkinson. Strong cocycle triviality for z^2 subshifts. *Theor. Comput. Sci.*, 262(1-2):191–213, 2001.
- [186] Lars Jenner and Walter Vogler. Fast asynchronous systems in dense time. *Theor. Comput. Sci.*, 254(1-2):379–422, 2001.
- [187] Guohua Jin, Zhiyuan Li, and Fujie Chen. A theoretical foundation for program transformations to reduce cache thrashing due to true data sharing. *Theor. Comput. Sci.*, 255(1-2):449–481, 2001.
- [188] Peter Johnstone, John Power, Toru Tsujishita, Hiroshi Watanabe, and James Worrell. On the structure of categories of coalgebras. *Theor. Comput. Sci.*, 260(1-2):87–117, 2001.

- [189] Thierry Joly. Constant time parallel computations in λ -calculus. *Theor. Comput. Sci.*, 266(1-2):975–985, 2001.
- [190] Andreas Junghanns and Jonathan Schaeffer. Sokoban: Improving the search with relevance cuts. *Theor. Comput. Sci.*, 252(1-2):151–175, 2001.
- [191] Jacques Justin and Giuseppe Pirillo. Fractional powers in sturmian words. *Theor. Comput. Sci.*, 255(1-2):363–376, 2001.
- [192] K. Kalorkoti and D.H. Tulley. Priority queues with binary priorities. *Theor. Comput. Sci.*, 262(1-2):133–144, 2001.
- [193] Ming-Yang Kao and Jie Wang. Minimizing roundoff errors of prefix sums via dynamic construction of huffman trees. *Theor. Comput. Sci.*, 262(1-2):101–115, 2001.
- [194] Gyula Károlyi and Vera Rosta. Generalized and geometric ramsey numbers for cycles. *Theor. Comput. Sci.*, 263(1-2):87–98, 2001.
- [195] Joost-Pieter Katoen, Christel Baier, and Diego Latella. Metric semantics for true concurrent real time. *Theor. Comput. Sci.*, 254(1-2):501–542, 2001.
- [196] Susanne Kaufmann and Frank Stephan. Robust learning with infinite additional information. *Theor. Comput. Sci.*, 259(1-2):427–454, 2001.
- [197] Rainer Kerth. On the construction of stable models of untyped λ -calculus. *Theor. Comput. Sci.*, 269(1-2):23–46, 2001.
- [198] Y. Kesten, O. Maler, M. Marcus, A. Pnueli, and E. Shahar. Symbolic model checking with rich assertional languages. *Theor. Comput. Sci.*, 256(1-2):93–112, 2001.
- [199] Zurab Khasidashvili. On the longest perpetual reductions in orthogonal expression reduction systems. *Theor. Comput. Sci.*, 266(1-2):737–772, 2001.
- [200] Changwook Kim. Double greibach operator grammars. *Theor. Comput. Sci.*, 250(1-2):247–264, 2001.

- [201] Dongsoo S. Kim and Ding-Zhu Du. Multirate multicast switching networks. *Theor. Comput. Sci.*, 261(2):241–251, 2001.
- [202] Tracy Kimbrel. Online paging and file caching with expiration times. *Theor. Comput. Sci.*, 268(1):119–131, 2001.
- [203] Ekkart Kindler and Hagen Völzer. Algebraic nets with flexible arcs. *Theor. Comput. Sci.*, 262(1-2):285–310, 2001.
- [204] Peter Kirrinnis. Fast algorithms for the sylvester equation $ax - xb^t = c$. *Theor. Comput. Sci.*, 259(1-2):623–638, 2001.
- [205] Marcos Kiwi, Daniel A. Spielman, and Shang-Hua Teng. Min-max-boundary domain decomposition. *Theor. Comput. Sci.*, 261(2):253–266, 2001.
- [206] Ines Klimann. New types of automata to solve fixed point problems. *Theor. Comput. Sci.*, 259(1-2):183–197, 2001.
- [207] Timo Knuutila. Re-describing an algorithm by hopcroft. *Theor. Comput. Sci.*, 250(1-2):333–363, 2001.
- [208] Kojiro Kobayashi. On time optimal solutions of the firing squad synchronization problem for two-dimensional paths. *Theor. Comput. Sci.*, 259(1-2):129–143, 2001.
- [209] Satoshi Kobayashi, Victor Mitrană, Gheorghe Păun, and Grzegorz Rozenberg. Formal properties of pa-matching. *Theor. Comput. Sci.*, 262(1-2):117–131, 2001.
- [210] Satoshi Kobayashi and Yasubumi Sakakibara. Multiple splicing systems and the universal computability. *Theor. Comput. Sci.*, 264(1):3–23, 2001.
- [211] Yuji Kobayashi, Masashi Katsura, and Kayoko Shikishima-Tsuji. Termination and derivational complexity of confluent one-rule string-rewriting systems. *Theor. Comput. Sci.*, 262(1-2):583–632, 2001.
- [212] Ina Koch. Enumerating all connected maximal common subgraphs in two graphs. *Theor. Comput. Sci.*, 250(1-2):1–30, 2001.

- [213] Ivan Korec. A list of arithmetical structures complete with respect to the first-order definability. *Theor. Comput. Sci.*, 257(1-2):115–151, 2001.
- [214] Jukka A. Koskinen. Non-injective knapsack public-key cryptosystems. *Theor. Comput. Sci.*, 255(1-2):401–422, 2001.
- [215] Manolis Koubarakis. Tractable disjunctions of linear constraints: Basic results and applications to temporal reasoning. *Theor. Comput. Sci.*, 266(1-2):311–339, 2001.
- [216] Thomas Krantz and Virgile Mogbil. Encoding hamiltonian circuits into multiplicative linear logic. *Theor. Comput. Sci.*, 266(1-2):987–996, 2001.
- [217] M.R.K. Krishna Rao and A. Sattar. Polynomial-time learnability of logic programs with local variables from entailment. *Theor. Comput. Sci.*, 268(2):179–198, 2001.
- [218] Alexander Kurz. Specifying coalgebras with modal logic. *Theor. Comput. Sci.*, 260(1-2):119–138, 2001.
- [219] S. Labhalla, H. Lombardi, and E. Moutai. Espaces métriques rationnellement présentés et complexité, le cas de l’espace des fonctions réelles uniformément continues sur un intervalle compact. *Theor. Comput. Sci.*, 250(1-2):265–332, 2001.
- [220] Joaquín Mateos Lago and Mario Rodríguez Artalejo. A declarative framework for object-oriented programming with genetic inheritance. *Theor. Comput. Sci.*, 269(1-2):363–417, 2001.
- [221] Nguyen Huong Lam. Finite maximal solid codes. *Theor. Comput. Sci.*, 262(1-2):333–347, 2001.
- [222] Matthieu Latapy, Roberto Mantaci, Michel Morvan, and Ha Duong Phan. Structure of some sand piles model. *Theor. Comput. Sci.*, 262(1-2):525–556, 2001.
- [223] David Lee and Henryk Woźniakowski. Approximate evaluations of characteristic polynomials of boolean functions. *Theor. Comput. Sci.*, 262(1-2):37–68, 2001.

- [224] Ingo Lepper. Derivation lengths and order types of knuth-bendix orders. *Theor. Comput. Sci.*, 269(1-2):433–450, 2001.
- [225] Karl Lermer and Paul Strooper. Refinement and state machine abstraction. *Theor. Comput. Sci.*, 266(1-2):195–235, 2001.
- [226] David Lesens, Nicolas Halbwachs, and Pascal Raymond. Automatic verification of parameterized networks of processes. *Theor. Comput. Sci.*, 256(1-2):113–144, 2001.
- [227] Mark Levene and George Loizou. Guaranteeing no interaction between functional dependencies and tree-like inclusion dependencies. *Theor. Comput. Sci.*, 254(1-2):683–690, 2001.
- [228] Dominique L’Her, Philippe le Parc, and Lionel Marcé. Proving sequential function chart programs using timed automata. *Theor. Comput. Sci.*, 267(1-2):141–155, 2001.
- [229] Hao Li and Jianping Li. Independent triangles covering given vertices of a graph. *Theor. Comput. Sci.*, 263(1-2):333–344, 2001.
- [230] Zhiming Liu and Mathai Joseph. Verification, refinement and scheduling of real-time programs. *Theor. Comput. Sci.*, 253(1):119–152, 2001.
- [231] Ralph Loader. Finitary pcf is not decidable. *Theor. Comput. Sci.*, 266(1-2):341–364, 2001.
- [232] Luis-Miguel Lopez and Philippe Narbel. Substitutions and interval exchange transformation of rotation class. *Theor. Comput. Sci.*, 255(1-2):323–344, 2001.
- [233] Alejandro López-Ortiz and Sven Schuierer. The ultimate strategy to search on m rays? *Theor. Comput. Sci.*, 261(2):267–295, 2001.
- [234] Bing Lu, Jun Gu, Xiaodong Hu, and Eugene Shragowitz. Wire segmenting for buffer insertion based on rstp-msp. *Theor. Comput. Sci.*, 262(1-2):257–267, 2001.
- [235] Bor-Kuan Lu, Fang-Rong Hsu, and Chuan Yi Tang. Finding the shortest boundary guard of a simple polygon. *Theor. Comput. Sci.*, 263(1-2):113–121, 2001.

- [236] Chi-Jen Lu. An exact characterization of symmetric functions in $qac^0[2]$. *Theor. Comput. Sci.*, 261(2):297–303, 2001.
- [237] Wolfgang Maass. On the relevance of time in neural computation and learning. *Theor. Comput. Sci.*, 261(1):157–178, 2001.
- [238] H. Maehara and N. Tokushige. When does a planar bipartite framework admit a continuous deformation? *Theor. Comput. Sci.*, 263(1-2):345–354, 2001.
- [239] M.E. Majster-Cederbaum. Underspecification for a simple process algebra of recursive processes. *Theor. Comput. Sci.*, 266(1-2):935–950, 2001.
- [240] Vincenzo Manca. Logical string rewriting. *Theor. Comput. Sci.*, 264(1):25–51, 2001.
- [241] Ken Mano and Mizuhito Ogawa. Unique normal form property of compatible term rewriting systems: A new proof of chew’s theorem. *Theor. Comput. Sci.*, 258(1-2):169–208, 2001.
- [242] Yannis Manoussakis and Zsolt Tuza. Ramsey numbers for tournaments. *Theor. Comput. Sci.*, 263(1-2):75–85, 2001.
- [243] Sabrina Mantaci and Antonio Restivo. Codes and equations on trees. *Theor. Comput. Sci.*, 255(1-2):483–509, 2001.
- [244] Maurice Margenstern. On quasi-unilateral universal turing machines. *Theor. Comput. Sci.*, 257(1-2):153–166, 2001.
- [245] Maurice Margenstern and Kenichi Morita. np -problems are tractable in the space of cellular automata in the hyperbolic plane. *Theor. Comput. Sci.*, 259(1-2):99–128, 2001.
- [246] Bruno Martin. A simulation of cellular automata on hexagons by cellular automata on rings. *Theor. Comput. Sci.*, 263(1-2):231–234, 2001.
- [247] Olivier C. Martin, Rémi Monasson, and Riccardo Zecchina. Statistical mechanics methods and phase transitions in optimization problems. *Theor. Comput. Sci.*, 265(1-2):3–67, 2001.

- [248] Dragan Mašulović and Boža Tasić. Operators on classes of coalgebras. *Theor. Comput. Sci.*, 269(1-2):419–431, 2001.
- [249] Yuri Matiyasevich. Some arithmetical restatements of the four color conjecture. *Theor. Comput. Sci.*, 257(1-2):167–183, 2001.
- [250] Yasuko Matsu and Tomomi Matsui. np -completeness for calculating power indices of weighted majority games. *Theor. Comput. Sci.*, 263(1-2):305–310, 2001.
- [251] Tatsuru Matsushita and Colin Runciman. The accepting power of unary string logic programs. *Theor. Comput. Sci.*, 266(1-2):59–79, 2001.
- [252] Denis Maurel and Brigitte le Pévédic. The syntactic prediction with token automata: Application to handias system. *Theor. Comput. Sci.*, 267(1-2):121–129, 2001.
- [253] Richard Mayr. Decidability of model checking with the temporal logic ef. *Theor. Comput. Sci.*, 256(1-2):31–62, 2001.
- [254] A.K. McIver and Carroll Morgan. Partial correctness for probabilistic demonic programs. *Theor. Comput. Sci.*, 266(1-2):513–541, 2001.
- [255] Wolfgang Merkle. Structural properties of bounded relations with an application to np optimization problems. *Theor. Comput. Sci.*, 250(1-2):101–124, 2001.
- [256] Stephan Mertens. A physicist’s approach to number partitioning. *Theor. Comput. Sci.*, 265(1-2):79–108, 2001.
- [257] Léa Meyer. Aspects of complexity of probabilistic learning under monotonicity constraints. *Theor. Comput. Sci.*, 268(2):275–322, 2001.
- [258] Valeria Mihalache and Arto Salomaa. Language-theoretic aspects of dna complementarity. *Theor. Comput. Sci.*, 250(1-2):163–178, 2001.
- [259] François Monin and Marianne Simonot. An ordinal measure based procedure for termination of functions. *Theor. Comput. Sci.*, 254(1-2):63–94, 2001.

- [260] Michele Mosca. Counting by quantum eigenvalue estimation. *Theor. Comput. Sci.*, 264(1):139–153, 2001.
- [261] Lawrence S. Moss. Parametric corecursion. *Theor. Comput. Sci.*, 260(1-2):139–163, 2001.
- [262] César Muñoz. Proof-term synthesis on dependent-type systems via explicit substitutions. *Theor. Comput. Sci.*, 266(1-2):407–440, 2001.
- [263] Subhas C. Nandy, Tomohiro Harayama, and Tetsuo Asano. Dynamically maintaining the widest k -dense corridor. *Theor. Comput. Sci.*, 255(1-2):627–639, 2001.
- [264] Seiya Negami. Note on ramsey theorems for spatial graphs. *Theor. Comput. Sci.*, 263(1-2):205–210, 2001.
- [265] Jean Néraud and Carla Selmi. On codes with a finite deciphering delay: Constructing uncompletable words. *Theor. Comput. Sci.*, 255(1-2):151–162, 2001.
- [266] Frank Nielsen. On point covers of c -oriented polygons. *Theor. Comput. Sci.*, 263(1-2):17–29, 2001.
- [267] M. Nikolskaia and L. Nikolskaia. Size of obdd representation of 2-level redundancies functions. *Theor. Comput. Sci.*, 255(1-2):615–625, 2001.
- [268] John Noga and Steven S. Seiden. An optimal online algorithm for scheduling two machines with release times. *Theor. Comput. Sci.*, 268(1):133–143, 2001.
- [269] Matti Nykänen. Using acceptors as transducers. *Theor. Comput. Sci.*, 267(1-2):83–104, 2001.
- [270] Enno Ohlebusch. Implementing conditional term rewriting by graph rewriting. *Theor. Comput. Sci.*, 262(1-2):311–331, 2001.
- [271] Satoshi Okawa and Sadaki Hirose. Homomorphic characterizations of recursively enumerable languages with very small language classes. *Theor. Comput. Sci.*, 250(1-2):55–69, 2001.
- [272] Michio Ozeki. On the covering radius problem for ternary self-dual codes. *Theor. Comput. Sci.*, 263(1-2):311–332, 2001.

- [273] Prakash Panangaden. Measure and probability for concurrency theorists. *Theor. Comput. Sci.*, 253(2):287–309, 2001.
- [274] Alberto Pardo. Fusion of recursive programs with computational effects. *Theor. Comput. Sci.*, 260(1-2):165–207, 2001.
- [275] Heejin Park and Kunsoo Park. Parallel algorithms for red-black trees. *Theor. Comput. Sci.*, 262(1-2):415–435, 2001.
- [276] Dmitrii V. Pasechnik. On computing hilbert bases via the elliot-macmahon algorithm. *Theor. Comput. Sci.*, 263(1-2):37–46, 2001.
- [277] Jean-Guy Penaud, Elisa Pergola, Renzo Pinzani, and Olivier Roques. Chemins de schröder et hiérarchies aléatoires. *Theor. Comput. Sci.*, 255(1-2):345–361, 2001.
- [278] C. Picouleau. Reconstruction of domino tiling from its two orthogonal projections. *Theor. Comput. Sci.*, 255(1-2):437–447, 2001.
- [279] Wim Pijls and Arie de Bruin. Game tree algorithms and solution trees. *Theor. Comput. Sci.*, 252(1-2):197–215, 2001.
- [280] T. Poibeau. Parsing natural language idioms with bidirectional finite-state machines. *Theor. Comput. Sci.*, 267(1-2):131–140, 2001.
- [281] Christophe Prieur. How to decide continuity of rational functions on infinite words. *Theor. Comput. Sci.*, 250(1-2):71–82, 2001.
- [282] Dieter Probst and Thomas Studer. How to normalize the jay. *Theor. Comput. Sci.*, 254(1-2):677–681, 2001.
- [283] Riccardo Pucella and Prakash Panangaden. On the expressive power of first-order boolean function in pcf. *Theor. Comput. Sci.*, 266(1-2):543–567, 2001.
- [284] Paola Quaglia. Explicit substitutions for pi-congruences. *Theor. Comput. Sci.*, 269(1-2):83–134, 2001.
- [285] A. Quilliot. Convexity and global optimization: A theoretical link. *Theor. Comput. Sci.*, 263(1-2):191–204, 2001.

- [286] Christophe Raffalli. Completeness, minimal logic and programs extraction. *Theor. Comput. Sci.*, 254(1-2):259–271, 2001.
- [287] George Rahonis. Alphabetic and synchronized tree transducers. *Theor. Comput. Sci.*, 255(1-2):377–399, 2001.
- [288] R. Ramesh, I.V. Ramakrishnan, and R.C. Sekar. Automata driven efficient subterm unification. *Theor. Comput. Sci.*, 254(1-2):187–223, 2001.
- [289] S. Ravi Kumar and D. Sivakumar. On the unique shortest lattice vector problem. *Theor. Comput. Sci.*, 255(1-2):641–648, 2001.
- [290] Laura Recalde, Enrique Teruel, and Manuel Silva. Structure theory of multi-level deterministically synchronized sequential processes. *Theor. Comput. Sci.*, 254(1-2):1–33, 2001.
- [291] Steffen Reith and Klaus W. Wagner. On boolean lowness and boolean highness. *Theor. Comput. Sci.*, 261(2):305–321, 2001.
- [292] Pedro Resende. Quantales, finite observations and strong bisimulation. *Theor. Comput. Sci.*, 254(1-2):95–149, 2001.
- [293] J.-P. Ressayre. Weak arithmetics. *Theor. Comput. Sci.*, 257(1-2):1–15, 2001.
- [294] Yaron Riany, Nir Shavit, and Dan Touitou. Towards a practical snapshot algorithm. *Theor. Comput. Sci.*, 269(1-2):163–201, 2001.
- [295] Denis Richard. What are weak arithmetics? *Theor. Comput. Sci.*, 257(1-2):17–29, 2001.
- [296] Marco Riedel. Online request server matching. *Theor. Comput. Sci.*, 268(1):145–160, 2001.
- [297] James Riely and Matthew Hennessy. Distributed processes and location failures. *Theor. Comput. Sci.*, 266(1-2):693–735, 2001.
- [298] Michel Rigo. Numeration systems on a regular language: Arithmetic operations, recognizability and formal power series. *Theor. Comput. Sci.*, 269(1-2):469–498, 2001.

- [299] P. Rondogiannis. Stratified negation in temporal logic programming and the cycle-sum test. *Theor. Comput. Sci.*, 254(1-2):663–676, 2001.
- [300] Martin Rössiger. From modal logic to terminal coalgebras. *Theor. Comput. Sci.*, 260(1-2):209–228, 2001.