

References

- [1] Serge Abiteboul, Sophie Cluet, and Tova Milo. Correspondence and translation for heterogeneous data. *Theor. Comput. Sci.*, 275(1-2):179–213, 2002.
- [2] J. Adámek, M. Hébert, and J. Rosický. On abstract data types presented by multiequations. *Theor. Comput. Sci.*, 275(1-2):427–462, 2002.
- [3] Foto Afrati, Irène Guessarian, and Michel de Rougemont. The expressiveness of dac. *Theor. Comput. Sci.*, 286(1):3–32, 2002.
- [4] M. Ageev. Martin’s game: A lower bound for the number of sets. *Theor. Comput. Sci.*, 289(1):871–876, 2002.
- [5] Ali Akhavi. Random lattices, threshold phenomena and efficient reduction algorithms. *Theor. Comput. Sci.*, 287(2):359–385, 2002.
- [6] Shigeki Akiyama and Attila Pethő. On canonical number systems. *Theor. Comput. Sci.*, 270(1-2):921–933, 2002.
- [7] Andris Ambainis and John Watrous. Two-way finite automata with quantum and classical states. *Theor. Comput. Sci.*, 287(1):299–311, 2002.
- [8] Martyn Amos, Georghe Păun, Grzegorz Rozenberg, and Arto Salomaa. Topics in the theory of dna computing. *Theor. Comput. Sci.*, 287(1):3–38, 2002.
- [9] Eric Anderson, Marek Chrobak, John Noga, Jiří Sgall, and Gerhard J. Woeginger. Solution of a problem in dna computing. *Theor. Comput. Sci.*, 287(2):387–391, 2002.
- [10] Eric J. Anderson, Kirsten Hildrum, Anna R. Karlin, April Rasala, and Michael Saks. On list update and work function algorithms. *Theor. Comput. Sci.*, 287(2):393–418, 2002.
- [11] András Antos. Lower bounds for the rate of convergence in nonparametric pattern recognition. *Theor. Comput. Sci.*, 284(1):3–24, 2002.

- [12] André Arnold. Nivat’s processes and their synchronization. *Theor. Comput. Sci.*, 281(1-2):31–36, 2002.
- [13] Dirk V. Arnold and Hans-Georg Beyer. Performance analysis of evolution strategies with multi-recombination in high-dimensional r^n -search spaces disturbed by noise. *Theor. Comput. Sci.*, 289(1):629–647, 2002.
- [14] Egidio Astesiano, Michel Bidoit, Hélène Kirchner, Bernd Krieg-Brückner, Peter D. Mosses, Donald Sannella, and Andrzej Tarlecki. Casl: The common algebraic specification language. *Theor. Comput. Sci.*, 286(2):153–196, 2002.
- [15] M.D. Atkinson, M.M. Murphy, and N. Ruškuc. Sorting with two ordered stacks in series. *Theor. Comput. Sci.*, 289(1):205–223, 2002.
- [16] Vincenzo Auletta, Ioannis Caragiannis, Christos Kaklamanis, and Pino Persiano. Randomized path coloring on binary trees. *Theor. Comput. Sci.*, 289(1):355–399, 2002.
- [17] Franz Aurenhammer, Naoki Katoh, Hiromichi Kojima, Makoto Ohsaki, and Yinfeng Xu. Approximating uniform triangular meshes in polygons. *Theor. Comput. Sci.*, 289(2):879–895, 2002.
- [18] R. Ayala, E. Domínguez, A.R. Francés, and A. Quintero. Weak lighting functions and strong 26-surfaces. *Theor. Comput. Sci.*, 283(1):29–66, 2002.
- [19] Yossi Azar, Oded Regav, Jiří Sgall, and Gerhard J. Woeginger. Off-line temporary tasks assignment. *Theor. Comput. Sci.*, 287(2):419–428, 2002.
- [20] Roberto Bagnara, Patricia M. Hill, and Enea Zaffanella. Set-sharing is redundant for pair-sharing. *Theor. Comput. Sci.*, 277(1-2):3–46, 2002.
- [21] José L. Balcázar, Jorge Castro, David Guijarro, and Hans-Ulrich Simon. The consistency dimension and distribution-dependent learning from queries. *Theor. Comput. Sci.*, 288(2):197–215, 2002.
- [22] Cyril Banderier and Philippe Flajolet. Basic analytic combinatorics of directed lattice paths. *Theor. Comput. Sci.*, 281(1-2):37–80, 2002.

- [23] A. Barbé and F. von Haeseler. Symmetries of decimation invariant sequences and digit sets. *Theor. Comput. Sci.*, 289(1):105–136, 2002.
- [24] Peter L. Bartlett and Shai Ben-David. Hardness results for neural network approximation problems. *Theor. Comput. Sci.*, 284(1):53–66, 2002.
- [25] Robert Baumgartner and Georg Gottlob. Propositional default logics made easier: Computational complexity of model checking. *Theor. Comput. Sci.*, 289(1):591–627, 2002.
- [26] Marie-Pierre Béal and Olivier Carton. Determinization of transducers over finite and infinite words. *Theor. Comput. Sci.*, 289(1):225–251, 2002.
- [27] Danièle Beauquier and Jean-Claude Fournier. Groups and tilings. *Theor. Comput. Sci.*, 281(1-2):81–97, 2002.
- [28] Danièle Beauquier and Anatol Slissenko. Decidable verification for reducible timed automata specified in a first order logic with time. *Theor. Comput. Sci.*, 275(1-2):347–388, 2002.
- [29] Luca Becchetti, Paola Bertolazzi, Carlo Gaibisso, and Giorgio Gambosi. On the design of efficient atm routing schemes. *Theor. Comput. Sci.*, 270(1-2):341–359, 2002.
- [30] Luca Becchetti, Mriam di Ianni, and Alberto Marchetti-Spaccamela. Approximation algorithms for routing and call scheduling in all-optical chains and rings. *Theor. Comput. Sci.*, 287(2):429–448, 2002.
- [31] Verónica Becher and Santiago Figueira. An example of a computable absolutely normal number. *Theor. Comput. Sci.*, 270(1-2):947–958, 2002.
- [32] Ronald Becker, Bruno Simeone, and Yen-I Chiang. A shifting algorithm for continuous tree partitioning. *Theor. Comput. Sci.*, 282(2):353–380, 2002.
- [33] Arnold Beckmann. Notations for exponentiation. *Theor. Comput. Sci.*, 288(1):3–19, 2002.

- [34] Wolfgang W. Bein, Marek Chrobak, and Lawrence L. Larmore. The 3-server problem in the plane. *Theor. Comput. Sci.*, 289(1):335–354, 2002.
- [35] Clifford Bergman and Giora Slutzki. Computational complexity of some problems involving congruences on algebras. *Theor. Comput. Sci.*, 270(1-2):591–608, 2002.
- [36] Jean Berstel and Luc Boasson. Shuffle factorization is unique. *Theor. Comput. Sci.*, 273(1-2):47–67, 2002.
- [37] Jean Berstel and Laurent Vuillon. Coding rotations on intervals. *Theor. Comput. Sci.*, 281(1-2):99–107, 2002.
- [38] Valérie Berthé and Robert Tijdeman. Balance properties of multi-dimensional words. *Theor. Comput. Sci.*, 273(1-2):197–224, 2002.
- [39] Hans-Georg Beyer, Hans-Paul Schwefel, and Ingo Wegener. How to analyse evolutionary algorithms. *Theor. Comput. Sci.*, 287(1):101–130, 2002.
- [40] M. Bigotte, G. Jacob, N.E. Oussous, and M. Petitot. Lyndon words and shuffle algebras for generating the coloured multiple zeta values relations tables. *Theor. Comput. Sci.*, 273(1-2):271–282, 2002.
- [41] F. Blanchet-Sadri and Robert A. Hegstrom. Partial words and a theorem of fine and wilf revisited. *Theor. Comput. Sci.*, 270(1-2):401–419, 2002.
- [42] F. Blanchet-Sadri and D.K. Luhmann. Conjugacy on partial words. *Theor. Comput. Sci.*, 289(1):297–312, 2002.
- [43] J. Blanck, V. Stoltenberg-Hansen, and J.V. Tucker. Domain representations of partial functions, with applications to spatial objects and constructive volume geometry. *Theor. Comput. Sci.*, 284(2):207–240, 2002.
- [44] Frédéric Blanqui, Jean-Pierre Jouannaud, and Mitsuhiro Okada. Inductive-data-type systems. *Theor. Comput. Sci.*, 272(1-2):41–68, 2002.

- [45] Markus Bläser. Uniform computational complexity of the derivatives of c^∞ -functions. *Theor. Comput. Sci.*, 284(2):199–206, 2002.
- [46] Vincent D. Blondel, Julien Cassaigne, and Codrin Nichitiu. On the presence of periodic configurations in turing machines and in counter machines. *Theor. Comput. Sci.*, 289(1):573–590, 2002.
- [47] Hans-Joachim Böckenhauer, Juraj Hromkovič, Ralf Klasing, Sebastian Seibert, and Walter Unger. Towards the notion of stability of approximation for hard optimization tasks and the traveling salesman problem. *Theor. Comput. Sci.*, 285(1):3–24, 2002.
- [48] Chiara Bodei, Pierpaolo Degano, Riccardo Focardi, and Corrado Priami. Primitives for authentication in process algebras. *Theor. Comput. Sci.*, 283(2):271–304, 2002.
- [49] Paolo Boldi, Massimo Santini, and Sebastiano Vigna. Measuring with jugs. *Theor. Comput. Sci.*, 282(2):259–270, 2002.
- [50] Peter Borovanský, Claude Kirchner, Hélène Kirchner, and Pierre-Etienne Moreau. Elan from a rewriting logic point of view. *Theor. Comput. Sci.*, 285(2):155–185, 2002.
- [51] Tomasz Borzyszkowski. Logical systems for structured specifications. *Theor. Comput. Sci.*, 286(2):197–245, 2002.
- [52] Vincent Bouchitté and Ioan Todinca. Listing all potential maximal cliques of a graph. *Theor. Comput. Sci.*, 276(1-2):17–32, 2002.
- [53] Gérard Boudol and Ilaria Castellani. Noninterference for concurrent programs and thread systems. *Theor. Comput. Sci.*, 281(1-2):109–130, 2002.
- [54] Adel Bouhoula and Michaël Rusinowitch. Observational proofs by rewriting. *Theor. Comput. Sci.*, 275(1-2):675–698, 2002.
- [55] Ménard Bourgade. Calculs sur les structures de langage dénombrable. *Theor. Comput. Sci.*, 270(1-2):205–222, 2002.
- [56] Vasco Brattka and Peter Hertling. Topological properties of real number representations. *Theor. Comput. Sci.*, 284(2):241–257, 2002.

- [57] Mario Bravetti and Roberto Gorrieri. The theory of interactive generalized semi-markov processes. *Theor. Comput. Sci.*, 282(1):5–32, 2002.
- [58] Arwen Brenneman and Anne Condon. Strand design for biomolecular computation. *Theor. Comput. Sci.*, 287(1):39–58, 2002.
- [59] Douglas S. Bridges and Nicholas Dudley Ward. Kernels of seminorms in constructive analysis. *Theor. Comput. Sci.*, 284(2):259–267, 2002.
- [60] Valentin E. Brimkov and Reneta P. Barneva. Graceful planes and lines. *Theor. Comput. Sci.*, 283(1):151–170, 2002.
- [61] Hagit Brit, Shlomo Moran, and Gadi Taubenfeld. Public data structures: Counters as a special case. *Theor. Comput. Sci.*, 289(1):401–423, 2002.
- [62] Tom C. Brown. Applications of standard sturmian words to elementary number theory. *Theor. Comput. Sci.*, 273(1-2):5–9, 2002.
- [63] Roberto Bruni, Fabio Gadducci, and Ugo Montanari. Normal forms for algebras of connections. *Theor. Comput. Sci.*, 286(2):247–292, 2002.
- [64] Roberto Bruni and Ugo Montanari. Dynamic connectors for concurrency. *Theor. Comput. Sci.*, 281(1-2):131–176, 2002.
- [65] Nader H. Bshouty, Nadav Eiron, and Eyal Kushilevitz. Pac learning with nasty noise. *Theor. Comput. Sci.*, 288(2):255–275, 2002.
- [66] Antonio Bucciarelli and Pasquale Malacaria. Relative definability of boolean functions via hypergraphs. *Theor. Comput. Sci.*, 278(1-2):91–110, 2002.
- [67] Harry Buhrman and Ronald de Wolf. Complexity measures and decision tree complexity: A survey. *Theor. Comput. Sci.*, 288(1):21–43, 2002.
- [68] Bruce S. Burdick. A note on iterated duals of certain topological spaces. *Theor. Comput. Sci.*, 275(1-2):69–77, 2002.
- [69] Costas Busch, Neophytos Demetriou, Maurice Herlihy, and Marios Mavronicolas. Threshold counters with increments and decrements. *Theor. Comput. Sci.*, 270(1-2):811–826, 2002.

- [70] Nadia Busi. Analysis issues in petri nets with inhibitor arcs. *Theor. Comput. Sci.*, 275(1-2):127–177, 2002.
- [71] Liming Cai, David Juedes, and Iyad Kanj. The inapproximability of non-*np*-hard optimization problems. *Theor. Comput. Sci.*, 289(1):553–571, 2002.
- [72] Gruia Călinescu and Peng-Jun Wan. Splittable traffic partition in wdm/sonet rings to minimize sonet adms. *Theor. Comput. Sci.*, 276(1-2):33–50, 2002.
- [73] Cristian S. Calude. Chaitin ω numbers, solovay machines, and gödel incompleteness. *Theor. Comput. Sci.*, 284(2):269–277, 2002.
- [74] Cristian S. Calude. A characterization of c.e. random reals. *Theor. Comput. Sci.*, 271(1-2):3–14, 2002.
- [75] D. Cantone and G. Cincotti. Quickheapsort, an efficient mix of classical sorting algorithms. *Theor. Comput. Sci.*, 285(1):25–42, 2002.
- [76] Ioannis Caragiannis, Christos Kaklamanis, and Pino Persiano. Edge coloring of bipartite graphs with constraints. *Theor. Comput. Sci.*, 270(1-2):361–399, 2002.
- [77] A. Carbone. Streams and strings in formal proofs. *Theor. Comput. Sci.*, 288(1):45–83, 2002.
- [78] Felice Cardone. A coinductive completeness proof for the equivalence of recursive types. *Theor. Comput. Sci.*, 275(1-2):575–587, 2002.
- [79] John Case, Sanjay Jain, and Mandayam Suraj. Control structures in hypothesis spaces: The influence on learning. *Theor. Comput. Sci.*, 270(1-2):287–308, 2002.
- [80] Douglas Cenzer and Jeffrey B. Remmel. Effectively closed sets and graphs of computable real functions. *Theor. Comput. Sci.*, 284(2):279–318, 2002.
- [81] J.-M. Champarnaud and D. Ziadi. Canonical derivatives, partial derivatives and finite automaton constructions. *Theor. Comput. Sci.*, 289(1):137–163, 2002.

- [82] Chiuyuan Chen. A necessary condition for a graph to be the visibility graph of a simple polygon. *Theor. Comput. Sci.*, 276(1-2):417–424, 2002.
- [83] Wei Chen, Koichi Wada, and Kimio Kawaguchi. Robust algorithms for constructing strongly convex hulls in parallel. *Theor. Comput. Sci.*, 289(1):277–295, 2002.
- [84] Alexei Chernov, Andrej Muchnik, Andrei Romashchenko, Alexander Shen, and Nikolai Vereshchagin. Upper semi-lattice of binary strings with the relation “ x is simple conditional to y ”. *Theor. Comput. Sci.*, 271(1-2):69–95, 2002.
- [85] Alessandra Cherubini, Stefano Crespi Reghizzi, and Pierluigi San Pietro. Associative language descriptions. *Theor. Comput. Sci.*, 270(1-2):463–491, 2002.
- [86] Christian Choffrut, Juhani Karhumäki, and Nicolas Ollinger. The commutation of finite sets: A challenging problem. *Theor. Comput. Sci.*, 273(1-2):69–79, 2002.
- [87] Christian Choffrut and Giovanni Pighizzini. Distances between languages and reflexivity of relations. *Theor. Comput. Sci.*, 286(1):117–138, 2002.
- [88] Kuo-Liang Chung, Wen-Ming Yan, and Jung-Gen Wu. Load-balanced parallel banded-system solvers. *Theor. Comput. Sci.*, 289(1):313–334, 2002.
- [89] Ferdinando Cicalese, Daniele Mundici, and Ugo Vaccaro. Least adaptive optimal search with unreliable tests. *Theor. Comput. Sci.*, 270(1-2):877–893, 2002.
- [90] Serafino Cicerone, Gabriele Di Stefano, and Michele Flammini. Static and dynamic low-congested interval routing schemes. *Theor. Comput. Sci.*, 276(1-2):315–354, 2002.
- [91] Gabriel Ciobanu and Mihai Rotaru. Molecular interaction. *Theor. Comput. Sci.*, 289(1):801–827, 2002.

- [92] Corina Cîrstea. A coalgebraic equational approach to specifying observational structures. *Theor. Comput. Sci.*, 280(1-2):35–68, 2002.
- [93] M. Clavel, F. Durán, S. Eker, P. Lincoln, N. Martí-Oliet, J. Meseguer, and J.F. Quesada. Maude: Specification and programming in rewriting logic. *Theor. Comput. Sci.*, 285(2):187–243, 2002.
- [94] Manuel Clavel and José Meseguer. Reflection in conditional rewriting logic. *Theor. Comput. Sci.*, 285(2):245–288, 2002.
- [95] J.R.B. Cockett and Stephen Lack. Rstriction categories i: Categories of partial maps. *Theor. Comput. Sci.*, 270(1-2):223–259, 2002.
- [96] Mario Coppo, Ferruccio Damiani, and Paola Giannini. Strictness, totality, and non-standard-type inference. *Theor. Comput. Sci.*, 272(1-2):69–112, 2002.
- [97] Robert Cori, Dominique Rossin, and Bruno Salvy. Polynomial ideals for sandpiles and their gröbner bases. *Theor. Comput. Sci.*, 276(1-2):1–15, 2002.
- [98] Andrea Corradini and Fabio Gadducci. A functorial semantics for multi-algebras and partial algebras, with applications to syntax. *Theor. Comput. Sci.*, 286(2):293–322, 2002.
- [99] Andrea Corradini, Reiko Heckel, and Ugo Montanari. Compositional sos and beyond: A coalgebraic view of open systems. *Theor. Comput. Sci.*, 280(1-2):163–192, 2002.
- [100] Agostino Cortesi, Agostino Dovier, Elisa Quintarelli, and Letizia Tanca. Operational and abstract semantics of the query language g-log. *Theor. Comput. Sci.*, 275(1-2):521–560, 2002.
- [101] Bruno Courcelle and Teodor Knapik. The evaluation of first-order substitution is monadic second-order compatible. *Theor. Comput. Sci.*, 281(1-2):177–206, 2002.
- [102] Guy Cousineau. Tilings as a programming exercise. *Theor. Comput. Sci.*, 281(1-2):207–217, 2002.

- [103] Patrick Cousot. Constructive design of a hierarchy of semantics of a transition system by abstract interpretation. *Theor. Comput. Sci.*, 277(1-2):47–103, 2002.
- [104] P. Crescenzi and G. Rossi. On the hamming distance of constraint satisfaction problems. *Theor. Comput. Sci.*, 288(1):85–100, 2002.
- [105] Siniša Crvenković and Igor Dolinka. On axioms for commutative regular equations without addition. *Theor. Comput. Sci.*, 289(1):531–551, 2002.
- [106] Erzsébet Csuha-J-Varjú and György Vaszil. Parallel communicating grammar systems with bounded resources. *Theor. Comput. Sci.*, 276(1-2):205–219, 2002.
- [107] Pierre-Louis Curien. Une brève biographie scientifique de maurice nivat. *Theor. Comput. Sci.*, 281(1-2):3–23, 2002.
- [108] Flavio D’Allessandro. A combinatorial problem on trapezoidal words. *Theor. Comput. Sci.*, 273(1-2):11–33, 2002.
- [109] Peter Damaschke. Online strategies for backups. *Theor. Comput. Sci.*, 285(1):43–53, 2002.
- [110] Peter Damaschke. Two short notes on the on-line travelling salesman: Handling times and lookahead. *Theor. Comput. Sci.*, 289(1):845–852, 2002.
- [111] Evgeny Dantsin, Andreas Goerdt, Edward A. Hirsch, Ravi Kannan, Jon Kleinberg, Christos Papadimitriou, Prabhakar Raghavan, and Uwe Schöning. A deterministic $(2 - 2/(k+1))^n$ algorithm for k -sat based on local search. *Theor. Comput. Sci.*, 289(1):69–83, 2002.
- [112] Jürgen Dassow, Victor Mitrana, and Arto Salomaa. Operations and language generating devices suggested by the genome evolution. *Theor. Comput. Sci.*, 270(1-2):701–738, 2002.
- [113] Max Dauchet, Sophie Tison, and Marc Tommasi. Réduction de la non-linéarité des morphismes d’arbres recognizable tree-languages and non-linear morphisms. *Theor. Comput. Sci.*, 281(1-2):219–233, 2002.

- [114] Alain Daurat, Yan Gérard, and Maurice Nivat. The chords' problem. *Theor. Comput. Sci.*, 282(2):319–336, 2002.
- [115] Pierpaolo Degano, Fabio Gadducci, and Corrado Priami. A causal semantics for ccs via rewriting logic. *Theor. Comput. Sci.*, 275(1-2):259–282, 2002.
- [116] Alberto Del Lungo. Reconstructing permutation matrices from diagonal sums. *Theor. Comput. Sci.*, 281(1-2):235–249, 2002.
- [117] Marianne Delorme and Jacques Mazoyer. Reconnaissance parallèle des langages rationnels sur automates cellulaires plans. *Theor. Comput. Sci.*, 281(1-2):251–289, 2002.
- [118] Ewen Denney and Thomas Jensen. Correctness of java card method lookup via logical relations. *Theor. Comput. Sci.*, 283(2):305–331, 2002.
- [119] Olivier Devillers and Pierre-Marie Gandois. Rounding voronoi diagram. *Theor. Comput. Sci.*, 283(1):203–221, 2002.
- [120] Răzvan Diaconescu and Kokichi Futatsugi. Logical foundations of cafeobj. *Theor. Comput. Sci.*, 285(2):289–318, 2002.
- [121] Josep Díaz, Maria Serna, and Dimitrios M. Thilikos. Counting h -colorings of partial k -trees. *Theor. Comput. Sci.*, 281(1-2):291–309, 2002.
- [122] Krzysztof Diks, Evangelos Kranakis, Danny Krizanc, and Andrzej Pelc. The impact of information on broadcasting time in linear radio networks. *Theor. Comput. Sci.*, 287(2):449–471, 2002.
- [123] Irit Dinur. Approximating svp_∞ to within almost-polynomial factors is np -hard. *Theor. Comput. Sci.*, 285(1):55–71, 2002.
- [124] Rodney G. Downey and Geoffrey L. LaForte. Presentations of computably enumerable reals. *Theor. Comput. Sci.*, 284(2):539–555, 2002.
- [125] Michael Drmota. The variance of the height of binary search trees. *Theor. Comput. Sci.*, 270(1-2):913–919, 2002.
- [126] Limor Drori and David Peleg. Faster exact solutions for some np -hard problems. *Theor. Comput. Sci.*, 287(2):473–499, 2002.

- [127] Stefan Droste, Thomas Jansen, and Ingo Wegener. On the analysis of the $(1 + 1)$ evolutionary algorithm. *Theor. Comput. Sci.*, 276(1-2):51–81, 2002.
- [128] Stefan Droste, Thomas Jansen, and Ingo Wegener. Optimization with randomized search heuristics — the (a)nfl theorem, realistic scenarios, and difficult functions. *Theor. Comput. Sci.*, 287(1):131–144, 2002.
- [129] G. Duchamp, É. Laugerotte, and J.-G. Luque. On the support of graph lie algebras. *Theor. Comput. Sci.*, 273(1-2):283–294, 2002.
- [130] Nigel Duffy and David Helmbold. A geometric approach to leveraging weak learners. *Theor. Comput. Sci.*, 284(1):67–108, 2002.
- [131] Dominic Duggan and John Ophel. Open and closed scopes for constrained genericity. *Theor. Comput. Sci.*, 275(1-2):215–258, 2002.
- [132] Arnaud Durand, Miki Hermann, and Laurent Juban. On the complexity of recognizing the hilbert basis of a linear diophantine system. *Theor. Comput. Sci.*, 270(1-2):625–642, 2002.
- [133] Bruno Durand. De la logique aux pavages. *Theor. Comput. Sci.*, 281(1-2):311–324, 2002.
- [134] Bruno Durand and Sylvain Porrot. Comparison between the complexity of a function and the complexity of its graph. *Theor. Comput. Sci.*, 271(1-2):37–46, 2002.
- [135] Bruno Durand, Alexander Shen, and Nikolai Vereshchagin. Descriptive complexity of computable sequences. *Theor. Comput. Sci.*, 271(1-2):47–58, 2002.
- [136] Reiner Durchholz. A generic causal model for place latency. *Theor. Comput. Sci.*, 289(1):1–49, 2002.
- [137] Abbas Edalat and André Lieutier. Foundation of a computable solid modelling. *Theor. Comput. Sci.*, 284(2):319–345, 2002.
- [138] A. Ehrenfeucht, T. Harju, and G. Rozenberg. Gene assembly through cyclic graph decomposition. *Theor. Comput. Sci.*, 281(1-2):325–349, 2002.

- [139] T. Eilam, S. Moran, and S. Zaks. The complexity of the characterization of networks supporting shortest-path interval routing. *Theor. Comput. Sci.*, 289(1):85–104, 2002.
- [140] Thomas Eiter, Toshihide Ibaraki, and Kazuhisa Makino. Decision lists and related boolean functions. *Theor. Comput. Sci.*, 270(1-2):493–524, 2002.
- [141] Thomas Eiter and Helmut Veith. On the complexity of data disjunctions. *Theor. Comput. Sci.*, 288(1):101–128, 2002.
- [142] Sylvia Encheva and Gérard Cohen. Frameproof codes against limited coalitions of pirates. *Theor. Comput. Sci.*, 273(1-2):295–304, 2002.
- [143] Niklas Eriksen. $(1+\varepsilon)$ -approximation of sorting by reversals and transpositions. *Theor. Comput. Sci.*, 289(1):517–529, 2002.
- [144] Zoltán Ésik. Axiomatizing the subsumption and subword preorders on finite and infinite partial words. *Theor. Comput. Sci.*, 273(1-2):225–248, 2002.
- [145] Daniel Etiemble. Computer arithmetic and hardware: “off the shelf” microprocessors versus “custom hardware”. *Theor. Comput. Sci.*, 279(1-2):3–27, 2002.
- [146] Sigrid Ewert and Andries van der Walt. A pumping lemma for random permitting context languages. *Theor. Comput. Sci.*, 270(1-2):959–967, 2002.
- [147] Luca Farrari, Elisa Pergola, Renzo Pinzani, and Simone Rinaldi. An algebraic characterization of the set of succession rules. *Theor. Comput. Sci.*, 281(1-2):351–367, 2002.
- [148] Uriel Feige and Giora Rayzman. On the drift of short schedules. *Theor. Comput. Sci.*, 289(1):473–484, 2002.
- [149] Henning Fernau. Even linear simple matrix languages: Formal language properties and grammatical inference. *Theor. Comput. Sci.*, 289(1):425–456, 2002.
- [150] Henning Fernau and Ralf Stiebe. Sequential grammars and automata with valences. *Theor. Comput. Sci.*, 276(1-2):377–405, 2002.

- [151] Doris Fiebig and Ulf-Rainer Fiebig. Compact factors of countable state markov shifts. *Theor. Comput. Sci.*, 270(1-2):935–946, 2002.
- [152] Adrian Fiech and David A. Schmidt. Polymorphic lambda calculus and subtyping. *Theor. Comput. Sci.*, 278(1-2):111–140, 2002.
- [153] Shai Fine, Ran Gilad-Bachrach, and Eli Shamir. Query by committee, linear separation and random walks. *Theor. Comput. Sci.*, 284(1):25–51, 2002.
- [154] Daniele V. Finocchiaro and Marco Pellegrini. On computing the diameter of a point set in high dimensional euclidean space. *Theor. Comput. Sci.*, 287(2):501–514, 2002.
- [155] Melvin Fitting. Fixpoint semantics for logic programming a survey. *Theor. Comput. Sci.*, 278(1-2):25–51, 2002.
- [156] Robert C. Flagg and Philipp Sünderhauf. The essence of ideal completion in quantitative form. *Theor. Comput. Sci.*, 278(1-2):141–158, 2002.
- [157] P. Flajolet, K. Hatzis, S. Nikoletseas, and P. Spirakis. On the robustness of interconnections in random graphs: A symbolic approach. *Theor. Comput. Sci.*, 287(2):515–534, 2002.
- [158] Gary William Flake and Eric B. Baum. Rush hour is pspace-complete, or “why you should generously tip parking lot attendants”. *Theor. Comput. Sci.*, 270(1-2):895–911, 2002.
- [159] Herbert Fleischner, Oliver Kullmann, and Stefan Szeider. Polynomial-time recognition of minimal unsatisfiable formulas with fixed clause-variable difference. *Theor. Comput. Sci.*, 289(1):503–516, 2002.
- [160] Sébastien Fourey and Rémy Malgouyres. Intersection number and topology preservation within digital surfaces. *Theor. Comput. Sci.*, 283(1):109–150, 2002.
- [161] Aviezri S. Fraenkel. Arrays, numeration systems and frankenstein games. *Theor. Comput. Sci.*, 282(2):271–284, 2002.

- [162] Yair Frankel, Philip MacKenzie, and Moti Yung. Adaptively secure distributed public-key systems. *Theor. Comput. Sci.*, 287(2):535–561, 2002.
- [163] Alexandre Frey. Satisfying subtype inequalities in polynomial space. *Theor. Comput. Sci.*, 277(1-2):105–117, 2002.
- [164] Peter Freyd. Cartesian logic. *Theor. Comput. Sci.*, 278(1-2):3–21, 2002.
- [165] Kikuo Fujimura. Time-minimal paths amidst moving obstacles in three dimensions. *Theor. Comput. Sci.*, 270(1-2):421–440, 2002.
- [166] Satoshi Fujita and Takeshi Hada. Two-dimensional on-line bin packing problem with rotatable items. *Theor. Comput. Sci.*, 289(2):939–952, 2002.
- [167] Z. Fülpöp and A. Terlutte. Iterated relabeling tree transducers. *Theor. Comput. Sci.*, 276(1-2):221–244, 2002.
- [168] Fabio Gadducci and Ugo Montanari. Comparing logics for rewriting: Rewriting logic, action calculi and tile logic. *Theor. Comput. Sci.*, 285(2):319–358, 2002.
- [169] Arlette Gaillard, Heinz Groeflin, Alan J. Hoffman, and William R. Pulleyblank. On the submodular matrix representation of a digraph. *Theor. Comput. Sci.*, 287(2):563–570, 2002.
- [170] Alex Gammerman and Volodya Vovk. Prediction algorithms and confidence measures based on algorithmic randomness theory. *Theor. Comput. Sci.*, 287(1):209–217, 2002.
- [171] Paul Gastin and Michael Mislove. A truly concurrent semantics for a process algebra using resource pomsets. *Theor. Comput. Sci.*, 281(1-2):369–421, 2002.
- [172] Paul Gastin and Dan Teodosiu. Resource traces: A domain for processes sharing exclusive resources. *Theor. Comput. Sci.*, 278(1-2):195–221, 2002.
- [173] Yan Gérard. Periodic graphs and connectivity of the rational digital hyperplanes. *Theor. Comput. Sci.*, 283(1):171–182, 2002.

- [174] Sally A. Goldman and Stephen S. Kwek. On learning unions of pattern languages and tree patterns in the mistake bound model. *Theor. Comput. Sci.*, 288(2):237–254, 2002.
- [175] Eric Goles, Michel Morvan, and Ha Duong Phan. The structure of a linear chip firing game and related models. *Theor. Comput. Sci.*, 270(1-2):827–841, 2002.
- [176] Georg Gottlob, Nicola Leone, and Francesco Scarcello. Computing logcfl certificates. *Theor. Comput. Sci.*, 270(1-2):761–777, 2002.
- [177] Peter J. Grabner and Helmut Prodinger. Sorting algorithms for broadcast communications: Mathematical analysis. *Theor. Comput. Sci.*, 289(1):51–67, 2002.
- [178] Erich Grädel. Guarded fixed point logics and the monadic theory of countable trees. *Theor. Comput. Sci.*, 288(1):129–152, 2002.
- [179] Serge Grigorieff. Modelization of deterministic rational relations. *Theor. Comput. Sci.*, 281(1-2):423–453, 2002.
- [180] Serge Grigorieff and Jean-Yves Marion. Kolmogorov complexity and non-determinism. *Theor. Comput. Sci.*, 271(1-2):151–180, 2002.
- [181] Peter Gritzmann and Sven de Vries. On the algorithmic inversion of the discrete radon transform. *Theor. Comput. Sci.*, 281(1-2):455–469, 2002.
- [182] Yannick Guesnet. On maximal codes with a finite interpreting delay. *Theor. Comput. Sci.*, 273(1-2):167–183, 2002.
- [183] V. Gupta, R. Jagadeesan, and V.A. Saraswat. Truly concurrent constraint programming. *Theor. Comput. Sci.*, 278(1-2):223–255, 2002.
- [184] Joshua D. Guttman and F. Javier Thayer. Authentication tests and the structure of bundles. *Theor. Comput. Sci.*, 283(2):333–380, 2002.
- [185] Masami Hagiya, John A. Rose, Ken Komiya, and Kensaku Sakamoto. Complexity analysis of the sat engine: Dna algorithms as probabilistic algorithms. *Theor. Comput. Sci.*, 287(1):59–71, 2002.

- [186] Vesa Halava, Tero Harju, and Mika Hirvensalo. Binary (generalized) post correspondenz problem. *Theor. Comput. Sci.*, 276(1-2):183–204, 2002.
- [187] Magnús M. Halldórsson, Kazuo Iwama, Shuichi Miyazaki, and Shiro Taketomi. Online independent sets. *Theor. Comput. Sci.*, 289(2):953–962, 2002.
- [188] Ryu Hasegawa. Two applications of analytic functors. *Theor. Comput. Sci.*, 272(1-2):113–175, 2002.
- [189] Kosaburo Hashiguchi. Algorithms for determining the smallest number of nonterminals (states) sufficient for generating (accepting) a regular language r with $r_1 \subseteq r \subseteq r_2$ for given regular languages r_1, r_2 . *Theor. Comput. Sci.*, 289(1):853–859, 2002.
- [190] Susumu Hayashi, Ryosuke Sumitomo, and Kech-ichiro Shii. Towards the animation of proofs — testing proofs by examples. *Theor. Comput. Sci.*, 272(1-2):177–195, 2002.
- [191] Reinhold Heckmann. Contractivity of linear fractional transformations. *Theor. Comput. Sci.*, 279(1-2):65–82, 2002.
- [192] Alex Heinis. The $p(n)/n$ -function for bi-infinite words. *Theor. Comput. Sci.*, 273(1-2):35–46, 2002.
- [193] D.P. Helmbold, S. Panizza, and M.K. Warmuth. Direct and indirect algorithms for on-line learning of disjunctions. *Theor. Comput. Sci.*, 284(1):109–142, 2002.
- [194] Armin Hemmerling. Effective metric spaces and representations of the reals. *Theor. Comput. Sci.*, 284(2):347–372, 2002.
- [195] Matthew Hennessy. A fully abstract denotational semantics for the π -calculus. *Theor. Comput. Sci.*, 278(1-2):53–89, 2002.
- [196] Kieran T. Herley, Andrea Pietracaprina, and Geppino Pucci. Deterministic parallel backtrack search. *Theor. Comput. Sci.*, 270(1-2):309–324, 2002.

- [197] Holger Hermanns, Ulrich Herzog, and Joost-Pieter Katoen. Process algebra for performance evaluation. *Theor. Comput. Sci.*, 274(1-2):43–87, 2002.
- [198] Carmen Hernando, Michael E. Houle, and Ferran Hurtado. On local transformation of polygons with visibility properties. *Theor. Comput. Sci.*, 289(2):919–937, 2002.
- [199] Peter Hertling. A lower bound for range enclosure in interval arithmetic. *Theor. Comput. Sci.*, 279(1-2):83–95, 2002.
- [200] Tom Heskes, Bart Bakker, and Bert Kappen. Approximate algorithms for neural-bayesian approaches. *Theor. Comput. Sci.*, 287(1):219–238, 2002.
- [201] Mika Hirvensalo. Computing with quanta — impacts of quantum theory on computation. *Theor. Comput. Sci.*, 287(1):267–298, 2002.
- [202] John M. Hitchcock. Max3sat is exponentially hard to approximate if np has positive dimension. *Theor. Comput. Sci.*, 289(1):861–869, 2002.
- [203] Markus Holzer. Multi-head finite automata: Data-independent versus data-dependent computations. *Theor. Comput. Sci.*, 286(1):97–116, 2002.
- [204] Gérard Huet. Śrī yantra geometry. *Theor. Comput. Sci.*, 281(1-2):609–628, 2002.
- [205] F.K. Hwang, Y.C. Yao, and B. Dasgupta. Some permutation routing algorithms for low-dimensional hypercubes. *Theor. Comput. Sci.*, 270(1-2):111–124, 2002.
- [206] Oscar H. Ibarra and Jianwen Su. Augmenting the discrete timed automaton with other data structures. *Theor. Comput. Sci.*, 289(1):191–204, 2002.
- [207] Oscar H. Ibarra, Jianwen Su, Zhe Dang, Tevfik Bultan, and Richard A. Kemmerer. Counter machines and verification problems. *Theor. Comput. Sci.*, 289(1):165–189, 2002.

- [208] Hajime Ishihara and Toshihiko Kurata. Completeness of intersection and union type assignment systems for call-by-value λ -models. *Theor. Comput. Sci.*, 272(1-2):197–221, 2002.
- [209] Alon Itai, Michael Rodeh, and Hadas Shachnai. The passport control problem or how to keep a dynamic service system load balanced? *Theor. Comput. Sci.*, 282(2):303–318, 2002.
- [210] Chuzo Iwamoto, Tomonobu Hatsuyama, Kenichi Morita, and Katsunobu Imai. Constructible functions in cellular automata and their applications to hierarchy results. *Theor. Comput. Sci.*, 270(1-2):797–809, 2002.
- [211] Marie-Andrée Jacob-Da Col. About local configurations in arithmetic planes. *Theor. Comput. Sci.*, 283(1):183–201, 2002.
- [212] Sanjay Jain and Arun Sharma. Mind change complexity of learning logic programs. *Theor. Comput. Sci.*, 284(1):143–160, 2002.
- [213] Bengt Jonsson and Wang Yi. Testing preorders for probabilistic processes can be characterized by simulations. *Theor. Comput. Sci.*, 282(1):33–51, 2002.
- [214] Jacques Justin and Giuseppe Pirillo. Episturmian words and episturmian morphisms. *Theor. Comput. Sci.*, 276(1-2):281–313, 2002.
- [215] Yuri Kalnishkan. General linear relations between different types of predictive complexity. *Theor. Comput. Sci.*, 271(1-2):181–200, 2002.
- [216] Yukiyoshi Kameyama and Masahiko Sato. Strong normalizability of the non-deterministic catch/throw calculi. *Theor. Comput. Sci.*, 272(1-2):223–245, 2002.
- [217] Juhani Karhumäki and Ján Maňuch. Multiple factorizations of words and defect effect. *Theor. Comput. Sci.*, 273(1-2):81–97, 2002.
- [218] Juhani Karhumäki and Ion Petre. Conway’s problem for three-word sets. *Theor. Comput. Sci.*, 289(1):705–725, 2002.
- [219] Andrew D. Ker, Hanno Nickau, and C.-H. Luke Ong. Innocent game models of untyped λ -calculus. *Theor. Comput. Sci.*, 272(1-2):247–292, 2002.

- [220] Zurab Khasidashvili and John Glauert. Relating conflict-free stable transition and event models via redex families. *Theor. Comput. Sci.*, 286(1):65–95, 2002.
- [221] Subhash Khot and Venkatesh Raman. Parameterized complexity of finding subgraphs with hereditary properties. *Theor. Comput. Sci.*, 289(2):997–1008, 2002.
- [222] Changwook Kim. Two undecidability results for chain code picture languages. *Theor. Comput. Sci.*, 270(1-2):969–976, 2002.
- [223] Andreas Klein and Martin Kutrib. Deterministic turing machines in the range between real-time and linear-time. *Theor. Comput. Sci.*, 289(1):253–275, 2002.
- [224] Charles Knessl and Wojciech Szpankowski. The height of a binary search tree: The limiting distribution perspective. *Theor. Comput. Sci.*, 289(1):649–703, 2002.
- [225] Paul Z. Kolano. Proof assistance for real-time systems using an interactive theorem prover. *Theor. Comput. Sci.*, 282(1):53–99, 2002.
- [226] Michal Konečný. Real functions computable by finite automata using affine representations. *Theor. Comput. Sci.*, 284(2):373–396, 2002.
- [227] T.Y. Kong. Topological adjacency relations on z^n . *Theor. Comput. Sci.*, 283(1):3–28, 2002.
- [228] Beata Konikowska. Rasiowa-sikorski deduction systems in computer science applications. *Theor. Comput. Sci.*, 286(2):323–366, 2002.
- [229] Stavros Konstantinidis and Amber O’Hearn. Error-detecting properties of languages. *Theor. Comput. Sci.*, 276(1-2):355–375, 2002.
- [230] Vladimir N. Krupski. Effective simultaneous approximability of reals. *Theor. Comput. Sci.*, 284(2):397–417, 2002.
- [231] Drago Krznaric and Christos Levcopoulos. Optimal algorithms for complete linkage clustering in d dimensions. *Theor. Comput. Sci.*, 286(1):139–149, 2002.

- [232] Attila Kuba and Emese Balogh. Reconstruction of convex 2d discrete sets in polynomial time. *Theor. Comput. Sci.*, 283(1):223–242, 2002.
- [233] Antonín Kučera and Richard Mayr. Weak bisimilarity between finite-state systems and bpa or normed bpp is decidable in polynomial time. *Theor. Comput. Sci.*, 270(1-2):677–700, 2002.
- [234] H.P. Künzi and M.P. Schellekens. On the yoneda completion of a quasi-metric space. *Theor. Comput. Sci.*, 278(1-2):159–194, 2002.
- [235] Alexander Kurz and Rolf Hennicker. On institutions for modular coalgebraic specifications. *Theor. Comput. Sci.*, 280(1-2):69–103, 2002.
- [236] Marta Kwiatkowska, Gethin Norman, Roberto Segala, and Jeremy Sproston. Automatic verification of real-time systems with discrete probability distributions. *Theor. Comput. Sci.*, 282(1):101–150, 2002.
- [237] Eduardo Sany Laber, Ruy Luiz Milidiú, and Artur Alves Pessoa. A strategy for searching with different access costs. *Theor. Comput. Sci.*, 287(2):571–584, 2002.
- [238] Tak-Wah Lam, Hing-Fung Ting, Kar-Keung To, and Wai-Ha Wong. On-line load balancing of temporary tasks revisited. *Theor. Comput. Sci.*, 270(1-2):325–340, 2002.
- [239] Steffen Lange and Gunter Grieser. On the learning of incremental learning. *Theor. Comput. Sci.*, 288(2):277–307, 2002.
- [240] Sławomir Lasota. Coalgebra morphisms subsume open maps. *Theor. Comput. Sci.*, 280(1-2):123–135, 2002.
- [241] Robert A. Legenstein and Wolfgang Maass. Neural circuits for pattern recognition with small total wire length. *Theor. Comput. Sci.*, 287(1):239–249, 2002.
- [242] William Lenhart and Giuseppe Liotta. The drawability problem for minimum weight triangulation. *Theor. Comput. Sci.*, 270(1-2):261–286, 2002.
- [243] Karl Lermer and Colin Fidge. A formal model of real-time program compilation. *Theor. Comput. Sci.*, 282(1):151–190, 2002.

- [244] David Lester, Scott Chambers, and Heoi Lee Lu. A constructive algorithm for finding the exact roots of polynomials with computable real coefficients. *Theor. Comput. Sci.*, 279(1-2):51–64, 2002.
- [245] Leonid Limsoon Wong Libkin. Lower bounds for invariant queries in logics with counting. *Theor. Comput. Sci.*, 288(1):153–180, 2002.
- [246] F. Luccio. Algorithms, nymphs, and shepherds. *Theor. Comput. Sci.*, 282(2):223–229, 2002.
- [247] D. Lugiez and Ph. Schnoebelen. The regular viewpoint on pa-processes. *Theor. Comput. Sci.*, 274(1-2):89–115, 2002.
- [248] Bin Ma, Lusheng Wang, and Kaizhong Zhang. Computing similarity between rna structures. *Theor. Comput. Sci.*, 276(1-2):111–132, 2002.
- [249] P. Madhusudan and P.S. Thiagarajan. Branching time controllers for discrete event systems. *Theor. Comput. Sci.*, 274(1-2):117–149, 2002.
- [250] Jean Mairesse and Laurent Vuillon. Asymptotic behavior in a heap model with two pieces. *Theor. Comput. Sci.*, 270(1-2):525–560, 2002.
- [251] Subhamoy Maitra and Palash Sarkar. Cryptographically significant boolean functions with five valued walsh spectra. *Theor. Comput. Sci.*, 276(1-2):133–146, 2002.
- [252] Gregorio Malajovich. Lower bounds for some decision problems over c . *Theor. Comput. Sci.*, 276(1-2):425–434, 2002.
- [253] Rémy Malgouyres and Malika More. On the computational complexity of reachability in 2d binary images and some basic problems of 2d digital topology. *Theor. Comput. Sci.*, 283(1):67–108, 2002.
- [254] V. Malyshev. Quantum evolution of words. *Theor. Comput. Sci.*, 273(1-2):263–269, 2002.
- [255] Ernest G. Manes. Taut monads and t_0 -spaces. *Theor. Comput. Sci.*, 275(1-2):79–109, 2002.
- [256] David F. Manlove, Robert W. Irving, and Kazuo Iwama. Hard variants of stable marriage. *Theor. Comput. Sci.*, 276(1-2):261–279, 2002.

- [257] Martí-Oliet and José Meseguer. Rewriting logic: Roadmap and bibliography. *Theor. Comput. Sci.*, 285(2):121–154, 2002.
- [258] Carlos Martín-Vide, Gheorghe Păun, and Grzegorz Rozenberg. Membrane systems with carriers. *Theor. Comput. Sci.*, 270(1-2):779–796, 2002.
- [259] Oliver Matz. Dot-depth, monadic quantifier alternation, and first-order closure over grids and pictures. *Theor. Comput. Sci.*, 270(1-2):1–70, 2002.
- [260] Christian Mauduit. Finite and infinite pseudorandom binary words. *Theor. Comput. Sci.*, 273(1-2):249–261, 2002.
- [261] A.K. McIver. Quantitative program logic and expected time bounds in probabilistic distributed algorithms. *Theor. Comput. Sci.*, 282(1):191–219, 2002.
- [262] Dinesh Mehta and Vijay Raghavan. Decision tree approximations of boolean functions. *Theor. Comput. Sci.*, 270(1-2):609–623, 2002.
- [263] Donatella Merlini, Renzo Sprugnoli, and M. Cecilia Verri. Modified binary searching for static tables. *Theor. Comput. Sci.*, 285(1):73–88, 2002.
- [264] Donatella Merlini, Renzo Sprugnoli, and M. Cecilia Verri. A strip-like tiling algorithm. *Theor. Comput. Sci.*, 282(2):337–352, 2002.
- [265] F. Mignosi, A. Restivo, and M. Sciortino. Words and forbidden factors. *Theor. Comput. Sci.*, 273(1-2):99–117, 2002.
- [266] Takakazu Mori. On the computability of walsh functions. *Theor. Comput. Sci.*, 284(2):419–436, 2002.
- [267] Till Mossakowski. Relating casl with other specification languages: The institution level. *Theor. Comput. Sci.*, 286(2):367–475, 2002.
- [268] Andrej A. Muchnik. Conditional complexity and codes. *Theor. Comput. Sci.*, 271(1-2):97–109, 2002.

- [269] Andrej A. Muchnik and Semen Ye. Positselsky. Kolmogorov entropy in the context of computability theory. *Theor. Comput. Sci.*, 271(1-2):15–35, 2002.
- [270] H. Mühlenbach and Th. Mahnig. Evolutionary computation and wright’s equation. *Theor. Comput. Sci.*, 287(1):145–165, 2002.
- [271] P.S. Mulry. Lifting results for categories of algebras. *Theor. Comput. Sci.*, 278(1-2):257–269, 2002.
- [272] Cécile Murat and Vangelis Th. Paschos. A priori optimization for the probabilistic maximum independent set problem. *Theor. Comput. Sci.*, 270(1-2):561–590, 2002.
- [273] Thomas Natschläger and Wolfgang Maass. Spiking neurons and the induction of finite state machines. *Theor. Comput. Sci.*, 287(1):251–265, 2002.
- [274] B. Naudts and L. Schoofs. Ga performance distributions and randomly generated binary constraint satisfaction problems. *Theor. Comput. Sci.*, 287(1):167–185, 2002.
- [275] David A. Naumann. Soundness of data refinement for a higher-order imperative language. *Theor. Comput. Sci.*, 278(1-2):271–301, 2002.
- [276] Markus E. Nebel. The stack-size of tries: A combinatorial study. *Theor. Comput. Sci.*, 270(1-2):441–461, 2002.
- [277] Jean Néraud and Carla Selmi. Locally complete sets and finite decomposable codes. *Theor. Comput. Sci.*, 273(1-2):185–196, 2002.
- [278] Jaroslav Nešetřil and Claude Tardif. Density via duality. *Theor. Comput. Sci.*, 287(2):585–591, 2002.
- [279] Frank Neven and Thomas Schwentick. Query automata over finite trees. *Theor. Comput. Sci.*, 275(1-2):633–674, 2002.
- [280] Pierre Nicodème, Bruno Salvy, and Philippe Flajolet. Motif statistics. *Theor. Comput. Sci.*, 287(2):593–617, 2002.

- [281] Flemming Nielson, Hanne Riis Nielson, and René Rydhof Hansen. Validating firewalls using flow logics. *Theor. Comput. Sci.*, 283(2):381–418, 2002.
- [282] Harumichi Nishimura and Masanao Ozawa. Computational complexity of uniform quantum circuit families and quantum turing machines. *Theor. Comput. Sci.*, 276(1-2):147–181, 2002.
- [283] Dag Normann. Exact real number computations relative to hereditarily total functionals. *Theor. Comput. Sci.*, 284(2):437–453, 2002.
- [284] Erkki Oja. Unsupervised learning in neural computation. *Theor. Comput. Sci.*, 287(1):187–207, 2002.
- [285] Mitsuhiro Okada. A uniform semantic proof for cut-elimination and completeness of various first and higher order logics. *Theor. Comput. Sci.*, 281(1-2):471–498, 2002.
- [286] Peter Csaba Ölveczky and José Meseguer. Specification of real-time and hybrid systems in rewriting logic. *Theor. Comput. Sci.*, 285(2):359–405, 2002.
- [287] Hirotaka Ono, Kazuhisa Makino, and Toshihide Ibaraki. Logical analysis of data with decomposable structures. *Theor. Comput. Sci.*, 289(2):977–995, 2002.
- [288] Martijn Oostdijk and Herman Geuvers. Proof by computation in the coq system. *Theor. Comput. Sci.*, 272(1-2):293–314, 2002.
- [289] Matthias Ott and Frank Stephan. Avoiding coding tricks by hyperrobust learning. *Theor. Comput. Sci.*, 284(1):161–180, 2002.
- [290] Gheorghe Păun and Grzegorz Rozenberg. A guide to membrane computing. *Theor. Comput. Sci.*, 287(1):73–100, 2002.
- [291] D. Pavlović and V. Pratt. The continuum as a final coalgebra. *Theor. Comput. Sci.*, 280(1-2):105–122, 2002.
- [292] Alberto Pedrotti. Playing by searching: Two strategies against a linearly bounded liar. *Theor. Comput. Sci.*, 282(2):285–302, 2002.

- [293] Andrzej Pelc. Searching games with errors — fifty years of coping with liars. *Theor. Comput. Sci.*, 270(1-2):71–109, 2002.
- [294] David Peleg. Local majorities, coalitions and monopolies in graphs: A review. *Theor. Comput. Sci.*, 282(2):231–257, 2002.
- [295] E. Pergola, R. Pinzani, and S. Rinaldi. Approximating algebraic functions by means of rational ones. *Theor. Comput. Sci.*, 270(1-2):643–657, 2002.
- [296] Márta Pintér. On the rate of convergence of error estimates for the partitioning classification rule. *Theor. Comput. Sci.*, 284(1):181–196, 2002.
- [297] Isabel Pita and Narciso Martí-Oliet. A maude specification of an object-oriented model for telecommunication networks. *Theor. Comput. Sci.*, 285(2):407–439, 2002.
- [298] András Pluhár. The accelerated k -in-a-row game. *Theor. Comput. Sci.*, 270(1-2):865–875, 2002.
- [299] John Power and Giuseppe Rosolini. Fixpoint operators for domain equations. *Theor. Comput. Sci.*, 278(1-2):323–333, 2002.
- [300] John Power and Hiroshi Watanabe. Combining a monad and a comonad. *Theor. Comput. Sci.*, 280(1-2):137–162, 2002.