

References

- [1] Martín Abadi and Bruno Blanchet. Secrecy types for asymmetric communication. *Theor. Comput. Sci.*, 298(3):387–415, 2003.
- [2] Parosh Aziz Abdulla and Bengt Jonsson. Model checking of systems with many identical timed processes. *Theor. Comput. Sci.*, 290(1):241–264, 2003.
- [3] Ali Aberkane. Words whose complexity satisfies $\lim_{n \rightarrow \infty} \frac{p(n)}{n} = 1$. *Theor. Comput. Sci.*, 307(1):31–46, 2003.
- [4] Uri Abraham. Self-stabilizing timestamps. *Theor. Comput. Sci.*, 308(1-3):449–515, 2003.
- [5] V. Michele Abrusci. Towards a semantics of proofs for non-commutative logic: Multiplicatives and additives. *Theor. Comput. Sci.*, 294(3):335–351, 2003.
- [6] Luca Aceto, Patricia Bouyer, Augusto Burgueño, and Kim G. Larsen. The power of reachability testing for timed automata. *Theor. Comput. Sci.*, 300(1-3):411–475, 2003.
- [7] Luca Aceto, Zoltán Ésik, and Anna Ingólfssdóttir. Equational theories of tropical semirings. *Theor. Comput. Sci.*, 298(3):417–469, 2003.
- [8] Luca Aceto, Zoltán Ésik, and Anna Ingólfssdóttir. The max-plus algebra of the natural numbers has no finite equational basis. *Theor. Comput. Sci.*, 293(1):169–188, 2003.
- [9] Peter Aczel, Jiří Adámek, Stefan Milius, and Jiří Velebil. Infinite trees and completely iterative theories: A coalgebraic view. *Theor. Comput. Sci.*, 300(1-3):1–45, 2003.
- [10] Boris Adamczewski. Balances for fixed points of primitive substitutions. *Theor. Comput. Sci.*, 307(1):47–75, 2003.
- [11] Jiří Adámek. On final coalgebras of continuous functors. *Theor. Comput. Sci.*, 294(1-2):3–29, 2003.

- [12] Kamel Adi, Mourad Debbabi, and Mohamed Mejri. A new logic for electronic commerce protocols. *Theor. Comput. Sci.*, 291(3):223–283, 2003.
- [13] Foto Afrati, Manolis Gergatsoulis, and Francesca Toni. Linearisability on datalog programs. *Theor. Comput. Sci.*, 308(1-3):199–226, 2003.
- [14] Oswin Aichholzer, Franz Aurenhammer, Ferran Hurtado, and Hannes Krasser. Towards compatible triangulations. *Theor. Comput. Sci.*, 296(1):3–13, 2003.
- [15] Ali Akhavi. The optimal lll algorithm is still polynomial in fixed dimension. *Theor. Comput. Sci.*, 297(1-3):3–23, 2003.
- [16] Tatsuya Akutsu, Satoru Kuhara, Osamu Maruyama, and Satoru Miyano. Identification of genetic networks by strategic gene disruptions and gene overexpressions under a boolean model. *Theor. Comput. Sci.*, 298(1):235–251, 2003.
- [17] Tatsuya Akutsu, Satoru Miyano, and Satoru Kuhara. A simple greedy algorithm for finding functional relations: Efficient implementation and average case analysis. *Theor. Comput. Sci.*, 292(2):481–495, 2003.
- [18] M.H. Albert, M.D. Atkinson, and N. Ruškuc. Regular closed sets of permutations. *Theor. Comput. Sci.*, 306(1-3):85–100, 2003.
- [19] Fabio Alessi, Paolo Baldan, and Furio Honsell. A category of compositional domain-models for separable stone spaces. *Theor. Comput. Sci.*, 290(1):599–635, 2003.
- [20] Jean-Paul Allouche, Michael Baake, Julien Cassaigne, and David Damanik. Palindrome complexity. *Theor. Comput. Sci.*, 292(1):9–31, 2003.
- [21] Jean-Paul Allouche and Jeffrey Shallit. The ring of k -regular sequences, ii. *Theor. Comput. Sci.*, 307(1):3–29, 2003.
- [22] Roberto M. Amadio, Denis Lugiez, and Vincent Vanackère. On the symbolic reduction of processes with cryptographic functions. *Theor. Comput. Sci.*, 290(1):695–740, 2003.

- [23] Andris Ambainis and Arnolds Ķikusts. Exact results for accepting probabilities of quantum automata. *Theor. Comput. Sci.*, 295(1-3):3–25, 2003.
- [24] Klaus Ambos-Spies, Wolfgang Merkle, Jan Reimann, and Sebastian A. Terwijn. Almost complete sets. *Theor. Comput. Sci.*, 306(1-3):177–194, 2003.
- [25] Nina Amenta, Thomas J. Peters, and Alexander C. Russell. Computational topology: Ambient isotopic approximation of 2-manifolds. *Theor. Comput. Sci.*, 305(1-3):3–15, 2003.
- [26] Amihoud Amir, Gad M. Landau, and Dina Sokol. Inplace run-length 2d compressed search. *Theor. Comput. Sci.*, 290(3):1361–1383, 2003.
- [27] D.S. Ananichev, A. Cherubini, and M.V. Volkov. Image reducing words and subgroups of free groups. *Theor. Comput. Sci.*, 307(1):77–92, 2003.
- [28] Ștefan Andrei, Salvador Valerio Cavadini, and Wei-Ngan Chin. A new algorithm for regularizing one-letter context-free grammars. *Theor. Comput. Sci.*, 306(1-3):113–122, 2003.
- [29] Eric Angel, Evripidis Bampis, and Alexander Kononov. On the approximate tradeoff for bicriteria batching and parallel machine scheduling problems. *Theor. Comput. Sci.*, 306(1-3):319–338, 2003.
- [30] Julio Aracena and Eric Goles. Complexity of perceptron recognition for a class of geometric patterns. *Theor. Comput. Sci.*, 299(1-3):65–79, 2003.
- [31] Marcelo Arenas, Leopoldo Bertossi, Jan Chomicki, Xin He, Vijay Raghavan, and Jeremy Spinrad. Scalar aggregation in inconsistent databases. *Theor. Comput. Sci.*, 296(3):405–434, 2003.
- [32] A. Arnold, A. Vincent, and I. Walukiewicz. Games for synthesis of controllers with partial observation. *Theor. Comput. Sci.*, 303(1):7–34, 2003.
- [33] Didier Arquès and Anne Micheli. A generalization of the language of lukasiewicz coding rooted planar hypermaps. *Theor. Comput. Sci.*, 307(2):221–239, 2003.

- [34] Argimiro A. Arratia and Iain A. Stewart. A note on first-order projections and games. *Theor. Comput. Sci.*, 290(3):2085–2093, 2003.
- [35] Peter R.J. Asveld. Algebraic aspects of families of fuzzy languages. *Theor. Comput. Sci.*, 293(2):417–445, 2003.
- [36] Albert Atserias. Improved bounds on the weak pigeonhole principle and infinitely many primes from weaker axioms. *Theor. Comput. Sci.*, 295(1-3):27–39, 2003.
- [37] Holger Austinat, Volker Diekert, and Ulrich Hertrampf. A structural property of regular frequency computations. *Theor. Comput. Sci.*, 292(1):33–43, 2003.
- [38] Abdelwaheb Ayari, David Basin, and Felix Klaedtke. Decision procedures for inductive boolean functions based on alternating automata. *Theor. Comput. Sci.*, 300(1-3):301–329, 2003.
- [39] R. Baeza-Yates, J. Gabarró, and X. Messeguer. Fringe analysis of synchronized parallel insertion algorithms in 2-3 trees. *Theor. Comput. Sci.*, 299(1-3):231–271, 2003.
- [40] József Balogh, János A. Csirik, Yuval Ishai, and Eyal Kushilevitz. Private computation using a pez dispenser. *Theor. Comput. Sci.*, 306(1-3):69–84, 2003.
- [41] Evripidis Bampis, Rodolphe Giroudeau, and Jean-Claude König. An approximation algorithm for the precedence constrained scheduling problem with hierarchical communications. *Theor. Comput. Sci.*, 290(3):1883–1895, 2003.
- [42] Franco Barbanera and Stefano Berardi. A full continuous model of polymorphism. *Theor. Comput. Sci.*, 290(1):407–428, 2003.
- [43] Marcy Barge, Beverly Diamond, and Charles Holton. Asymptotic orbits of primitive substitutions. *Theor. Comput. Sci.*, 301(1-3):439–450, 2003.
- [44] Chris Barrett, Harry B. Hunt III, Madhav V. Marathe, S.S. Ravi, Daniel J. Rosenkrantz, and Richard E. Stearns. Reachability problems for sequential dynamical systems with threshold functions. *Theor. Comput. Sci.*, 295(1-3):41–64, 2003.

- [45] Miklós Bartha and Miklós Krész. Structuring the elementary components of graphs having a perfect internal matching. *Theor. Comput. Sci.*, 299(1-3):179–210, 2003.
- [46] Marie-Pierre Béal, Olivier Carton, Christophe Prieur, and Jacques Sakarovitch. Squaring transducers: An efficient procedure for deciding functionality and sequentiality. *Theor. Comput. Sci.*, 292(1):45–63, 2003.
- [47] M. Beaudry, M. Holzer, G. Niemann, and F. Otto. Mcnaughton families of languages. *Theor. Comput. Sci.*, 290(3):1581–1628, 2003.
- [48] Danièle Beauquier. On probabilistic timed automata. *Theor. Comput. Sci.*, 292(1):65–84, 2003.
- [49] Danièle Beauquier and Maurice Nivat. A codicity undecidable problem in the plane. *Theor. Comput. Sci.*, 303(2-3):417–430, 2003.
- [50] Jan A. Bergstra, Alban Ponse, and Mark B. van der Zwaag. Branching time and orthogonal bisimulation equivalence. *Theor. Comput. Sci.*, 309(1-3):313–355, 2003.
- [51] Jean-Claude Bermond, Nausica Marlin, David Peleg, and Stéphane Perennes. Directed virtual path layouts in atm networks. *Theor. Comput. Sci.*, 291(1):3–28, 2003.
- [52] Luca Bernardinello, Carlo Ferigato, and Lucia Pomello. An algebraic model of observable properties in distributed systems. *Theor. Comput. Sci.*, 290(1):637–668, 2003.
- [53] Marco Bernardo and Mario Bravetti. Performance measure sensitive congruences for markovian process algebra. *Theor. Comput. Sci.*, 290(1):117–160, 2003.
- [54] Pierre Bernhard. Minimax—or feared value— l^1/l^∞ control. *Theor. Comput. Sci.*, 293(1):25–44, 2003.
- [55] Pedro Berrizbeitia, Mauricio Odremán, and Juan Tena Ayuso. Primality test for nummbers m with a large power of 5 dividing $m^4 - 1$. *Theor. Comput. Sci.*, 297(1-3):25–36, 2003.

- [56] Karel Bertet, Jens Gustedt, and Michel Morvan. Weak-order extensions of an order. *Theor. Comput. Sci.*, 304(1-3):249–268, 2003.
- [57] Alberto Bertoni, Christian Choffrut, Massimiliano Goldwurm, and Violetta Lonati. On the number of occurrences of a symbol in words of regular languages. *Theor. Comput. Sci.*, 302(1-3):431–456, 2003.
- [58] D. Besozzi, G. Mauri, G. Păun, and C. Zandron. Gemmating p systems: Collapsing hierarchies. *Theor. Comput. Sci.*, 296(2):253–267, 2003.
- [59] Sergei L. Bezrukov and Robert Elsässer. Edge-isoperimetric problems for cartesian powers of regular graphs. *Theor. Comput. Sci.*, 307(3):473–492, 2003.
- [60] Michel Bidoit, Rolf Hennicker, and Alexander Kurz. Observational logic, constructor-based logic, and their duality. *Theor. Comput. Sci.*, 298(3):471–510, 2003.
- [61] Therese Biedl, Jonathan F. Buss, Erik D. Demaine, Martin L. Demaine, Mohammadtaghi Hajiaghayi, and Tomáš Vinař. Palindrome recognition using a multidimensional tape. *Theor. Comput. Sci.*, 302(1-3):475–480, 2003.
- [62] Alexis Bienvenüe and Olivier François. Global convergence for evolution strategies in spherical problems: Some simple proofs and difficulties. *Theor. Comput. Sci.*, 306(1-3):269–289, 2003.
- [63] Markus Bläser. The complexity of bivariate power series arithmetic. *Theor. Comput. Sci.*, 295(1-3):65–83, 2003.
- [64] Philippe Blayo, Pierre Rouzé, and Marie-France Sagot. Orphan gene finding — an exon assembly approach. *Theor. Comput. Sci.*, 290(3):1407–1431, 2003.
- [65] Jacek Błazewicz and Marta Kasprzak. Complexity of dna sequencing by hybridization. *Theor. Comput. Sci.*, 290(3):1459–1473, 2003.
- [66] Bernard Boigelot. On iterating linear transformations over recognizable sets of integers. *Theor. Comput. Sci.*, 309(1-3):413–468, 2003.
- [67] Mikołaj Bojańczyk. The finite graph problem for two-way alternating automata. *Theor. Comput. Sci.*, 298(3):511–528, 2003.

- [68] R. Boliac and V. Lozin. Independent domination in finitely defined classes of graphs. *Theor. Comput. Sci.*, 301(1-3):271–284, 2003.
- [69] Béla Bollobás and Imre Leader. Union of shadows. *Theor. Comput. Sci.*, 307(3):493–502, 2003.
- [70] Nicolas Bonichon and Mohamed Mosbah. Watermelon uniform random generation with applications. *Theor. Comput. Sci.*, 307(2):241–256, 2003.
- [71] Ahmed Bouajjani, Peter Habermehl, and Richard Mayr. Automatic verification of recursive procedures with one integer parameter. *Theor. Comput. Sci.*, 295(1-3):85–106, 2003.
- [72] Yacine Boufkhad, Olivier Dubois, and Maurice Nivat. Reconstructing (h, v) -convex 2-dimensional patterns of objects from approximate horizontal and vertical projections. *Theor. Comput. Sci.*, 290(3):1647–1664, 2003.
- [73] P. Boullier. Counting with range concatenation grammars. *Theor. Comput. Sci.*, 293(2):391–416, 2003.
- [74] Michel Bousquet, Cedric Chauve, Gilbert Labelle, and Pierre Leroux. Two bijective proofs for the arborescent form of the good-lagrange formula and some applications to colored rooted trees and cacti. *Theor. Comput. Sci.*, 307(2):277–302, 2003.
- [75] Mireille Bousquet-Mélou and Marko Petkovšek. Walks confined in a quadrant are not always d -finite. *Theor. Comput. Sci.*, 307(2):257–276, 2003.
- [76] Vasco Brattka. Recursive quasi-metric spaces. *Theor. Comput. Sci.*, 305(1-3):17–42, 2003.
- [77] Vasco Brattka and Gero Presser. Computability on subsets of metric spaces. *Theor. Comput. Sci.*, 305(1-3):43–76, 2003.
- [78] M. Bravetti and A. Aldini. Discrete time generative-reactive probabilistic processes with different advancing speeds. *Theor. Comput. Sci.*, 290(1):355–406, 2003.

- [79] S. Brlek and A. Ladouceur. A note on differentiable palindromes. *Theor. Comput. Sci.*, 302(1-3):167–178, 2003.
- [80] Srećko Brlek and Christoph Reutenauer. On a valuation of rational subsets of z^k — dédié à jean berstel. *Theor. Comput. Sci.*, 292(1):85–96, 2003.
- [81] Sara Brunetti and Alain Daurat. An algorithm reconstructing convex lattice sets. *Theor. Comput. Sci.*, 304(1-3):35–57, 2003.
- [82] Véronique Bruyère. Cumulative defect. *Theor. Comput. Sci.*, 292(1):97–109, 2003.
- [83] Anna Bucalo, Carsten Führmann, and Alex Simpson. An equational notion of lifting monad. *Theor. Comput. Sci.*, 294(1-2):31–60, 2003.
- [84] Adam L. Buchsbaum, Raffaele Giancarlo, and Jeffery R. Westbrook. On finding common neighborhoods in massive graphs. *Theor. Comput. Sci.*, 299(1-3):707–718, 2003.
- [85] L.A. Bunimovich and D.M. Kreslavskiy. Lorentz gas cellular automata on graphs. *Theor. Comput. Sci.*, 306(1-3):195–221, 2003.
- [86] Nadia Busi and Gianluigi Zavattaro. Expired data collection in shared dataspace. *Theor. Comput. Sci.*, 298(3):529–556, 2003.
- [87] Jin-Yi Cai and Eric Bach. On testing for zero polynomials by a set of points with bounded precision. *Theor. Comput. Sci.*, 296(1):15–25, 2003.
- [88] Mao-Cheng Cai, Xiaotie Deng, and Lusheng Wang. Approximate sequencing for variable length tasks. *Theor. Comput. Sci.*, 290(3):2037–2044, 2003.
- [89] Tiziana Calamoneri, Annalisa Massini, and Imrich Vrřto. New results on edge-bandwidth. *Theor. Comput. Sci.*, 307(3):503–513, 2003.
- [90] Cristiano Calcagno, Peter O’Hearn, and Richard Bornat. Program logic and equivalence in the presence of garbage collection. *Theor. Comput. Sci.*, 298(3):557–581, 2003.

- [91] T. Calders and J. Paredaens. Axiomatization of frequent itemsets. *Theor. Comput. Sci.*, 290(1):669–693, 2003.
- [92] E. Rodney Canfield. Integer partitions and the sperner property. *Theor. Comput. Sci.*, 307(3):515–529, 2003.
- [93] D. Cantone, A. Formisano, E.G. Omodeo, and C.G. Zarba. Compiling dyadic first-order specifications into map algebra. *Theor. Comput. Sci.*, 293(2):447–475, 2003.
- [94] Guohong Cao and Mukesh Singhal. Checkpointing with mutable checkpoints. *Theor. Comput. Sci.*, 290(2):1127–1148, 2003.
- [95] Wei-Ting Cao and Zhi-Ying Wen. Some properties of the factors of sturmian sequences. *Theor. Comput. Sci.*, 304(1-3):365–385, 2003.
- [96] A. Carbone and M. Gromov. Functional labels and syntactic entropy on dna strings and proteins. *Theor. Comput. Sci.*, 303(1):35–51, 2003.
- [97] Lorenzo Carlucci. A new proof-theoretic proof of the independence of kirby-paris’ hydra theorem. *Theor. Comput. Sci.*, 300(1-3):365–378, 2003.
- [98] Marco Carpentieri. On the simulation of quantum turing machines. *Theor. Comput. Sci.*, 304(1-3):103–128, 2003.
- [99] Arturo Carpi and Aldo de Luca. Semiperiodic words and root-conjugacy. *Theor. Comput. Sci.*, 292(1):111–130, 2003.
- [100] Olivier Carton and Max Michel. Unambiguous büchi automata. *Theor. Comput. Sci.*, 297(1-3):37–81, 2003.
- [101] Antonio Caruso, Stefano Chessa, Piero Maestrini, and Paolo Santi. Fault-diagnosis of grid structures. *Theor. Comput. Sci.*, 290(2):1149–1174, 2003.
- [102] Gian Luca Cattani and Glynn Winskel. Presheaf models for ccs-like languages. *Theor. Comput. Sci.*, 300(1-3):47–89, 2003.
- [103] Didier Caucal. On infinite transition graphs having a decidable monadic theory. *Theor. Comput. Sci.*, 290(1):79–115, 2003.

- [104] Didier Caucal. On the transition graphs of turing machines. *Theor. Comput. Sci.*, 296(2):195–223, 2003.
- [105] Sabin Cautis, Filippo Mignosi, Jeffrey Shallit, Ming-wei Wang, and Soroosh Yazdani. Periodicity, morphisms, and matrices. *Theor. Comput. Sci.*, 295(1-3):107–121, 2003.
- [106] Tullio Ceccherini-Silberstein, Antonio Machì, and Fabio Scarabotti. On the entropy of regular languages. *Theor. Comput. Sci.*, 307(1):93–102, 2003.
- [107] Tullio Ceccherini-Silberstein and Wolfgang Woess. Growth-sensitivity of context-free languages. *Theor. Comput. Sci.*, 307(1):103–116, 2003.
- [108] Patrick Cégielski, François Heroult, and Denis Richard. On the amplitude of intervals of natural numbers whose every element has a common prime divisor with at least an extremity. *Theor. Comput. Sci.*, 303(1):53–62, 2003.
- [109] Wun-Tat Chan, Tak-Wah Lam, Hing-Fung Ting, and Prudence W.H. Wong. On-line stream merging in a general setting. *Theor. Comput. Sci.*, 296(1):27–46, 2003.
- [110] L.S. Chandran, L. Ibarra, F. Ruskey, and J. Sawada. Generating and characterizing the perfect elimination orderings of a chordal graph. *Theor. Comput. Sci.*, 307(2):303–317, 2003.
- [111] Samuel Chanson, Cunsheng Ding, and Arto Salomaa. Cartesian authentication codes from functions with optimal nonlinearity. *Theor. Comput. Sci.*, 290(3):1737–1752, 2003.
- [112] Irène Charaon, Olivier Hudry, and Antoine Lobstein. Minimizing the size of an identifying or locating-dominating code in a graph is np -hard. *Theor. Comput. Sci.*, 290(3):2109–2120, 2003.
- [113] Witold Charatonik, Silvano Dal Zilio, Andrew D. Gordon, Supratik Mukhopadhyay, and Jean-Marc Talbot. Model checking mobile ambients. *Theor. Comput. Sci.*, 308(1-3):277–331, 2003.
- [114] Guangting Chen and Guoliang Xue. A ptas for weight constrained steiner trees in series-parallel graphs. *Theor. Comput. Sci.*, 304(1-3):237–247, 2003.

- [115] Jingchao Chen. Optimizing stable in-place merging. *Theor. Comput. Sci.*, 302(1-3):191–210, 2003.
- [116] Wei-Mei Chen and Gen-Huey Chen. Divide-and-conquer recurrences associated with generalized heaps, optimal merge, and related structures. *Theor. Comput. Sci.*, 292(3):667–677, 2003.
- [117] Yifeng Chen. A fixpoint theory for non-monotonic parallelism. *Theor. Comput. Sci.*, 308(1-3):367–392, 2003.
- [118] Zhi-Zhong Chen, Tao Jiang, Guohui Lin, Jianjun Wen, Dong Xu, Jinbo Xu, and Ying Xu. Approximation algorithms for nmr spectral peak assignment. *Theor. Comput. Sci.*, 299(1-3):211–229, 2003.
- [119] Xiaoyan Cheng, Xiufeng Du, Manki Min, Hung Q. Ngo, Lu Ruan, Jianhua Sun, and Weili Wu. Super link-connectivity of iterated line digraphs. *Theor. Comput. Sci.*, 304(1-3):461–469, 2003.
- [120] Otfried Cheong, Chan-Su Shin, and Antoine Vigneron. Computing farthest neighbors on a convex polytope. *Theor. Comput. Sci.*, 296(1):47–58, 2003.
- [121] Victor Chepoi and Alexis Rollin. Interval routing in some planar networks. *Theor. Comput. Sci.*, 290(3):1503–1540, 2003.
- [122] Carlos Iván Chesñevar, Jürgen Dix, Frieder Stolzenburg, and Guillermo Ricardo Simari. Relating defeasible and normal logic programming through transformation properties. *Theor. Comput. Sci.*, 290(1):499–529, 2003.
- [123] Christian Choffrut. Minimizing subsequential transducers: A survey. *Theor. Comput. Sci.*, 292(1):131–143, 2003.
- [124] Philippe Chrétienne and Francis Sourd. Pert scheduling with convex cost functions. *Theor. Comput. Sci.*, 292(1):145–164, 2003.
- [125] Marek Chrobak. Errata to: "finite automata and unary languages". *Theor. Comput. Sci.*, 302(1-3):497–498, 2003. Originally in TCS, vol. 47, 1986, pp. 149-158.

- [126] Marek Chrobak, Peter Couperus, Christoph Dürr, and Gerhard Woeginger. On tiling under tomographic constraints. *Theor. Comput. Sci.*, 290(3):2125–2136, 2003.
- [127] Marek Chrobak, Elias Koutsoupias, and John Noga. More on randomized on-line algorithms for caching. *Theor. Comput. Sci.*, 290(3):1997–2008, 2003.
- [128] Serafino Cicerone, Gabriele Di Stefano, Daniele Frigioni, and Umberto Nanni. A fully dynamic algorithm for distributed shortest paths. *Theor. Comput. Sci.*, 297(1-3):83–102, 2003.
- [129] Andrea E.F. Clementi, Miriam Di Ianni, and Riccardo Silvestri. The minimum broadcast range assignment problem on linear multi-hop wireless networks. *Theor. Comput. Sci.*, 299(1-3):751–761, 2003.
- [130] Andrea E.F. Clementi, Angelo Monti, and Riccardo Silvestri. Distributed broadcast in radio networks of unknown topology. *Theor. Comput. Sci.*, 302(1-3):337–364, 2003.
- [131] J.R.B. Cockett and Stephen Lack. Restriction categories ii: Partial map classification. *Theor. Comput. Sci.*, 294(1-2):61–102, 2003.
- [132] Myra B. Cohen and Charles J. Colbourn. Optimal and pessimal orderings of steiner triple systems in disk arrays. *Theor. Comput. Sci.*, 297(1-3):103–117, 2003.
- [133] Christopher Colby, Karl Crary, Robert Harper, Peter Lee, and Frank Pfenning. Automated techniques for provably safe mobile code. *Theor. Comput. Sci.*, 290(2):1175–1199, 2003.
- [134] J.-P. Comet. Application of max-plus algebra to biological sequence comparisons. *Theor. Comput. Sci.*, 293(1):189–217, 2003.
- [135] Thierry Coquand. A syntactical proof of the marriage lemma. *Theor. Comput. Sci.*, 290(1):1107–1113, 2003.
- [136] Thierry Coquand and Guo-Qiang Zhang. A representation of stably compact spaces, and patch topology. *Theor. Comput. Sci.*, 305(1-3):77–84, 2003.

- [137] Robert Cori and Gilles Schaeffer. Description trees and tutte formulas. *Theor. Comput. Sci.*, 292(1):165–183, 2003.
- [138] Sylvie Corteel, Mario Valencia-Pabon, Danièle Gardy, Dominique Barth, and Alain Denise. The permutation-path coloring problem on trees. *Theor. Comput. Sci.*, 297(1-3):119–143, 2003.
- [139] José Carlos Costa. Biinfinite words with maximal recurrent unbordered factors. *Theor. Comput. Sci.*, 290(3):2053–2061, 2003.
- [140] Bruno Courcelle. The monadic second-order logic of graphs xiv: Uniformly sparse graphs and edge set quantifications. *Theor. Comput. Sci.*, 299(1-3):1–36, 2003.
- [141] Patrick Cousot and Radhia Cousot. Parsing as abstract interpretation of grammar semantics. *Theor. Comput. Sci.*, 290(1):531–544, 2003.
- [142] Nadia Creignou and Hervé Daudé. Generalized satisfiability problems: Minimal elements and phase transitions. *Theor. Comput. Sci.*, 302(1-3):417–430, 2003.
- [143] Pilu Crescenzi, Alberto Del Lungo, Roberto Grossi, Elena Lodi, Linda Pagli, and Gianluca Rossi. Text sparsification via local maxima. *Theor. Comput. Sci.*, 304(1-3):341–364, 2003.
- [144] Maxime Crochemore. Reducing space for index implementation. *Theor. Comput. Sci.*, 292(1):185–197, 2003.
- [145] Judit Csimá, Erzsébet Csuhaj-Varjú, and Arto Salomaa. Power and size of extended watson-crick l systems. *Theor. Comput. Sci.*, 290(3):1665–1678, 2003.
- [146] Erzsébet Csuhaj-Varjú, Gheorghe Păun, and György Vaszil. Pc grammar systems with five context-free components generate all recursively enumerable languages. *Theor. Comput. Sci.*, 299(1-3):785–794, 2003.
- [147] R.A. Cuninghame-Green and P. Butkovic. The equation $a \otimes x = b \otimes y$ over $max, +$. *Theor. Comput. Sci.*, (1):3–12, 2003.
- [148] Giovanni Curi. Constructive metrisability in point-free topology. *Theor. Comput. Sci.*, 305(1-3):85–109, 2003.

- [149] Artur Czumaj, Leszek Gąsieniec, Daya Ram Gaur, Ramesh Krishnamurti, Wojciech Rytter, and Michele Zito. On polynomial-time approximation algorithms for the variable length scheduling problem. *Theor. Comput. Sci.*, 302(1-3):489–495, 2003.
- [150] Jack Jie Dai. A stronger kolmogorov zero-one law for resource-bounded measure. *Theor. Comput. Sci.*, 292(3):723–732, 2003.
- [151] Mark Daley, Oscar H. Ibarra, and Lila Kari. Closure and decidability properties of some language classes with respect to ciliate bio-operations. *Theor. Comput. Sci.*, 306(1-3):19–38, 2003.
- [152] Víctor Dalmau and Peter Jeavons. Learnability of quantified formulas. *Theor. Comput. Sci.*, 306(1-3):485–511, 2003.
- [153] Peter Damaschke. Nearly optimal strategies for special cases of on-line capital investment. *Theor. Comput. Sci.*, 302(1-3):35–44, 2003.
- [154] Michele D’amico, Giovanni Manzini, and Luciano Margara. On computing the entropy of cellular automata. *Theor. Comput. Sci.*, 290(3):1629–1646, 2003.
- [155] Zhe Dang. Pushdown timed automata: A binary reachability characterization and safety verification. *Theor. Comput. Sci.*, 302(1-3):93–121, 2003.
- [156] Zhe Dang, Oscar H. Ibarra, and Richard A. Kemmerer. Generalized discrete timed automata: Decidable approximations for safety verification. *Theor. Comput. Sci.*, 296(1):59–74, 2003.
- [157] Zhe Dang, Pierluigi San Pietro, and Richard A. Kemmerer. Presburger liveness verification of discrete timed automata. *Theor. Comput. Sci.*, 299(1-3):413–438, 2003.
- [158] Vincent Danos, Jean-Baptiste Joinet, and Harold Schellinx. Computational isomorphisms in classical logic. *Theor. Comput. Sci.*, 294(3):353–378, 2003.
- [159] Olivier Danvy and Lasse R. Nielsen. A first-order one-pass cps transformation. *Theor. Comput. Sci.*, 308(1-3):239–257, 2003.

- [160] Pablo Dartnell, Alejandro Maass, and Fernando Schwartz. Combinatorial constructions associated to the dynamics of one-sided cellular automata. *Theor. Comput. Sci.*, 304(1-3):485–497, 2003.
- [161] Marc Daumas and Philippe Langlois. Additive symmetries: The non-negative case. *Theor. Comput. Sci.*, 291(2):143–157, 2003.
- [162] R. David. Decidability results for primitive recursive algorithms. *Theor. Comput. Sci.*, 300(1-3):477–504, 2003.
- [163] Annalisa De Bonis and Ugo Vaccaro. Constructions of generalized superimposed codes with applications to group testing and conflict resolution in multiple access channels. *Theor. Comput. Sci.*, 306(1-3):223–243, 2003.
- [164] Michael Dekhtyar, Alexander Dikovskiy, and Mars Valiev. On feasible cases of checking multi-agent systems behavior. *Theor. Comput. Sci.*, 303(1):63–81, 2003.
- [165] Olaf Delgado-Friedrichs. Data structures and algorithms for tilings. *Theor. Comput. Sci.*, 303(2-3):431–445, 2003.
- [166] Erik D. Demaine, Alejandro López-Ortiz, and J. Ian Munro. On universally easy classes for np -complete problems. *Theor. Comput. Sci.*, 304(1-3):471–476, 2003.
- [167] Stéphane Demri. A polynomial space construction of tree-like models for logics with local chains of modal connectives. *Theor. Comput. Sci.*, 300(1-3):235–258, 2003.
- [168] Sébastien Desreux. An algorithm to generate exactly once every tiling with lozenges of a domain. *Theor. Comput. Sci.*, 303(2-3):375–408, 2003.
- [169] Emeric Deutsch and Helmut Prodinger. A bijection between directed column-convex polyominoes and ordered trees of height at most three. *Theor. Comput. Sci.*, 307(2):319–325, 2003.
- [170] Raymond Devillers, Hanna Klaudel, and Robert-C. Riemann. General parameterised refinement and recursion for the m -net calculus. *Theor. Comput. Sci.*, 300(1-3):259–300, 2003.

- [171] Mariangiola Dezani-Ciancaglini, Paula Severi, and Fer-Jan de Vries. Infinitary lambda calculus and discrimination of berarducci trees. *Theor. Comput. Sci.*, 298(2):275–302, 2003.
- [172] Giovanni Di Crescenzo. Sharing one secret vs. sharing many secrets. *Theor. Comput. Sci.*, 295(1-3):123–140, 2003.
- [173] Vânia M.F. Dias, Guilherme D. da Fonseca, Celina M.H. de Figueiredo, and Jayme L. Szwarcfiter. The stable marriage problem with restricted pairs. *Theor. Comput. Sci.*, 306(1-3):391–405, 2003.
- [174] J. Díaz, N. Do, M.J. Serna, and N.C. Wormald. Bounds on the max and min bisection of random cubic and random 4-regular graphs. *Theor. Comput. Sci.*, 307(3):531–547, 2003.
- [175] Igor Dolinka. The multiplicative fragment of the yanov equational theory. *Theor. Comput. Sci.*, 301(1-3):417–425, 2003.
- [176] Pál Dömösi, Chrystopher L. Nehaniv, and John L. Rhodes. Finite semigroups, feedback, and the letichevsky criteria on non-empty words in finite automata. *Theor. Comput. Sci.*, 302(1-3):295–317, 2003.
- [177] Rod Downey and Lance Fortnow. Uniformly hard languages. *Theor. Comput. Sci.*, 298(2):303–315, 2003.
- [178] Frank Drewes, Hans-Jörg Kreowski, and Denis Lapoire. Criteria to disprove context freeness of collage languages. *Theor. Comput. Sci.*, 290(3):1445–1458, 2003.
- [179] Denys Duchier. Dominance constraints with boolean connectives: A model-eliminative treatment. *Theor. Comput. Sci.*, 293(2):321–343, 2003.
- [180] Bertrand Ducourthial and Sébastien Tixeuil. Self-stabilization with path algebra. *Theor. Comput. Sci.*, 293(1):219–236, 2003.
- [181] Serge Dulucq and Laurent Tichit. Rna secondary structure comparison: Exact analysis of the zhang-shasha tree edit algorithm. *Theor. Comput. Sci.*, 306(1-3):471–484, 2003.

- [182] Rob Duncan, Jianbo Qian, Antoine Vigneron, and Binhai Zhu. Polynomial time algorithms for three-label point labeling. *Theor. Comput. Sci.*, 296(1):75–87, 2003.
- [183] J. Duparc. A hierarchy of deterministic context-free ω -languages. *Theor. Comput. Sci.*, 290(3):1253–1300, 2003.
- [184] Francisco Durán and José Meseguer. Structured theories and institutions. *Theor. Comput. Sci.*, 309(1-3):357–380, 2003.
- [185] Bruno Durand, Enrico Formenti, and Zsuzsanna Róka. Number-conserving cellular automata i: Decidability. *Theor. Comput. Sci.*, 299(1-3):523–535, 2003.
- [186] Bruno Durand, Vladimir Kanovei, Vladimir A. Uspensky, and Nikolai Vereshchagin. Do stronger definitions of randomness exist? *Theor. Comput. Sci.*, 290(3):1987–1996, 2003.
- [187] Pavol Ďuriš and Ján Maňuch. On the computational complexity of infinite words. *Theor. Comput. Sci.*, 295(1-3):141–151, 2003.
- [188] Christoph Dürr, Eric Goles, Ivan Rapaport, and Eric Rémila. Tiling with bars under tomographic constraints. *Theor. Comput. Sci.*, 290(3):1317–1329, 2003.
- [189] I. Dutour and J.M. Fédou. Objekt grammars and bijections. *Theor. Comput. Sci.*, 290(3):1915–1929, 2003.
- [190] Martin Dyer, Alan Frieze, and Michael Molloy. A probabilistic analysis of randomly generated binary constraint satisfaction problems. *Theor. Comput. Sci.*, 290(3):1815–1828, 2003.
- [191] Jeff Edmonds, Jarek Gryz, Dongming Liang, and Renée J. Miller. Mining for empty spaces in large data sets. *Theor. Comput. Sci.*, 296(3):435–452, 2003.
- [192] A. Ehrenfeucht and G. Rozenberg. Forbidding-enforcing systems. *Theor. Comput. Sci.*, 292(3):611–638, 2003.
- [193] Andrzej Ehrenfeucht, Tero Harju, Ion Petre, David M. Prescott, and Grzegorz Rozenberg. Formal systems for gene assembly in ciliates. *Theor. Comput. Sci.*, 292(1):199–219, 2003.

- [194] Thomas Ehrhard and Laurent Regnier. The differential lambda-calculus. *Theor. Comput. Sci.*, 309(1-3):1–41, 2003.
- [195] John Ellis, Frank Ruskey, Joe Sawada, and Jamie Simpson. Euclidean strings. *Theor. Comput. Sci.*, 301(1-3):321–340, 2003.
- [196] Kari Eloranta. The bounded eight-vertex model. *Theor. Comput. Sci.*, 303(2-3):539–552, 2003.
- [197] R. Elsässer, R. Kráľovič, and B. Monien. Sparse topologies with small spectrum size. *Theor. Comput. Sci.*, 307(3):549–565, 2003.
- [198] Lars Engebretsen and Jonas Holmerin. Towards optimal lower bounds for clique and chromatic number. *Theor. Comput. Sci.*, 299(1-3):537–584, 2003.
- [199] Chiara Epifanio, Michel Koskas, and Filippo Mignosi. On a conjecture on bidimensional words. *Theor. Comput. Sci.*, 299(1-3):123–150, 2003.
- [200] Leah Epstein, Csanád Imreh, and Rob van Stee. More on weighted servers or fifo is better than lru. *Theor. Comput. Sci.*, 306(1-3):305–317, 2003.
- [201] Leah Epstein and Rob van Stee. Lower bounds for on-line single-machine scheduling. *Theor. Comput. Sci.*, 299(1-3):439–450, 2003.
- [202] Patricia A. Evans, Andrew D. Smith, and H. Todd Wareham. On the complexity of finding common approximate substrings. *Theor. Comput. Sci.*, 306(1-3):407–430, 2003.
- [203] G.E. Farr. The go polynomials of a graph. *Theor. Comput. Sci.*, 306(1-3):1–18, 2003.
- [204] Joan Feigenbaum, Arvind Krishnamurthy, Rahul Sami, and Scott Shenker. Hardness results for multicast cost sharing. *Theor. Comput. Sci.*, 304(1-3):215–236, 2003.
- [205] Michael R. Fellows and Catherine McCartin. On the parametric complexity of schedules to minimize tardy tasks. *Theor. Comput. Sci.*, 298(2):317–324, 2003.

- [206] Maribel Fernández and Ian Mackie. Operational equivalence for interaction nets. *Theor. Comput. Sci.*, 297(1-3):157–181, 2003.
- [207] David Fernández-Baca. Decomposable multi-parameter matroid optimization problems. *Theor. Comput. Sci.*, 297(1-3):183–198, 2003.
- [208] H. Fernau, M. Holzer, and R. Freund. Hybrid modes in cooperating distributed grammar systems: Combining the t -mode with the modes $\leq k$ and $= k$. *Theor. Comput. Sci.*, 299(1-3):633–662, 2003.
- [209] Henning Fernau. Identification of function distinguishable languages. *Theor. Comput. Sci.*, 290(3):1679–1711, 2003.
- [210] Henning Fernau. Nonterminal complexity of programmed grammars. *Theor. Comput. Sci.*, 296(2):225–251, 2003.
- [211] Henning Fernau and Alexander Meduna. On the degree of scattered context-sensitivity. *Theor. Comput. Sci.*, 290(3):2121–2124, 2003.
- [212] L. Ferrari, E. Grazzini, E. Pergola, and S. Rinaldi. Some bijective results about the area of schröder paths. *Theor. Comput. Sci.*, 307(2):327–335, 2003.
- [213] Claudio Ferretti, Giancarlo Mauri, Gheorghe Păun, and Claudio Zandron. On three variants of rewriting p systems. *Theor. Comput. Sci.*, 301(1-3):201–215, 2003.
- [214] Olivier Finkel. Ambiguity in omega context free languages. *Theor. Comput. Sci.*, 301(1-3):217–270, 2003.
- [215] Olivier Finkel. Borel hierarchy and omega context free languages. *Theor. Comput. Sci.*, 290(3):1385–1405, 2003.
- [216] Olivier Finkel. On omega context free languages which are borel sets of infinite rank. *Theor. Comput. Sci.*, 299(1-3):327–346, 2003.
- [217] Stacy E. Finkelstein, Peter Freyd, and James Lipton. A new framework for declarative programming. *Theor. Comput. Sci.*, 300(1-3):91–160, 2003. see Erratum in *Theor. Comput. Sci.*, Vol. 311, 2004, No. 1-3, 527.

- [218] Camillo Fiorentini and Silvio Ghilardi. Combining word problems through rewriting in categories with products. *Theor. Comput. Sci.*, 294(1-2):103–149, 2003.
- [219] Francesca Fiorenzi. Cellular automata and strongly irreducible shifts of finite type. *Theor. Comput. Sci.*, 299(1-3):477–493, 2003.
- [220] Aleksei V. Fishkin and Guochuan Zhang. On maximizing the throughput of multiprocessor tasks. *Theor. Comput. Sci.*, 302(1-3):319–335, 2003.
- [221] Thomas L. Fitzkee, Kevin G. Hockett, and Jr. Robinson, E. Arthur. A weakly mixing tiling dynamical system with a smooth model. *Theor. Comput. Sci.*, 303(2-3):447–462, 2003.
- [222] Paola Flocchini, Bernard Mans, and Nicola Santoro. Sense of direction in distributed computing. *Theor. Comput. Sci.*, 291(1):29–53, 2003.
- [223] Paola Flocchini, Alessandro Roncato, and Nicola Santoro. Computing on anonymous networks with sense of direction. *Theor. Comput. Sci.*, 301(1-3):355–379, 2003.
- [224] Riccardo Focardi, Roberto Gorrieri, and Fabio Martinelli. A comparison of three authentication properties. *Theor. Comput. Sci.*, 291(3):285–327, 2003.
- [225] Enrico Formenti. On the sensitivity of additive cellular automata in besicovitch topologies. *Theor. Comput. Sci.*, 301(1-3):341–354, 2003.
- [226] Enrico Formenti and Aristide Grange. Number conserving cellular automata ii: Dynamics. *Theor. Comput. Sci.*, 304(1-3):269–290, 2003.
- [227] Thomas Forster. Better-quasi-orderings and coinduction. *Theor. Comput. Sci.*, 309(1-3):111–123, 2003.
- [228] Lance Fortnow. One complexity theorist’s view of quantum computing. *Theor. Comput. Sci.*, 292(3):597–610, 2003.
- [229] Wit Foryś, Tomasz Krawczyk, and James A. Anderson. Semiretracts — a counterexample and some results. *Theor. Comput. Sci.*, 307(1):117–127, 2003.

- [230] Hervé Fournier. Quantifier rank for parity of embedded finite models. *Theor. Comput. Sci.*, 295(1-3):153–169, 2003.
- [231] J.C. Fournier. Combinatorics of perfect matchings in plane bipartite graphs and application to tilings. *Theor. Comput. Sci.*, 303(2-3):333–351, 2003.
- [232] Nissim Francez and Michael Kaminski. An algebraic characterization of deterministic regular languages over infinite alphabets. *Theor. Comput. Sci.*, 306(1-3):155–175, 2003.
- [233] A.E. Frid. Arithmetical complexity of symmetric d0l words. *Theor. Comput. Sci.*, 306(1-3):535–542, 2003.
- [234] Pierluigi Frisco. Direct constructions of universal extended h systems. *Theor. Comput. Sci.*, 296(2):269–293, 2003.
- [235] Christiane Frougny. On-line digit set conversion in real base. *Theor. Comput. Sci.*, 292(1):221–235, 2003.
- [236] Christiane Frougny, Jean-Pierre Gazeau, and Rudolf Krejcar. Additive and multiplicative properties of point sets based on beta-integers. *Theor. Comput. Sci.*, 303(2-3):491–516, 2003.
- [237] Yuxi Fu and Zhenrong Yang. Tau laws for pi calculus. *Theor. Comput. Sci.*, 308(1-3):55–130, 2003.
- [238] Yuxi Fu and Zhenrong Yang. Understanding the mismatch combinator in chi calculus. *Theor. Comput. Sci.*, 290(1):779–830, 2003.
- [239] Masahiko Fukuyama. A nim game played on graphs. *Theor. Comput. Sci.*, 304(1-3):387–399, 2003.
- [240] Masahiko Fukuyama. A nim game played on graphs ii. *Theor. Comput. Sci.*, 304(1-3):401–419, 2003.
- [241] Zoltán Fülöp and Zsolt Gazdag. Shape preserving top-down tree transducers. *Theor. Comput. Sci.*, 304(1-3):315–339, 2003.
- [242] Vashti Galpin. A format for semantic equivalence comparison. *Theor. Comput. Sci.*, 309(1-3):65–109, 2003.

- [243] Antony Galton. A generalized topological view of motion in discrete space. *Theor. Comput. Sci.*, 305(1-3):111–134, 2003.
- [244] João Gama. Iterative bayes. *Theor. Comput. Sci.*, 292(2):417–430, 2003.
- [245] Pedro García, José Ruiz, and Manuel Vazquez de Parga. Bilateral locally testable languages. *Theor. Comput. Sci.*, 299(1-3):775–783, 2003.
- [246] Paul Gardiner. Power simulation and its relation to traces and failures refinement. *Theor. Comput. Sci.*, 309(1-3):157–176, 2003.
- [247] William Gasarch, Evan Golub, and Aravind Srinivasan. When does a random robin hood win? *Theor. Comput. Sci.*, 304(1-3):477–484, 2003.
- [248] Viliam Geffert. Space hierarchy theorem revised. *Theor. Comput. Sci.*, 295(1-3):171–187, 2003.
- [249] Viliam Geffert, Carlo Mereghetti, and Giovanni Pighizzini. Converting two-way nondeterministic unary automata into simpler automata. *Theor. Comput. Sci.*, 295(1-3):189–203, 2003.
- [250] Leonidas Georgiadis. Arborescence optimization problems solvable by edmonds’ algorithm. *Theor. Comput. Sci.*, 301(1-3):427–437, 2003.
- [251] Michael U. Gerber and Daniel Kobler. Algorithms for vertex-partitioning problems on graphs with fixed clique-width. *Theor. Comput. Sci.*, 299(1-3):719–734, 2003.
- [252] Alexandros V. Gerbessiotis and Constantinos J. Siniolakis. Architecture independent parallel selection with applications to parallel priority queues. *Theor. Comput. Sci.*, 301(1-3):119–142, 2003.
- [253] Dan R. Ghica and Guy McCusker. The regular-language semantics of second-order idealized algol. *Theor. Comput. Sci.*, 309(1-3):469–502, 2003.
- [254] Alain Giorgetti. An asymptotic study for path reversal. *Theor. Comput. Sci.*, 299(1-3):585–602, 2003.

- [255] Andreas Goerdt and Mike Molloy. Analysis of edge deletion processes on faulty random regular graphs. *Theor. Comput. Sci.*, 297(1-3):241–260, 2003.
- [256] Alfredo Goldman, Gregory Mounie, and Denis Trystram. 1-optimality of static bsp computations: Scheduling independent chains as a case study. *Theor. Comput. Sci.*, 290(3):1331–1359, 2003.
- [257] Andrew D. Gordon and Alan Jeffrey. Typing correspondence assertions for communication protocols. *Theor. Comput. Sci.*, 300(1-3):379–409, 2003.
- [258] Roberta Gori. An abstract interpretation framework to reason on finite failure and other properties of finite and infinite computations. *Theor. Comput. Sci.*, 290(1):863–936, 2003.
- [259] Peter J. Grabner and Arnold Knopfmacher Helmut Prodinger. Combinatorics of geometrically distributed random variables: Run statistics. *Theor. Comput. Sci.*, 297(1-3):261–270, 2003.
- [260] Gösta Grahne and Alex Thomo. Algebraic rewritings for optimizing regular path queries. *Theor. Comput. Sci.*, 296(3):453–471, 2003.
- [261] Sylvain Gravier, Mehdi Mhalla, and Eric Tannier. On a modular domination game. *Theor. Comput. Sci.*, 306(1-3):291–303, 2003.
- [262] Dima Grigoriev and Edward A. Hirsch. Algebraic proof systems over formulas. *Theor. Comput. Sci.*, 303(1):83–102, 2003.
- [263] Stefano Guerrini, Simone Martini, and Andrea Masini. Coherence for sharing proof-nets. *Theor. Comput. Sci.*, 294(3):379–409, 2003.
- [264] Yannick Guesnet. On maximal synchronous codes. *Theor. Comput. Sci.*, 307(1):129–138, 2003.
- [265] Irene Guessarian, Eugénie Foustoucos, Theodore Andronikos, and Foto Afrati. On temporal logic versus datalog. *Theor. Comput. Sci.*, 303(1):103–133, 2003.

- [266] H. Peter Gumm, Jesse Hughes, and Tobias Schröder. Distributivity of categories of coalgebras. *Theor. Comput. Sci.*, 308(1-3):131–143, 2003.
- [267] Jeremy Gunawardena. From max-plus algebra to nonexpansive mappings: A nonlinear theory for discrete event systems. *Theor. Comput. Sci.*, 293(1):141–167, 2003.
- [268] Claudio Gutiérrez. Equations in free semigroups with involution and their relation to equations in free groups. *Theor. Comput. Sci.*, 297(1-3):271–280, 2003.
- [269] Yassine Hachaïchi. A descriptive complexity approach to the linear hierarchy. *Theor. Comput. Sci.*, 304(1-3):421–429, 2003.
- [270] L. Hajdu and R. Tijdeman. Algebraic aspects of emission tomography with absorption. *Theor. Comput. Sci.*, 290(3):2169–2181, 2003.
- [271] Petr Hájek and Martin Holeňa. Formal logics of discovery and hypothesis formation by machine. *Theor. Comput. Sci.*, 292(2):345–357, 2003.
- [272] Magnús M. Halldórsson, Robert W. Irving, Kazuo Iwama, David F. Manlove, Shuichi Miyazaki, Yasufumi Morita, and Sandy Scott. Approximability results for stable marriage problems with ties. *Theor. Comput. Sci.*, 306(1-3):431–447, 2003.
- [273] G. Hanrot, J. Rivat, G. Tenenbaum, and P. Zimmermann. Density results on floating-point invertible numbers. *Theor. Comput. Sci.*, 291(2):135–141, 2003.
- [274] K.A. Hardie, S. Salbany, J.J.C. Vermeulen, and P.J. Witbooi. A non-hausdorff quaternion multiplication. *Theor. Comput. Sci.*, 305(1-3):135–158, 2003.
- [275] Tero Harju and Dirk Nowotka. On the independence of equations in three variables. *Theor. Comput. Sci.*, 307(1):139–172, 2003.
- [276] L.H. Harper. Accidental combinatorist, an autobiography. *Theor. Comput. Sci.*, 307(3):457–472, 2003.
- [277] L.H. Harper. On the bandwidth of a hamming graph. *Theor. Comput. Sci.*, 301(1-3):491–498, 2003.

- [278] Peter G. Harrison. Turning back time in markovian process algebra. *Theor. Comput. Sci.*, 290(3):1947–1986, 2003.
- [279] Kosaburo Hashiguchi, Yoshito Wada, and Shuji Jimbo. Regular binoid expressions and regular binoid languages. *Theor. Comput. Sci.*, 304(1-3):291–313, 2003.
- [280] Yosuke Hayashi, Satoshi Matsumoto, Ayumi Shinohara, and Masayuki Takeda. Uniform characterizations of polynomial-query learnabilities. *Theor. Comput. Sci.*, 292(2):377–385, 2003.
- [281] P.-C. Héam. Some complexity results for polynomial rational expressions. *Theor. Comput. Sci.*, 299(1-3):735–741, 2003.
- [282] Reinhold Heckmann. A non-topological view of dcpos as convergence spaces. *Theor. Comput. Sci.*, 305(1-3):159–186, 2003.
- [283] Lane A. Hemaspaandra and Harald Hempel. p -immune sets with holes lack self-reducibility properties. *Theor. Comput. Sci.*, 302(1-3):457–466, 2003.
- [284] Maurice Herlihy and Sergio Rajsbaum. A classification of wait-free loop agreement tasks. *Theor. Comput. Sci.*, 291(1):55–77, 2003.
- [285] Claudio Hermida and Paulo Mateus. Paracategories i: Internal paracategories and saturated partial algebras. *Theor. Comput. Sci.*, 309(1-3):125–156, 2003.
- [286] Francine Herrmann and Maurice Margenstern. A universal cellular automaton in the hyperbolic plane. *Theor. Comput. Sci.*, 296(2):327–364, 2003.
- [287] William Hesse. The dynamic complexity of transitive closure is in dync^0 . *Theor. Comput. Sci.*, 296(3):473–485, 2003.
- [288] Thomas T. Hildebrandt. Towards categorical models for fairness: Fully abstract presheaf semantics of sccs with finite delay. *Theor. Comput. Sci.*, 294(1-2):151–181, 2003.
- [289] Masahiro Hirao, Hiromasa Hoshino, Ayumi Shinohara, Masayuki Takeda, and Setsuo Arikawa. A practical algorithm to find the best subsequence patterns. *Theor. Comput. Sci.*, 292(2):465–479, 2003.

- [290] John M. Hitchcock. Fractal dimension and logarithmic loss unpredictability. *Theor. Comput. Sci.*, 304(1-3):431–441, 2003.
- [291] Pascal Hitzler and Anthony Karel Seda. Generalized metrics and uniquely determined logic programs. *Theor. Comput. Sci.*, 305(1-3):187–219, 2003.
- [292] Thanh Minh Hoang and Thomas Thierauf. The complexity of the characteristic and the minimal polynomial. *Theor. Comput. Sci.*, 295(1-3):205–222, 2003.
- [293] Christophe Hohlweg and Christophe Reutenauer. Lyndon words, permutations and trees. *Theor. Comput. Sci.*, 307(1):173–178, 2003.
- [294] Markus Holzer and Pierre McKenzie. Alternating and empty alternating auxiliary stack automata. *Theor. Comput. Sci.*, 299(1-3):307–326, 2003.
- [295] Juha Honkala. Decidability results for watson-crick d0l systems with nonregular triggers. *Theor. Comput. Sci.*, 302(1-3):481–488, 2003.
- [296] Juha Honkala. On images of d0l and dt0l power series. *Theor. Comput. Sci.*, 290(3):1869–1882, 2003.
- [297] Pawel Horodecki, John A. Smolin, Barbara M. Terhal, and Ashish V. Thapliyal. Rank two bipartite bound entangled states do not exist. *Theor. Comput. Sci.*, 292(3):589–596, 2003.
- [298] Wen-Lian Hsu and Ross M. McConnell. Pc trees and circular-ones arrangements. *Theor. Comput. Sci.*, 296(1):99–116, 2003.
- [299] Salah Hussini, Lila Kari, and Stavros Konstantinidis. Coding properties of dna languages. *Theor. Comput. Sci.*, 290(3):1557–1579, 2003.
- [300] Hsien-Kuei Hwang and Tsung-Hsi Tsai. An asymptotic theory for recurrence relations based on minimization and maximization. *Theor. Comput. Sci.*, 290(3):1475–1501, 2003.