References

[1] Martín Abadi and Véronique Cortier. Deciding knowledge in security protocols under equational theories. *Theor. Comput. Sci.*, 367(1-2):2–32, 2006.

[2] Samy Abbes and Klaus Keimel. Projective topology on bifinite domains and applications. *Theor. Comput. Sci.*, 365(3):171–183, 2006.

[3] Yasmina Abdeddaïm, Eugene Asarin, and Oded Maler. Scheduling with timed automata. *Theor. Comput. Sci.*, 354(2):272–300, 2006.

[4] K. Abe, J. Bisceglio, D.R. Ferguson, T.J. Peters, A.C. Russell, and T. Sakkalis. Computational topology for isotopic surface reconstruction. *Theor. Comput. Sci.*, 365(3):184–198, 2006.

[5] Luca Aceto, Wan Fokkink, Anna Ingolfsdottir, and Sumit Nain. Bisimilarity is not finitely based over bpa with interrupt. *Theor. Comput. Sci.*, 366(1-2):60–81, 2006.

[6] Vicente Acuña, Gilles Didier, and Alejandro Maass. Coding with variable block maps. *Theor. Comput. Sci.*, 369(1-3):396–405, 2006.

[7] J. Adámek. The intersection of algebra and coalgebra. *Theor. Comput. Sci.*, 366(1-2):82–97, 2006.

[8] Udo Adamy, Michael Hoffmann, József Solymosi, and Miloš Stojaković. Coloring octrees. *Theor. Comput. Sci.*, 363(1):11–17, 2006.

[9] Foto Afrati, Chen Li, and Prasenjit Mitra. Rewriting queries using views in the presence of arithmetic comparisons. *Theor. Comput. Sci.*, 368(1-2):88–123, 2006.

[10] A.A. Ageev, A.V. Fishkin, A.V. Kononov, and S.V. Sevastyanov. Open block scheduling in optical communication networks. *Theor. Comput. Sci.*, 361(2-3):257–274, 2006.

[11] Fabio Alessi, Franco Barbanera, and Mariangiola Dezani-Ciancaglini. Intersection types and lambda models. *Theor. Comput. Sci.*, 355(2):108–126, 2006.

[12] Eric Allender. Nl-printable sets and nondeterministic kolmogorov complexity. *Theor. Comput. Sci.*, 355(2):127–138, 2006.

[13] Christoph Schulte Althoff, Wolfgang Thomas, and Nico Wallmeier. Observations on determinization of büchi automata. *Theor. Comput. Sci.*, 363(2):224–233, 2006.

[14] Rajeev Alur, Thao Dang, and Franjo Ivančić. Counterexample-guided predicate abstraction of hybrid systems. *Theor. Comput. Sci.*, 354(2):250–271, 2006.

[15] Rajeev Alur, Salvatore La Torre, and P. Madhusudan. Modular strategies for recursive game graphs. *Theor. Comput. Sci.*, 354(2):230–249, 2006.

[16] Roberto M. Amadio and Silvano Dal Zilio. Resource control for synchronous cooperative threads. *Theor. Comput. Sci.*, 358(2-3):229–254, 2006.

[17] Kazuyuki Amano and Akira Maruoka. On learning monotone boolean functions under the uniform distribution. *Theor. Comput. Sci.*, 350(1):3–12, 2006.

[18] Amihood Amir, Oren Kapah, and Dekel Tsur. Faster two-dimensional pattern matching with rotations. *Theor. Comput. Sci.*, 368(3):196–204, 2006.

[19] Suzana Andova and Tim A.C. Willemse. Branching bisimulation for probabilistic systems: Characteristics and decidability. *Theor. Comput. Sci.*, 356(3):325–355, 2006.

[20] Eric Angel, Evripidis Bampis, and Fanny Pascual. Truthful algorithms for scheduling selfish tasks on parallel machines. *Theor. Comput. Sci.*, 369(1-3):157–168, 2006.

[21] Fred S. Annexstein, Kenneth A. Berman, and Mijhalo A. Jovanović. Broadcasting in unstructured peer-to-peer overlay networks. *Theor. Comput. Sci.*, 355(1):25–36, 2006.

[22] Luis Antunes, Lance Fortnow, Dieter van Melkebeek, and N.V. Vinodchandran. Computational depth: Concept and applications. *Theor. Comput. Sci.*, 354(3):391–404, 2006.

[23] Dirk V. Arnold. Weighted multirecombination evolution strategies. *Theor. Comput. Sci.*, 361(1):18–37, 2006.

[24] Fredrick Arnold and Benjamin Steinberg. Synchronizing groups and automata. *Theor. Comput. Sci.*, 359(1-3):101–110, 2006.

[25] Amrinder Arora, Fanchun Jin, and Hyeong-Ah Choi. Scheduling resource allocation with timeslot penalty for changeover. *Theor. Comput. Sci.*, 369(1-3):323–337, 2006.

[26] Sergei Artemov. Justified common knowledge. *Theor. Comput. Sci.*, 357(1-3):4–22, 2006.

[27] Takao Asano. An improved analysis of goemans and williamson's *lp*-relaxation for max sat. *Theor. Comput. Sci.*, 354(3):339–353, 2006.

[28] Peter R.J. Asveld. Generating all permutations by context-free grammars in chomsky normal form. *Theor. Comput. Sci.*, 354(1):118–130, 2006.

[29] Baruch Awerbuch, Yossi Azar, Yossi Richter, and Dekel Tsur. Tradeoffs in worst-case equilibria. *Theor. Comput. Sci.*, 361(2-3):200–209, 2006.

[30] Yossi Azar, Amir Epstein, and Leah Epstein. Load balancing of temporary tasks in the l_p norm. *Theor. Comput. Sci.*, 361(2-3):314–328, 2006.

[31] Yossi Azar, Amos Fiat, Meital Levy, and N.S. Narayanaswamy. An improved algorithm for online coloring of intervals with bandwidth. *Theor. Comput. Sci.*, 363(1):18–27, 2006.

[32] D. Azriel and D. Berend. On a question of leiss regarding the hanoi tower problem. *Theor. Comput. Sci.*, 369(1-3):377–383, 2006.

[33] Michael Backes, Anupam Datta, Ante Derek, John C. Mitchell, and Mathieu Turuani. Compositional analysis of contract-signing protocols. *Theor. Comput. Sci.*, 367(1-2):33–56, 2006.

[34] Arnaud Bailly, Mireille Clerbout, and Isabelle Simplot-Ryl. Component composition preserving behavioral contracts based on communication traces. *Theor. Comput. Sci.*, 363(2):108–123, 2006.

3

[35] S. Ballet. An improvement of the construction of the d.v. and g.v. chudnovsky algorithm for multiplication in finite fields. *Theor. Comput. Sci.*, 352(1-3):293–305, 2006.

[36] József Balogh, Dhruv Mubayi, and András Pluhár. On the edge-bandwidth of graph products. *Theor. Comput. Sci.*, 359(1-3):43–57, 2006.

[37] Xuewen Bao, Frank K. Hwang, and Qiao Li. Rearrangeability of bit permutation networks. *Theor. Comput. Sci.*, 352(1-3):197–214, 2006.

[38] A. Barbé and F. von Haeseler. Averages of automatic sequences. *Theor. Comput. Sci.*, 359(1-3):255–281, 2006.

[39] Luís S. Barbosa and José N. Oliveira. Transposing partial components — an exercise on coalgebraic refinement. *Theor. Comput. Sci.*, 365(1-2):2–22, 2006.

[40] Cédric Bastien, Jurek Czyzowicz, Wojciech Fraczak, and Wojciech Rytter. Prime normal form and equivalence of simple grammars. *Theor. Comput. Sci.*, 363(2):124–134, 2006.

[41] Samik Basu and C.R. Ramakrishnan. Compositional analysis for verification of parameterized systems. *Theor. Comput. Sci.*, 354(2):211–229, 2006.

[42] Cristina Bazgan, Zsolt Tuza, and Daniel Vanderpooten. Degree-constrained decompositions of graphs: Bounded treewidth and planarity. *Theor. Comput. Sci.*, 355(3):389–395, 2006.

[43] Marie-Pierre Béal and Dominique Perrin. Codes, unambiguous automata and sofic systems. *Theor. Comput. Sci.*, 356(1-2):6–13, 2006.

[44] G. Bebek, P. Berenbrink, C. Cooper, T. Friedetzky, J. Nadeau, and S.C. Sahinalp. The degree distribution of the generalized duplication model. *Theor. Comput. Sci.*, 369(1-3):239–249, 2006.

[45] Denis Béchet and Annie Foret. k-valued non-associative lambek grammars are learnable from generalized functor-argument structures. *Theor. Comput. Sci.*, 355(2):139–152, 2006.

[46] Emmanuel Beffara and François Maurel. Concurrent nets: A study of prefixing in process calculi. *Theor. Comput. Sci.*, 356(3):356–373, 2006.

[47] Michael Behrisch and Anusch Taraz. Efficiently covering complex networks with cliques of similar vertices. *Theor. Comput. Sci.*, 355(1):37–47, 2006.

[48] Gianluigi Bellin, Martin Hyland, Edmund Robinson, and Christian Urban. Categorical proof theory of classical propositional calculus. *Theor. Comput. Sci.*, 364(2):146–165, 2006.

[49] C. Berline and A. Salibra. Easiness in graph models. *Theor. Comput. Sci.*, 354(1):4–23, 2006.

[50] Jean Berstel, Luc Boasson, Olivier Carton, Bruno Petazzoni, and Jean-Eric Pin. Operations preserving regular languages. *Theor. Comput. Sci.*, 354(3):405–420, 2006.

[51] Alberto Bertoni, Carlo Mereghetti, and Beatrice Palano. Some formal tools for analyzing quantum automata. *Theor. Comput. Sci.*, 356(1-2):14–25, 2006.

[52] Frédéeric Besson, Thomas Jensen, and David Pichardie. Proof-carrying code from certified abstract interpretation and fixpoint compression. *Theor. Comput. Sci.*, 364(3):273–291, 2006.

[53] V. Bilò, M. Flammini, G. Melideo, L. Moscardelli, and A. Navarra. Sharing the cost of multicast transmissions in wireless networks. *Theor. Comput. Sci.*, 369(1-3):269–284, 2006.

[54] Dave Binkley, Sebastian Danicic, Tibor Gyimóthy, Mark Harman, Ákos Kiss, and Bogdan Korel. Theoretical foundations of dynamic program slicing. *Theor. Comput. Sci.*, 360(1-3):23–41, 2006.

[55] Anders Björner and Bruce E. Sagan. Rationality of the möbius function of a composition poset. *Theor. Comput. Sci.*, 359(1-3):282–298, 2006.

[56] Carlo Blundo, Stelvio Cimato, and Alfredo De Santis. Visual cryptography schemes with optimal pixel expansion. *Theor. Comput. Sci.*, 369(1-3):169–182, 2006.

[57] Mikołaj Bojańczyk and Thomas Colcombet. Tree-walking automata cannot be determinized. *Theor. Comput. Sci.*, 350(2-3):164–173, 2006.

[58] Mikolaj Bojańczyk and Igor Walukiewicz. Characterizing ef and ex tree logics. *Theor. Comput. Sci.*, 358(2-3):255–272, 2006.

[59] Beate Bollig, Stephan Waack, and Philipp Woelfel. Parity graph-driven read-once branching programs and an exponential lower bound for integer multiplication. *Theor. Comput. Sci.*, 362(1-3):86–99, 2006.

[60] Benedikt Bollig and Martin Leucker. Message-passing automata are expressively equivalent to emso logic. *Theor. Comput. Sci.*, 358(2-3):150–172, 2006.

[61] Henning Bordihn, Henning Fernau, Markus Holzer, Vincenzo Manca, and Carlos Martín-Vide. Iterated sequential transducers as language generating devices. *Theor. Comput. Sci.*, 369(1-3):67–81, 2006.

[62] Michele Boreale and Fabio Gadducci. Processes as formal power series: A coinductive approach to denotational semantics. *Theor. Comput. Sci.*, 360(1-3):440–458, 2006.

[63] Hanifa Boucheneb and Rachid Hadjidj. Ctl* model checking for time petri nets. *Theor. Comput. Sci.*, 353(1-3):208–227, 2006.

[64] Joan Boyar, Leah Epstein, Lene M. Favrholdt, Jens S. Kohrt, Kim S. Larsen, Morten M. Pedersen, and Sanne Wøhlk. The maximum resource bin packing problem. *Theor. Comput. Sci.*, 362(1-3):127–139, 2006.

[65] Laura Bozzelli. Model checking for process rewrite systems and a class of action-based regular properties. *Theor. Comput. Sci.*, 360(1-3):352–372, 2006.

[66] Mário J.J. Branco. Two algebraic approaches to variants of the concatenation product. *Theor. Comput. Sci.*, 369(1-3):406–426, 2006.

[67] Alain Bretto, Alain Faisant, and Thierry Vallée. Compatible topologies on graphs: An application to graph isomorphism problem complexity. *Theor. Comput. Sci.*, 362(1-3):255–272, 2006.

[68] Vladimir Brezhnev and Roman Kuznets. Making knowledge explicit: How hard it is. *Theor. Comput. Sci.*, 357(1-3):23–34, 2006.

[69] Keith Briggs. Implementing exact real arithmetic in python, c++ and c. *Theor. Comput. Sci.*, 351(1):74–81, 2006.

[70] Robert Brijder, Hendrik Jan Hoogeboom, and Grzegorz Rozenberg. Reducibility of gene patterns in ciliates using the breakpoint graph. *Theor. Comput. Sci.*, 356(1-2):26–45, 2006.

[71] S. Brlek, S. Dulucq, A. Ladouceur, and L. Vuillon. Combinatorial properties of smooth infinite words. *Theor. Comput. Sci.*, 352(1-3):306–317, 2006.

[72] Anne Broadbent and Andre Allan Méthot. On the power of non-local boxes. *Theor. Comput. Sci.*, 358(1):3–14, 2006.

[73] Hervé Brönnimann, Guillaume Melquiond, and Sylvain Pion. The design of the boost interval arithmetic library. *Theor. Comput. Sci.*, 351(1):111–118, 2006.

[74] Roberto Bruni, Ivan Lanese, and Ugo Montanari. A basic algebra of stateless connectors. *Theor. Comput. Sci.*, 366(1-2):98–120, 2006.

[75] Roberto Bruni and José Meseguer. Semantic foundations for generalized rewrite theories. *Theor. Comput. Sci.*, 360(1-3):386–414, 2006.

[76] Paola Bruscoli and Alessio Guglielmi. On structuring proof search for first order linear logic. *Theor. Comput. Sci.*, 360(1-3):42–76, 2006.

[77] David Bryant and Jens Lagergren. Compatibility of unrooted phylogenetic trees is fpt. *Theor. Comput. Sci.*, 351(3):296–302, 2006.

[78] Janusz A. Brzozowski. Representation of a class of nondeterministic semiautomata by canonical words. *Theor. Comput. Sci.*, 356(1-2):46–57, 2006.

[79] Nader H. Bshouty and Lynn Burroughs. Maximizing agreements and coagnostic learning. *Theor. Comput. Sci.*, 350(1):24–39, 2006.

[80] Mikkel Bundgaard, Thomas Hildebrandt, and Jens Chr. Godskesen. A cps encoding of name-passing in higher-order mobile embedded resources. *Theor. Comput. Sci.*, 356(3):422–439, 2006.

[81] Jonathan F. Buss and Tarique Islam. Simplifying the weft hierarchy. *Theor. Comput. Sci.*, 351(3):303–313, 2006.

[82] Samuel R. Buss. Polynomial-size frege and resolution proofs of *st*-connectivity and hex tautologies. *Theor. Comput. Sci.*, 357(1-3):35–52, 2006.

[83] Frederick Butler, Iliano Cervesato, Aaron D. Jaggard, Andre Scedrov, and Christopher Walstad. Formal analysis of kerberos 5. *Theor. Comput. Sci.*, 367(1-2):57–87, 2006.

[84] Mao-cheng Cai, Xiaotie Deng, and Zhongfei Li. Computation of arbitrage in frictional bond markets. *Theor. Comput. Sci.*, 363(3):248–256, 2006.

[85] Luís Caires and Etienne Lozes. Elimination of quantifiers and undecidability in spatial logics for concurrency. *Theor. Comput. Sci.*, 358(2-3):293–314, 2006.

[86] Carlos Caleiro, Luca Viganò, and David Basin. On the semantics of alice&bob specifications of security protocols. *Theor. Comput. Sci.*, 367(1-2):88–122, 2006.

[87] Cezar Câmpeanu, Andrei Păun, and Jason R. Smith. Incremental construction of minimal deterministic finite cover automata. *Theor. Comput. Sci.*, 363(2):135–148, 2006.

[88] Dominique Cansell and Dominique Méry. Formal and incremental construction of distributed algorithms: On the distributed reference counting algorithm. *Theor. Comput. Sci.*, 364(3):318–337, 2006.

[89] Marco Carpentieri. A genetic system based on simulated crossover of sequences of two-bit genes. *Theor. Comput. Sci.*, 367(3):324–335, 2006.

[90] John Case, Sanjay Jain, Rüdiger Reischuk, Frank Stephan, and Thomas Zeugmann. Learning a subclass of regular patterns in polynomial time. *Theor. Comput. Sci.*, 364(1):115–131, 2006.

8

[91] Giusi Castiglione, Antonio Restivo, and Roberto Vaglica. A reconstruction algorithm for l-convex polyominoes. *Theor. Comput. Sci.*, 356(1-2):58–72, 2006.

[92] Wun-Tat Chan, Tak-Wah Lam, Kin-Shing Liu, and Prudence W.H. Wong. New resource augmentation analysis of the total stretch of srpt and sjf in multiprocessor scheduling. *Theor. Comput. Sci.*, 359(1-3):430–439, 2006.

[93] F.H. Chang, J.Y. Guo, and F.K. Hwang. Wide-sense nonblocking for multi-$\log_d n$ networks under various routing strategies. *Theor. Comput. Sci.*, 352(1-3):232–239, 2006.

[94] Krishnendu Chatterjee, Thomas A. Henzinger, and Marcin Jurdziński. Games with secure equilibria. *Theor. Comput. Sci.*, 365(1-2):67–82, 2006.

[95] Konstantinos Chatzikokolakis and Catuscia Palamidessi. Probable innocence revisited. *Theor. Comput. Sci.*, 367(1-2):123–138, 2006.

[96] Laura Chaubard, Jean-Éric Pin, and Howard Straubing. Actions, wreath products of c-varieties and concatenation product. *Theor. Comput. Sci.*, 356(1-2):73–89, 2006.

[97] Chiuyuan Chen, James K. Lan, and Wen-Shiang Tang. An efficient algorithm to find a double-loop network that realizes a given l-shape. *Theor. Comput. Sci.*, 359(1-3):69–76, 2006.

[98] Jianer Chen and Fenghui Zhang. On product covering in 3-tier supply chain models: Natural complete problems for w[3] and w[4]. *Theor. Comput. Sci.*, 363(3):278–288, 2006.

[99] Jing-Chao Chen. Efficient sample sort and the average case analysis of pesort. *Theor. Comput. Sci.*, 369(1-3):44–66, 2006.

[100] Wei-Mei Chen. Cost distribution of the chang-roberts leader election algorithm and related problems. *Theor. Comput. Sci.*, 369(1-3):442–447, 2006.

[101] Yi-Xiang Chen and Achim Jung. A logical approach to stable domains. *Theor. Comput. Sci.*, 368(1-2):124–148, 2006.

[102] Yijia Chen and Jörg Flum. On miniaturized problems in parameterized complexity theory. *Theor. Comput. Sci.*, 351(3):314–336, 2006.

[103] Chih-Huai Cheng, Kuan-Yu Chen, Wen-Chin Tien, and Kun-Mao Chao. Improved algorithms for the k maximum-sums problems. *Theor. Comput. Sci.*, 362(1-3):162–170, 2006.

[104] T.C.E. Cheng, C.T. Ng, and J.J. Yuan. Multi-agent scheduling on a single machine to minimize total weighted number of tardy jobs. *Theor. Comput. Sci.*, 362(1-3):273–281, 2006.

[105] Jian Cheng Lv, Zhang Yi, and K.K. Tan. Global convergence of oja's pca learning algorithm with a non-zero-approaching adaptive learning rate. *Theor. Comput. Sci.*, 367(3):286–307, 2006.

[106] Alessandra Cherubini, Stefano Crespi Reghizzi, Matteo Pradella, and Pierluigi San Pietro. Picture languages: Tiling systems versus tile rewriting grammars. *Theor. Comput. Sci.*, 356(1-2):90–103, 2006.

[107] Ling Cheung, Nancy Lynch, Roberto Segala, and Frits Vaandrager. Switched pioa: Parallel composition via distributed scheduling. *Theor. Comput. Sci.*, 365(1-2):83–108, 2006.

[108] Miroslav Chlebik and Janka Chlebíková. Complexity of approximating bounded variants of optimization problems. *Theor. Comput. Sci.*, 354(3):320–338, 2006.

[109] Alberto Ciaffaglione and Pietro Di Gianantonio. A certified, corecursive implementation of exact real numbers. *Theor. Comput. Sci.*, 351(1):39–51, 2006.

[110] Thomas Colcombet and Damian Niwiński. On the positional determinacy of edge-labeled games. *Theor. Comput. Sci.*, 352(1-3):190–196, 2006.

[111] Sylvain Conchon and Sava Krstić. Strategies for combining decision procedures. *Theor. Comput. Sci.*, 354(2):187–210, 2006.

[112] F. Corradini, M.R. Di Berardini, and W. Vogler. Fairness of components in system computations. *Theor. Comput. Sci.*, 356(3):291–324, 2006.

[113] C.J.F. Cremers, S. Mauw, and E.P. de Vink. Injective synchronisation: An extension of the authentication hierarchy. *Theor. Comput. Sci.*, 367(1-2):139–161, 2006.

[114] Maxime Crochemore, Costas S. Iliopoulos, Manal Mohamed, and Marie-France Sagot. Longest repeats with a block of k don't cares. *Theor. Comput. Sci.*, 362(1-3):248–254, 2006.

[115] Elena Czeizler and Eugen Czeizler. On the power of parallel communicating watson-crick automata systems. *Theor. Comput. Sci.*, 358(1):142–147, 2006.

[116] Wenqiang Dai, Yinfeng Xu, and Binhai Zhu. On the edge $l\infty$ radius of saitou and nei's method for phylogenetic reconstruction. *Theor. Comput. Sci.*, 369(1-3):448–455, 2006.

[117] A. Dal Palú, E. Pontelli, and D. Ranjan. Sequential and parallel algorithms for the nca problem on pure pointer machines. *Theor. Comput. Sci.*, 352(1-3):108–135, 2006.

[118] Flavio D'Alessandro, Benedetto Intrigila, and Stefano Varricchio. On the structure of the counting function of sparse context-free languages. *Theor. Comput. Sci.*, 356(1-2):104–117, 2006.

[119] Luca Dall'Asta, Ignacio Alvarez-Hamelin, Alain Barrat, Alexei Vázquez, and Alessandro Vespignani. Exploring networks with traceroute-like probes: Theory and simulations. *Theor. Comput. Sci.*, 355(1):6–24, 2006.

[120] Peter Damaschke. Parameterized enumeration, transversals, and imperfect phylogeny reconstruction. *Theor. Comput. Sci.*, 351(3):337–350, 2006.

[121] Gautam K. Das, Sandip Das, and Subhas C. Nandy. Range assignment for energy efficient broadcasting in linear radio networks. *Theor. Comput. Sci.*, 352(1-3):332–341, 2006.

[122] Eugene Davydov and Serafim Batzoglou. A computational model for rna multiple structural alignment. *Theor. Comput. Sci.*, 368(3):205–216, 2006.

[123] Anuj Dawar, Erich Grädel, and Stephan Kreutzer. Backtracking games and inflationary fixed points. *Theor. Comput. Sci.*, 350(2-3):174–187, 2006.

[124] Frédéric De Jaeger, Martín Escardó, and Gabriele Santini. On the computational content of the lawson topology. *Theor. Comput. Sci.*, 357(1-3):230–240, 2006.

[125] Gianluca De Marco, Luisa Gargano, Evangelos Kranakis, Danny Krizanc, Andrzej Pelc, and Ugo Vaccaro. Asynchronous deterministic rendezvous in graphs. *Theor. Comput. Sci.*, 355(3):315–326, 2006.

[126] Rocco De Nicola, Daniele Gorla, and Rosario Pugliese. On the expressive power of klaim-based calculi. *Theor. Comput. Sci.*, 356(3):387–421, 2006.

[127] Caterina De Simone and C.P. de Mello. Edge-colouring of join graphs. *Theor. Comput. Sci.*, 355(3):364–370, 2006.

[128] T. Decker, T. Lücking, and B. Monien. A $\frac{5}{4}$-approximation algorithm for scheduling identical malleable tasks. *Theor. Comput. Sci.*, 361(2-3):226–240, 2006.

[129] Nicolas Delanoue, Luc Jaulin, and Bertrand Cottenceau. Using interval arithmetic to prove that a set is path-connected. *Theor. Comput. Sci.*, 351(1):119–128, 2006.

[130] Stéphanie Delaune. An undecidability result for agh. *Theor. Comput. Sci.*, 368(1-2):161–167, 2006.

[131] Erik D. Demaine, Dotan Emanuel, Amos Fiat, and Nicole Immorlica. Correlation clustering in general weighted graphs. *Theor. Comput. Sci.*, 361(2-3):172–187, 2006.

[132] Erik D. Demaine, Sandor P. Fekete, and Shmuel Gal. Online searching with turn cost. *Theor. Comput. Sci.*, 361(2-3):342–355, 2006.

[133] Stéphane Demri. Ltl over integer periodicity constraints. *Theor. Comput. Sci.*, 360(1-3):96–123, 2006.

[134] Yuxin Deng and Davide Sangiorgi. Towards an algebraic theory of typed mobile processes. *Theor. Comput. Sci.*, 350(2-3):188–212, 2006.

12

[135] Nachum Dershowitz and Claude Kirchner. Abstract canonical presentations. *Theor. Comput. Sci.*, 357(1-3):53–69, 2006.

[136] Emilio Di Giacomo, Walter Didimo, Giuseppe Liotta, and Matthew Suderman. k-spine, 1-bend planarity. *Theor. Comput. Sci.*, 359(1-3):148–175, 2006.

[137] Volker Diekert and Paul Gastin. From local to global temporal logics over mazurkiewicz traces. *Theor. Comput. Sci.*, 356(1-2):126–135, 2006.

[138] Liviu P. Dinu and Florin Manea. An efficient approach for the rank aggregation problem. *Theor. Comput. Sci.*, 359(1-3):455–461, 2006.

[139] Benjamin Doerr, Nils Hebbinghaus, and Sören Werth. Improved bounds and schemes for the declustering problem. *Theor. Comput. Sci.*, 359(1-3):123–132, 2006.

[140] Shlomi Dolev, Roberto Segala, and Alexander Shvartsman. Dynamic load balancing with group communication. *Theor. Comput. Sci.*, 369(1-3):348–360, 2006.

[141] Michael Domaratzki and Kai Salomaa. Codes defined by multiple sets of trajectories. *Theor. Comput. Sci.*, 366(3):182–193, 2006.

[142] Michael Domaratzki, Petr Sosík, and Alfonso Rodríguez-Patón. Algebraic properties of substitution on trajectories. *Theor. Comput. Sci.*, 369(1-3):183–196, 2006.

[143] Pál Dömösi and Géza Horváth. Alternative proof of the lyndon-schützenberger theorem. *Theor. Comput. Sci.*, 366(3):194–198, 2006.

[144] Daniel J. Dougherty and Claudio Gutiérrez. Normal forms for binary relations. *Theor. Comput. Sci.*, 360(1-3):228–246, 2006.

[145] Gilles Dowek and Ying Jiang. Eigenvariables, bracketing and the decidability of positive minimal predicate logic. *Theor. Comput. Sci.*, 360(1-3):193–208, 2006.

[146] Sophia Drossopoulou, Giovanni Lagorio, and Susan Eisenbach. A flexible model for dynamic linking in java and c#. *Theor. Comput. Sci.*, 368(1-2):1–29, 2006.

13

[147] Manfred Droste and Dietrich Kuske. Skew and infinitary formal power series. *Theor. Comput. Sci.*, 366(3):199–227, 2006.

[148] Manfred Droste and Heiko Vogler. Weighted tree automata and weighted logics. *Theor. Comput. Sci.*, 366(3):228–247, 2006.

[149] Philippe Duchon, Nicolas Hanusse, Emmanuelle Lebhar, and Nicolas Schabanel. Could any graph be turned into a small-world? *Theor. Comput. Sci.*, 355(1):96–103, 2006.

[150] Pavlos S. Efraimidis and Paul G. Spirakis. Approximation schemes for scheduling and covering on unrelated machines. *Theor. Comput. Sci.*, 359(1-3):400–417, 2006.

[151] T. Ehrhard and L. Regnier. Differential interaction nets. *Theor. Comput. Sci.*, 364(2):166–195, 2006.

[152] Thomas Eiter and Georg Gottlob. Reasoning under minimal upper bounds in propositional logic. *Theor. Comput. Sci.*, 369(1-3):82–115, 2006.

[153] Khaled El-Fakih, Nina Yevtushenko, Sergey Buffalov, and Gregor von Bochmann. Progressive solutions to a parallel automata equation. *Theor. Comput. Sci.*, 362(1-3):17–32, 2006.

[154] Leah Epstein and Alex Kesselman. On the remote server problem or more about tcp acknowledgments. *Theor. Comput. Sci.*, 369(1-3):285–299, 2006.

[155] Leah Epstein and Asaf Levin. The conference call search problem in wireless networks. *Theor. Comput. Sci.*, 359(1-3):418–429, 2006.

[156] Santiago Escobar, Catherine Meadows, and José Meseguer. A rewriting-based inference system for the nrl protocol analyzer and its meta-logical properties. *Theor. Comput. Sci.*, 367(1-2):162–202, 2006.

[157] Bruno Escoffier and Vangelis Th. Paschos. Completeness in approximation classes beyond apx. *Theor. Comput. Sci.*, 359(1-3):369–377, 2006.

[158] Zoltán Ésik. Characterizing ctl-like logics on finite trees. *Theor. Comput. Sci.*, 356(1-2):136–152, 2006.

[159] Claudia Faggian. Interactive observability in ludics: The geometry of tests. *Theor. Comput. Sci.*, 350(2-3):213–233, 2006.

[160] Lisbeth Fajstrup. Cubical local partial orders on cubically subdivided spaces — existence and construction. *Theor. Comput. Sci.*, 365(3):199–205, 2006.

[161] Lisbeth Fajstrup, Martin Raußen, and Eric Goubault. Algebraic topology and concurrency. *Theor. Comput. Sci.*, 357(1-3):241–278, 2006.

[162] Nazim Fatès, Éric Thierry, Michel Morvan, and Nicolas Schabanel. Fully asynchronous behavior of double-quiescent elementary cellular automata. *Theor. Comput. Sci.*, 362(1-3):1–16, 2006.

[163] Michael R. Fellows, Stefan Szeider, and Graham Wrightson. On finding short resolution refutations and small unsatisfiable subsets. *Theor. Comput. Sci.*, 351(3):351–359, 2006.

[164] Marie Ferbus-Zanda and Serge Grigorieff. Kolmogorov complexities k_{max}, k_{min} on computable partially ordered sets. *Theor. Comput. Sci.*, 352(1-3):159–180, 2006.

[165] Elena Fersman, Leonid Mokrushin, Paul Pettersson, and Wang Yi. Schedulability analysis of fixed-priority systems using timed automata. *Theor. Comput. Sci.*, 354(2):301–317, 2006.

[166] Gabriele Fici, Filippo Mignosi, Antonio Restivo, and Marinella Sciortino. Word assembly through minimal forbidden words. *Theor. Comput. Sci.*, 359(1-3):214–230, 2006.

[167] Marcelo Finger and Renata Wassermann. The universe of propositional approximations. *Theor. Comput. Sci.*, 355(2):153–166, 2006.

[168] A. Finkel, G. Geeraerts, J.-F. Raskin, and L. Van Begin. On the ω-language expressive power of extended petri nets. *Theor. Comput. Sci.*, 356(3):374–386, 2006.

[169] Olivier Finkel. On decidability properties of local sentences. *Theor. Comput. Sci.*, 364(2):196–211, 2006.

[170] Philippe Flajolet, Markus Nebel, and Helmut Prodinger. The scientific works of rainer kemp (1949-2004). *Theor. Comput. Sci.*, 355(3):371–381, 2006.

[171] Wan Fokkink, Rob van Glabbeek, and Paulien de Wind. Compositionality of hennessy-milner logic by structural operational semantics. *Theor. Comput. Sci.*, 354(3):421–440, 2006.

[172] Jürgen Forster and Hans Ulrich Simon. On the smallest possible dimension and the largest possible margin of linear arrangements representing given concept classes. *Theor. Comput. Sci.*, 350(1):40–48, 2006.

[173] Wit Foryś and Tomasz Krawczyk. An algorithmic approach to the problem of a semiretract base. *Theor. Comput. Sci.*, 369(1-3):314–322, 2006.

[174] Dimitris Fotakis. Incremental algorithms for facility location and k-median. *Theor. Comput. Sci.*, 361(2-3):275–313, 2006.

[175] Pierre Fraigniaud and Philippe Gauron. D2b: A de bruijn based content-addressable network. *Theor. Comput. Sci.*, 355(1):65–79, 2006.

[176] Greg N. Frederickson and Roberto Solis-Oba. Efficient algorithms for robustness in resource allocation and scheduling problems. *Theor. Comput. Sci.*, 352(1-3):250–265, 2006.

[177] David Friggens and Robert Goldblatt. A modal proof theory for final polynomial coalgebras. *Theor. Comput. Sci.*, 360(1-3):1–22, 2006.

[178] Bertram Fronhöfer and Akihiro Yamamoto. Hypothesis finding with proof theoretical appropriateness criteria. *Theor. Comput. Sci.*, 350(1):140–162, 2006.

[179] Adriana F. Gabor and Jan-Kees C.W. van Ommeren. Approximation algorithms for facility location problems with a special class of subadditive cost functions. *Theor. Comput. Sci.*, 363(3):289–300, 2006.

[180] Martin Gairing, Thomas Lücking, Marios Mavronicolas, and Burkhard Monien. The price of anarchy for polynomial social cost. *Theor. Comput. Sci.*, 369(1-3):116–135, 2006.

[181] A. Gajardo and E. Goles. Crossing information in two-dimensional sandpiles. *Theor. Comput. Sci.*, 369(1-3):463–469, 2006.

[182] Hubert Garavel and Wendelin Serwe. State space reduction for process algebra specifications. *Theor. Comput. Sci.*, 351(2):131–145, 2006.

[183] Pedro Garcíia and Jose Ruiz. Learning in varieties of the form v*li from positive data. *Theor. Comput. Sci.*, 362(1-3):100–114, 2006.

[184] Vijay K. Garg. Algorithmic combinatorics based on slicing posets. *Theor. Comput. Sci.*, 359(1-3):200–213, 2006.

[185] Leszek Gąsieniec, Evangelos Kranakis, Andrzej Pelc, and Qin Xin. Deterministic m2m multicast in radio networks. *Theor. Comput. Sci.*, 362(1-3):196–206, 2006.

[186] Richard F. Geary, Naila Rahman, Rajeev Raman, and Venkatesh Raman. A simple optimal representation for balanced parentheses. *Theor. Comput. Sci.*, 368(3):231–246, 2006.

[187] D.R. Ghica, A.S. Murawski, and C.-H.L. Ong. Syntactic control of concurrency. *Theor. Comput. Sci.*, 350(2-3):234–251, 2006.

[188] Amy Glen. Occurrences of palindromes in characteristic sturmian words. *Theor. Comput. Sci.*, 352(1-3):31–46, 2006.

[189] Massimiliano Goldwurm and Violetta Lonati. Pattern statistics and vandermonde matrices. *Theor. Comput. Sci.*, 356(1-2):153–169, 2006.

[190] Teofilo F. Gonzalez and David Serena. Pairwise edge disjoint shortest paths in the n-cube. *Theor. Comput. Sci.*, 369(1-3):427–435, 2006.

[191] Valentin Goranko and Govert van Drimmelen. Complete axiomatization and decidability of alternating-time temporal logic. *Theor. Comput. Sci.*, 353(1-3):93–117, 2006.

[192] Paweł Górecki and Jerzy Tiuryn. Dls-trees: A model of evolutionary scenarios. *Theor. Comput. Sci.*, 359(1-3):378–399, 2006.

[193] Inge Li Gørtz and Anthony Wirth. Asymmetry in k-center variants. *Theor. Comput. Sci.*, 361(2-3):188–199, 2006.

[194] Radu Gramatovici and Carlos Martín-Vide. Sorted dependency insertion grammars. *Theor. Comput. Sci.*, 354(1):142–152, 2006.

[195] Jonathan Gratus and Timothy Porter. A spatial view of information. *Theor. Comput. Sci.*, 365(3):206–215, 2006.

[196] Serge Grigorieff. Synchronization of a bounded degree graph of cellular automata with nonuniform delays in time $d\lfloor \log_m d \rfloor$. *Theor. Comput. Sci.*, 356(1-2):170–185, 2006.

[197] Xiaoyang Gu. A note on dimensions of polynomial size circuits. *Theor. Comput. Sci.*, 359(1-3):176–187, 2006.

[198] Xudong Guan. Name-passing in an ambient-like calculus and its proof using spatial logic. *Theor. Comput. Sci.*, 356(3):440–467, 2006.

[199] Yves Guiraud. Two polygraphic presentations of petri nets. *Theor. Comput. Sci.*, 360(1-3):124–146, 2006.

[200] Frank Gurski and Egon Wanke. Vertex disjoint paths on clique-width bounded graphs. *Theor. Comput. Sci.*, 359(1-3):188–199, 2006.

[201] Helmar Gust, Kai-Uwe Kühnberger, and Ute Schmid. Metaphors and heuristic-driven theory projection (hdtp). *Theor. Comput. Sci.*, 354(1):98–117, 2006.

[202] Sandra Gutiérrez, Sven O. Krumke, Nicole Megow, and Tjark Vredeveld. How to whack moles. *Theor. Comput. Sci.*, 361(2-3):329–341, 2006.

[203] Robert Haas and Michael Hoffmann. Chordless paths through three vertices. *Theor. Comput. Sci.*, 351(3):360–371, 2006.

[204] Esfandiar Haghverdi and Philip Scott. A categorical model for the geometry of interaction. *Theor. Comput. Sci.*, 350(2-3):252–274, 2006.

[205] M.T Hajiaghayi and Tom Leighton. On the max-flow min-cut ratio for directed multicommodity flows. *Theor. Comput. Sci.*, 352(1-3):318–321, 2006.

[206] Mikael Hammar, Bengt J. Nilsson, and Mia Persson. Competitive exploration of rectilinear polygons. *Theor. Comput. Sci.*, 354(3):367–378, 2006.

[207] G. Hamrin and V. Stoltenberg-Hansen. Two categories of effective continuous cpos. *Theor. Comput. Sci.*, 365(3):216–236, 2006.

[208] Tero Harju and Dirk Nowotka. On unique factorizations of primitive words. *Theor. Comput. Sci.*, 356(1-2):186–189, 2006.

[209] Dana Harrington. Uniqueness logic. *Theor. Comput. Sci.*, 354(1):24–41, 2006.

[210] Sven Hartmann and Sebastian Link. Deciding implication for functional dependencies in complex-value databases. *Theor. Comput. Sci.*, 364(2):212–240, 2006.

[211] Sven Hartmann and Sebastian Link. On a problem of fagin concerning multivalued dependencies in relational databases. *Theor. Comput. Sci.*, 353(1-3):53–62, 2006.

[212] Sven Hartmann, Sebastian Link, and Klaus-Dieter Schewe. Axiomatisations of functional dependencies in the presence of records, lists, sets and multisets. *Theor. Comput. Sci.*, 355(2):167–196, 2006. see Erratum in Theor. Comput. Sci., Vol. 360, 2006, No. 1-3, 459-459.

[213] Sven Hartmann, Sebastian Link, and Klaus-Dieter Schewe. Erratum to "axiomatisations of functional dependencies in the presence of records, lists, sets and multisets". *Theor. Comput. Sci.*, 360(1-3):459–459, 2006. Originally in Theor. Comput. Sci., Vol. 355, 2006, No. 2, 167-196.

[214] Daniel Hausmann, Till Mossakowski, and Lutz Schröder. A coalgebraic approach to the semantics of the ambient calculus. *Theor. Comput. Sci.*, 366(1-2):121–143, 2006.

[215] Susumu Hayashi. Mathematics based on incremental learning — texcluded middle and inductive inference. *Theor. Comput. Sci.*, 350(1):125–139, 2006.

[216] Yong He, Weiya Zhong, and Huikun Gu. Improved algorithms for two single machine scheduling problems. *Theor. Comput. Sci.*, 363(3):257–265, 2006.

[217] Lauri Hella and José María Turull-Torres. Computing queries with higher-order logics. *Theor. Comput. Sci.*, 355(2):197–214, 2006.

[218] Lane A. Hemaspaandra, Kari Pasanen, and Jörg Rothe. If $p \neq np$ then some strongly noninvertible functions are invertible. *Theor. Comput. Sci.*, 362(1-3):54–62, 2006.

[219] Thomas A. Henzinger, Orna Kupferman, and Rupak Majumdar. On the universal and existential fragments of the μ-calculus. *Theor. Comput. Sci.*, 354(2):173–186, 2006.

[220] Peter M. Higgins and Christopher J. Saker. Unavoidable sets. *Theor. Comput. Sci.*, 359(1-3):231–238, 2006.

[221] Gillian Hill and Steven Vickers. A language for configuring multi-level specifications. *Theor. Comput. Sci.*, 351(2):146–166, 2006.

[222] M. Hill and I. Robinson. Quadrature using 64-bit ieee arithmetic for integrands over [0,1] with a singularity at 1. *Theor. Comput. Sci.*, 351(1):82–100, 2006.

[223] John M. Hitchcock. Hausdorff dimension and oracle constructions. *Theor. Comput. Sci.*, 355(3):382–388, 2006.

[224] Pawel Hitczenko, Jeremy R. Johnson, and Hung-Jen Huang. Distribution of a class of divide and conquer recurrences arising from the computation of the walsh-hadamard transform. *Theor. Comput. Sci.*, 352(1-3):8–30, 2006.

[225] Petr Hliněý and Detlef Seese. Trees, grids, and mso decidability: From graphs to matroids. *Theor. Comput. Sci.*, 351(3):372–393, 2006.

[226] Michael Hoffmann and Richard M. Thomas. A geometric characterization of automatic semigroups. *Theor. Comput. Sci.*, 369(1-3):300–313, 2006.

[227] Matthias Homeister. Lower bounds for restricted read-once parity branching programs. *Theor. Comput. Sci.*, 359(1-3):1–14, 2006.

[228] Haruo Hosoya and Makoto Murata. Boolean operations and inclusion test for attribute-element constraints. *Theor. Comput. Sci.*, 360(1-3):327–351, 2006.

[229] Jianfeng Hou, Guizhen Liu, and Jiansheng Cai. List edge and list total colorings of planar graphs without 4-cycles. *Theor. Comput. Sci.*, 369(1-3):250–255, 2006.

[230] Jesse Hughes and Milad Niqui. Admissible digit sets. *Theor. Comput. Sci.*, 351(1):61–73, 2006.

[231] Mohamed Eid Hussein and Uwe Schwiegelshohn. Utilization of non-clairvoyant online schedules. *Theor. Comput. Sci.*, 362(1-3):238–247, 2006.

[232] Marcus Hutter. On generalized computable universal priors and their convergence. *Theor. Comput. Sci.*, 364(1):27–41, 2006.

[233] Trinh N.D. Huynh, Wing-Kai Hon, Tak-Wah Lam, and Wing-Kin Sung. Approximate string matching using compressed suffix arrays. *Theor. Comput. Sci.*, 352(1-3):240–249, 2006.

[234] Martin Hyland, Gordon Plotkin, and John Power. Combining effects: Sum and tensor. *Theor. Comput. Sci.*, 357(1-3):70–99, 2006.

[235] Martin Hyland and John Power. Discrete lawvere theories and computational effects. *Theor. Comput. Sci.*, 366(1-2):144–162, 2006.

[236] Oscar H. Ibarra and Zhe Dang. On the solvability of a class of diophantine equations and applications. *Theor. Comput. Sci.*, 352(1-3):342–346, 2006.

[237] Oscar H. Ibarra and Gheorghe Păun. Characterizations of context-sensitive languages and other language classes in terms of symport/antiport p systems. *Theor. Comput. Sci.*, 358(1):88–103, 2006.

[238] Oscar H. Ibarra and Bala Ravikumar. On partially blind multihead finite automata. *Theor. Comput. Sci.*, 356(1-2):190–199, 2006.

[239] Oscar H. Ibarra and Hsu-Chun Yen. Deterministic catalytic systems are not universal. *Theor. Comput. Sci.*, 363(2):149–161, 2006.

[240] Abdessamad Imine, Michaël Rusinowitch, Gérald Oster, and Pascal Molli. Formal design and verification of operational transformation algorithms for copies convergence. *Theor. Comput. Sci.*, 351(2):167–183, 2006.

21

[241] Florentin Ipate. Testing against a non-controllable stream x-machine using state counting. *Theor. Comput. Sci.*, 353(1-3):291–316, 2006.

[242] Oleg Izmerly and Tal Mor. Chosen ciphertext attacks on lattice-based public key encryption and modern (non-quantum) cryptography in a quantum environment. *Theor. Comput. Sci.*, 367(3):308–323, 2006.

[243] Jens Jägersküpper. How the (1+1) es using isotropic mutations minimizes positive definite quadratic forms. *Theor. Comput. Sci.*, 361(1):38–56, 2006.

[244] Jesper Jansson and Wing-Kin Sung. Inferring a level-1 phylogenetic network from a dense set of rooted triplets. *Theor. Comput. Sci.*, 363(1):60–68, 2006.

[245] Giorgi Japaridze. From truth to computability — i. *Theor. Comput. Sci.*, 357(1-3):100–135, 2006.

[246] Min Ji, Yong He, and T.C.E. Cheng. Scheduling linear deteriorating jobs with an availability constraint on a single machine. *Theor. Comput. Sci.*, 362(1-3):115–126, 2006.

[247] He Jifeng, Xiaoshan Li, and Zhiming Liu. rcos: A refinement calculus of object systems. *Theor. Comput. Sci.*, 365(1-2):109–142, 2006.

[248] Zemin Jin and Xueliang Li. On the k-path cover problem for cacti. *Theor. Comput. Sci.*, 355(3):354–363, 2006.

[249] Einar Broch Johnsen, Olaf Owe, and Ingrid Chieh Yu. Creol: A type-safe object-oriented model for distributed concurrent systems. *Theor. Comput. Sci.*, 365(1-2):23–66, 2006.

[250] T. Jurdziński, F. Mraz, F. Otto, and M. Plátek. Degrees of non-monotonicity for restarting automata. *Theor. Comput. Sci.*, 369(1-3):1–34, 2006.

[251] Tomasz Jurdziński and Friedrich Otto. Restarting automata with restricted utilization of auxiliary symbols. *Theor. Comput. Sci.*, 363(2):162–181, 2006.

[252] Teturo Kamae, Hui Rao, and Yu-Mei Xue. Maximal pattern complexity of two-dimensional words. *Theor. Comput. Sci.*, 359(1-3):15–27, 2006.

[253] Mark Kambites. Automatic semigroups and categories. *Theor. Comput. Sci.*, 353(1-3):272–290, 2006.

[254] Mark Kambites. Word problems recognisable by deterministic blind monoid automata. *Theor. Comput. Sci.*, 362(1-3):232–237, 2006.

[255] Norihiro Kamide. Linear and affine logics with temporal, spatial and epistemic operators. *Theor. Comput. Sci.*, 353(1-3):165–207, 2006.

[256] Michael Kaminski. Invariance under stuttering in a temporal logic of actions. *Theor. Comput. Sci.*, 368(1-2):50–63, 2006.

[257] Michael Kaminski and Julia Rubin-Mosin. Default theories over monadic languages. *Theor. Comput. Sci.*, 364(2):241–253, 2006.

[258] Juhani Karhumäki, Michal Kunc, and Alexander Okhotin. Computing by commuting. *Theor. Comput. Sci.*, 356(1-2):200–211, 2006.

[259] Hans Kellerer and Vitaly A. Strusevich. A fully polynomial approximation scheme for the single machine weighted total tardiness problem with a common due date. *Theor. Comput. Sci.*, 369(1-3):230–238, 2006.

[260] Andrew Kennedy. Securing the .net programming model. *Theor. Comput. Sci.*, 364(3):311–317, 2006.

[261] Stephan Kepser and Uwe Mönnich. Closure properties of linear context-free tree languages with an application to optimality theory. *Theor. Comput. Sci.*, 354(1):82–97, 2006.

[262] Faisal Shah Khan and Marek Perkowski. Synthesis of multiqudit hybrid and d-valued quantum logic circuits by decomposition. *Theor. Comput. Sci.*, 367(3):336–346, 2006. see Erratum in Theor. Comput. Sci., Vol. 403, 2008, No. 1, 130-131.

[263] Genshiro Kitagawa. Signal extraction and knowledge discovery based on statistical modeling. *Theor. Comput. Sci.*, 364(1):132–142, 2006.

[264] Joachim Klein and Christel Baier. Experiments with deterministic ω-automata for formulas of linear temporal logic. *Theor. Comput. Sci.*, 363(2):182–195, 2006.

[265] Alexander Knapp, Stephan Merz, Martin Wirsing, and Júlia Zappe. Specification and refinement of mobile systems in mtla and mobile uml. *Theor. Comput. Sci.*, 351(2):184–202, 2006.

[266] Johannes Köbler and Wolfgang Lindner. The complexity of learning concept classes with polynomial general dimension. *Theor. Comput. Sci.*, 350(1):49–62, 2006.

[267] Ronald Koch and Ines Spenke. Complexity and approximability of k-splittable flows. *Theor. Comput. Sci.*, 369(1-3):338–347, 2006.

[268] Stavros G. Kolliopoulos and George Steiner. Approximation algorithms for minimizing the total weighted tardiness on a single machine. *Theor. Comput. Sci.*, 355(3):261–273, 2006.

[269] Peter Kornerup and Jean-Michel Muller. Choosing starting values for certain newton-raphson iterations. *Theor. Comput. Sci.*, 351(1):101–110, 2006.

[270] Marcus Kracht. Partial algebras, meaning categories and algebraization. *Theor. Comput. Sci.*, 354(1):131–141, 2006.

[271] Markus Krötzsch. Generalized ultrametric spaces in quantitative domain theory. *Theor. Comput. Sci.*, 368(1-2):30–49, 2006.

[272] Sven O. Krumke, Willem E. de Paepe, Diana Poensgen, and Leen Stougie. Erratum to "news from the online traveling repairman". *Theor. Comput. Sci.*, 352(1-3):347–348, 2006. Originally in Theor. Comput. Sci., Vol. 295, 2003, No. 1-3, 279-294.

[273] Nikolai V. Krupski. On the complexity of the reflected logic of proofs. *Theor. Comput. Sci.*, 357(1-3):136–142, 2006.

[274] Vladimir N. Krupski. Referential logic of proofs. *Theor. Comput. Sci.*, 357(1-3):143–166, 2006.

[275] Piotr Krysta and Krzysztof Loryś. Efficient approximation algorithms for the achromatic number. *Theor. Comput. Sci.*, 361(2-3):150–171, 2006.

[276] Antonín Kučera and Philippe Schnoebelen. A general approach to comparing infinite-state systems with their finite-state specifications. *Theor. Comput. Sci.*, 358(2-3):315–333, 2006.

[277] Rajeev Kumar and Nilanjan Banerjee. Analysis of a multiobjective evolutionary algorithm on the 0-1 knapsack problem. *Theor. Comput. Sci.*, 358(1):104–120, 2006.

[278] Rohit N. Kundaji and R.K. Shyamasundar. Refinement calculus: A basis for translation validation, debugging and certification. *Theor. Comput. Sci.*, 354(1):153–168, 2006.

[279] H.-P.A. Künzi, H. Pajoohesh, and M.P. Schellekens. Partial quasi-metrics. *Theor. Comput. Sci.*, 365(3):237–246, 2006.

[280] Lakshmanan Kuppusamy. A note on ambiguity of internal contextual grammars. *Theor. Comput. Sci.*, 369(1-3):436–441, 2006.

[281] Juliana Küster-Filipe. Modelling concurrent interactions. *Theor. Comput. Sci.*, 351(2):203–220, 2006.

[282] J. Laird. A calculus of coroutines. *Theor. Comput. Sci.*, 350(2-3):275–291, 2006.

[283] Yngve Lamo and Michał Walicki. Quantifier-free logic for nondeterministic theories. *Theor. Comput. Sci.*, 355(2):215–227, 2006.

[284] F. Laroussinie, N. Markey, and Ph. Schnoebelen. Efficient timed model checking for discrete-time systems. *Theor. Comput. Sci.*, 353(1-3):249–271, 2006.

[285] Sławomir Lasota. Decidability of performance equivalence for basic parallel processes. *Theor. Comput. Sci.*, 360(1-3):172–192, 2006.

[286] Michel Latteux, Aurélien Lemay, Yves Roos, and Alain Terlutte. Identification of birfsa languages. *Theor. Comput. Sci.*, 356(1-2):212–223, 2006.

[287] Peeter Laud, Tarmo Uustalu, and Varmo Vene. Type systems equivalent to data-flow analyses for imperative languages. *Theor. Comput. Sci.*, 364(3):292–310, 2006.

[288] Christian Lavault and Guy Louchard. Asymptotic analysis of a leader election algorithm. *Theor. Comput. Sci.*, 359(1-3):239–254, 2006.

[289] Hanno Lefmann. Large triangles in the d-dimensional unit cube. *Theor. Comput. Sci.*, 363(1):85–98, 2006.

[290] H.F. Leung, Z.S. Peng, and H.F. Ting. An efficient algorithm for online square detection. *Theor. Comput. Sci.*, 363(1):69–75, 2006.

[291] Asaf Levin and Danny Segev. Partial multicuts in trees. *Theor. Comput. Sci.*, 369(1-3):384–395, 2006.

[292] Anton Leykin, Jan Verschelde, and Ailing Zhao. Newton's method with deflation for isolated singularities of polynomial systems. *Theor. Comput. Sci.*, 359(1-3):111–122, 2006.

[293] Lvzhou Li and Daowen Qiu. Determination of equivalence between quantum sequential machines. *Theor. Comput. Sci.*, 358(1):65–74, 2006.

[294] Bo Liao and Kequan Ding. A 3d graphical representation of dna sequences and its application. *Theor. Comput. Sci.*, 358(1):56–64, 2006.

[295] Mingen Lin, Zhiyong Lin, and Jinhui Xu. Graph bandwidth of weighted caterpillars. *Theor. Comput. Sci.*, 363(3):266–277, 2006.

[296] Yiguang Liu, Zhisheng You, and Liping Cao. A concise functional neural network computing the largest modulus eigenvalues and their corresponding eigenvectors of a real skew matrix. *Theor. Comput. Sci.*, 367(3):273–285, 2006.

[297] Markus Lohrey and Sebastian Maneth. The complexity of tree automata and xpath on grammar-compressed trees. *Theor. Comput. Sci.*, 363(2):196–210, 2006.

[298] Sylvain Lombardy and Jacques Sakarovitch. Sequential? *Theor. Comput. Sci.*, 356(1-2):224–244, 2006.

[299] Stefano Lonardi, Wojciech Szpankowski, and Qiaofeng Yang. Finding biclusters by random projections. *Theor. Comput. Sci.*, 368(3):217–230, 2006.

26

[300] Remco Loos. An alternative definition of splicing. *Theor. Comput. Sci.*, 358(1):75–87, 2006.