

## References

- [1] Heiner Ackermann, Alantha Newman, Heiko Röglin, and Berthold Vöcking. Decision-making based on approximate and smoothed pareto curves. *Theor. Comput. Sci.*, 378(3):253–270, 2007.
- [2] Boris Adamczewski and Jean-Paul Allouche. Reversals and palindromes in continued fractions. *Theor. Comput. Sci.*, 380(3):220–237, 2007.
- [3] Jiří Adámek, Stefan Milius, and Jiří Velebil. Algebras with parametrized iterativity. *Theor. Comput. Sci.*, 388(1-3):130–151, 2007.
- [4] Alexander Ahern and Nobuko Yoshida. Formalising java rmi with explicit code mobility. *Theor. Comput. Sci.*, 389(3):341–410, 2007.
- [5] Alessandro Aldini and Marco Bernardo. Mixing logics and rewards for the component-oriented specification of performance measures. *Theor. Comput. Sci.*, 382(1):3–23, 2007.
- [6] V.E. Alekseev, R. Boliac, D.V. Korobitsyn, and V.V. Lozin.  $np$ -hard graph problems and boundary classes of graphs. *Theor. Comput. Sci.*, 389(1-2):219–236, 2007.
- [7] Jorge Almeida and Marc Zeitoun. An automata-theoretic approach to the word problem for  $\omega$ -terms over  $r$ . *Theor. Comput. Sci.*, 370(1-3):131–169, 2007.
- [8] Marco Almeida, Nelma Moreira, and Rogério Reis. Enumeration and generation with a string automata representation. *Theor. Comput. Sci.*, 387(2):93–102, 2007.
- [9] Noga Alon, Andrzej Lingas, and Martin Wahlen. Approximating the maximum clique minor and some subgraph homeomorphism problems. *Theor. Comput. Sci.*, 374(1-3):149–158, 2007.
- [10] Carme Àlvarez, Rafel Cases, Josep Díaz, Jordi Petit, and Maria Serna. Communication tree problems. *Theor. Comput. Sci.*, 381(1-3):197–217, 2007.

- [11] Andris Ambainis, Kazuo Iwama, Akinori Kawachi, Rudy Raymond, and Shigeru Yamashita. Improved algorithms for quantum identification of boolean oracles. *Theor. Comput. Sci.*, 378(1):41–53, 2007.
- [12] Amiran Ambroladze, Emilio Parrado-Hernández, and John Shawe-Taylor. Complexity of pattern classes and the lipschitz property. *Theor. Comput. Sci.*, 382(3):232–246, 2007.
- [13] Petr Ambrož and Christiane Frougny. On alpha-adic expansions in pisot bases. *Theor. Comput. Sci.*, 380(3):238–250, 2007.
- [14] A. Amiraslani, D.A. Aruliah, and R.M. Corless. Block lu factors of generalized companion matrix pencils. *Theor. Comput. Sci.*, 381(1-3):134–147, 2007.
- [15] D.S. Ananichev, M.V. Volkov, and Yu.I. Zaks. Synchronizing automata with a letter of deficiency 2. *Theor. Comput. Sci.*, 376(1-2):30–41, 2007.
- [16] Y. André, A.C. Caron, D. Debarbieux, Y. Roos, and S. Tison. Path constraints in semistructured data. *Theor. Comput. Sci.*, 385(1-3):11–33, 2007.
- [17] Oana Andrei, Gabriel Ciobanu, and Dorel Lucanu. A rewriting logic framework for operational semantics of membrane systems. *Theor. Comput. Sci.*, 373(3):163–181, 2007.
- [18] Pierre Arnoux, Valérie Berthé, Thomas Fernique, and Damien Jamet. Functional stepped surfaces, flips, and generalized substitutions. *Theor. Comput. Sci.*, 380(3):251–265, 2007.
- [19] Jan Arpe and Rüdiger Reischuk. Learning juntas in the presence of noise. *Theor. Comput. Sci.*, 384(1):2–21, 2007.
- [20] Eugene Asarin, Gerardo Schneider, and Sergio Yovine. Algorithmic analysis of polygonal hybrid systems, part i: Reachability. *Theor. Comput. Sci.*, 379(1-2):231–265, 2007.
- [21] Katerina Asdre and Stavros D. Nikolopoulos.  $np$ -completeness results for some problems on subclasses of bipartite and chordal graphs. *Theor. Comput. Sci.*, 381(1-3):248–259, 2007.

- [22] David Aspinall, Lennart Beringer, Martin Hofmann, Hans-Wolfgang Loidl, and Alberto Momigliano. A program logic for resources. *Theor. Comput. Sci.*, 389(3):411–445, 2007.
- [23] James Aspnes, Joan Feigenbaum, Aleksandr Yampolskiy, and Sheng Zhong. Towards a theory of data entanglement. *Theor. Comput. Sci.*, 389(1-2):26–43, 2007.
- [24] Albert Atserias. Conjunctive query evaluation by search-tree revisited. *Theor. Comput. Sci.*, 371(3):155–168, 2007.
- [25] Adi Avidor and Michael Langberg. The multi-multiway cut problem. *Theor. Comput. Sci.*, 377(1-3):35–42, 2007.
- [26] Jeremy Avigad and Yimu Yin. Quantifier elimination for the reals with a predicate for the powers of two. *Theor. Comput. Sci.*, 370(1-3):48–59, 2007.
- [27] Chen Avin and Gunes Ercal. On the cover time and mixing time of random geometric graphs. *Theor. Comput. Sci.*, 380(1-2):2–22, 2007.
- [28] Mihai Bădoiu, Richard Cole, Erik D. Demaine, and John Iacono. A unified access bound on comparison-based dynamic dictionaries. *Theor. Comput. Sci.*, 382(2):86–96, 2007.
- [29] Peter Baláži, Zuzana Masáková, and Edita Pelantová. Factor versus palindromic complexity of uniformly recurrent infinite words. *Theor. Comput. Sci.*, 380(3):266–275, 2007.
- [30] José L. Balcázar and Gemma C. Garriga. Horn axiomatizations for sequential data. *Theor. Comput. Sci.*, 371(3):247–264, 2007.
- [31] P. Baldan, A. Bracciali, and R. Bruni. A semantic framework for open processes. *Theor. Comput. Sci.*, 389(3):446–483, 2007.
- [32] Vipul Bansal, Aseem Agrawal, and Varun S. Malhotra. Polynomial time algorithm for an optimal stable assignment with multiple partners. *Theor. Comput. Sci.*, 379(3):317–328, 2007.
- [33] Franco Barbanera, Michele Bugliesi, Mariangiola Dezani-Ciancaglini, and Vladimiro Sassone. Space-aware ambients and processes. *Theor. Comput. Sci.*, 373(1-2):41–69, 2007.

- [34] Jérémy Barbay, Alexander Golynski, J. Ian Munro, and S. Srinivasa Rao. Adaptive searching in succinctly encoded binary relations and tree-structured documents. *Theor. Comput. Sci.*, 387(3):284–297, 2007.
- [35] Chris Barrett, Harry B. Hunt III, Madhav V. Marathe, S.S. Ravi, Daniel J. Rosenkrantz, Richard E. Stearns, and Mayur Thakur. Predecessor existence problems for finite discrete dynamical systems. *Theor. Comput. Sci.*, 386(1-2):3–37, 2007. see Erratum in *Theor. Comput. Sci.*, Vol. 395, 2008, No. 1, 132-133.
- [36] Frédérique Bassino and Cyril Nicaud. Enumeration and random generation of accessible automata. *Theor. Comput. Sci.*, 381(1-3):86–104, 2007.
- [37] Cédric Bastien, Jurek Czyzowicz, Wojciech Fraczak, and Wojciech Rytter. Equivalence of simple functions. *Theor. Comput. Sci.*, 376(1-2):42–51, 2007.
- [38] Véronica Becher, Santiago Figueira, and Rafael Picchi. Turing’s unpublished algorithm for normal numbers. *Theor. Comput. Sci.*, 377(1-3):126–138, 2007.
- [39] Verónica Becher and Serge Grigorieff. Random reals à la chaitin with or without prefix-freeness. *Theor. Comput. Sci.*, 385(1-3):193–201, 2007.
- [40] Nicolas Bedaride. Classification of rotations on the torus  $t^2$ . *Theor. Comput. Sci.*, 385(1-3):214–225, 2007.
- [41] Edwin J. Beggs and John V. Tucker. Can newtonian systems, bounded in space, time, mass and energy compute all functions? *Theor. Comput. Sci.*, 371(1-2):4–19, 2007.
- [42] Paul Bell and Igor Potapov. On the membership of invertible diagonal and scalar matrices. *Theor. Comput. Sci.*, 372(1):37–45, 2007.
- [43] Boaz Ben-Moshe, Binay Bhattacharya, Qiaosheng Shi, and Arie Tamir. Efficient algorithms for center problems in cactus networks. *Theor. Comput. Sci.*, 378(3):237–252, 2007.
- [44] W. Benfold, J. Hallam, and A. Prügel-Bennett. Optimal parameters for search using a barrier tree markov model. *Theor. Comput. Sci.*, 386(1-2):94–113, 2007.

- [45] Fredrik Bengtsson and Jingsen Chen. Ranking  $k$  maximum sums. *Theor. Comput. Sci.*, 377(1-3):229–237, 2007.
- [46] Rotem Bennet and Nader H. Bshouty. Learning attribute-efficiently with corrupt oracles. *Theor. Comput. Sci.*, 387(1):32–50, 2007.
- [47] André Berger, Takuro Fukunaga, Hiroshi Nagamochi, and Ojas Parekh. Approximability of the capacitated  $b$ -edge dominating set problem. *Theor. Comput. Sci.*, 385(1-3):202–213, 2007.
- [48] Noam Berger, Béla Bollobás, Christian Borgs, Jennifer Chayes, and Oliver Riordan. Degree distribution of the fkp network model. *Theor. Comput. Sci.*, 379(3):306–316, 2007.
- [49] Piotr Berman, Marek Karpinski, and Yakov Nekrich. Optimal trade-off for merkle tree traversal. *Theor. Comput. Sci.*, 372(1):26–36, 2007.
- [50] Jean-Claude Bermond, Laurent Braud, and David Coudert. Traffic grooming on the path. *Theor. Comput. Sci.*, 384(2-3):139–151, 2007.
- [51] Francesco Bernardini, Marian Gheorghe, and Natalio Krasnogor. Quorum sensing  $p$  systems. *Theor. Comput. Sci.*, 371(1-2):20–33, 2007.
- [52] Julien Bernat, Zuzana Masáková, and Edita Pelantová. On a class of infinite words with affine factor complexity. *Theor. Comput. Sci.*, 389(1-2):12–25, 2007.
- [53] Valérie Berthé and Bertrand Nouvel. Discrete rotations and symbolic dynamics. *Theor. Comput. Sci.*, 380(3):276–285, 2007.
- [54] Jérôme Besombes and Jean-Yves Marion. Learning tree languages from positive examples and membership queries. *Theor. Comput. Sci.*, 382(3):183–197, 2007.
- [55] Olaf Beyersdorff. Classes of representable disjoint  $np$ -pairs. *Theor. Comput. Sci.*, 377(1-3):93–109, 2007.
- [56] Franziska Biegler, Michael J. Burrell, and Mark Daley. Regulated rna rewriting: Modelling rna editing with guided insertion. *Theor. Comput. Sci.*, 387(2):103–112, 2007.

- [57] Franziska Biegler, Ian McQuillan, and Kai Salomaa. An infinite hierarchy induced by depth synchronization. *Theor. Comput. Sci.*, 387(2):113–124, 2007.
- [58] Małgorzata Biernacka and Olivier Danvy. A syntactic correspondence between context-sensitive calculi and abstract machines. *Theor. Comput. Sci.*, 375(1-3):76–108, 2007.
- [59] L. Birkedal, R.E. Møgelberg, and R.L. Petersen. Domain-theoretical models of parametric polymorphism. *Theor. Comput. Sci.*, 388(1-3):152–172, 2007.
- [60] F. Blanchet-Sadri and Nathan D. Wetzler. Partial words and the critical factorization theorem revisited. *Theor. Comput. Sci.*, 385(1-3):179–192, 2007.
- [61] Daniel Bleichenbacher, Aggelos Kiayias, and Moti Yung. Decoding interleaved reed-solomon codes over noisy channels. *Theor. Comput. Sci.*, 379(3):348–360, 2007.
- [62] Guillaume Blin, Guillaume Fertin, and Stéphane Vialette. Extracting constrained 2-interval subsets in 2-interval sets. *Theor. Comput. Sci.*, 385(1-3):241–263, 2007.
- [63] Manuel Bodirsky, Clemens Gröpl, and Mihyun Kang. Generating labeled planar graphs uniformly at random. *Theor. Comput. Sci.*, 379(3):377–386, 2007.
- [64] Vincenzo Bonifaci. An adversarial queueing model for online server routing. *Theor. Comput. Sci.*, 381(1-3):280–287, 2007.
- [65] Jean-Pierre Borel. A geometrical characterization of factors of multidimensional billiard words and some applications. *Theor. Comput. Sci.*, 380(3):286–303, 2007.
- [66] Laura Bozzelli. Complexity results on branching-time pushdown model checking. *Theor. Comput. Sci.*, 379(1-2):286–297, 2007.
- [67] Andreas Brandstädt, Elaine M. Eschen, and R. Sritharan. The induced matching and chain subgraph cover problems for convex bipartite graphs. *Theor. Comput. Sci.*, 381(1-3):260–265, 2007.

- [68] Andreas Brandstädt and Chinh T. Hoàng. On clique separators, nearly chordal graphs, and the maximum weight stable set problem. *Theor. Comput. Sci.*, 389(1-2):295–306, 2007.
- [69] Andreas Brandstädt, Van Bang Le, and Suhail Mahfud. New applications of clique separator decomposition for the maximum weight stable set problem. *Theor. Comput. Sci.*, 370(1-3):229–239, 2007.
- [70] Sébastien Briaïs and Uwe Nestmann. A formal semantics for protocol narrations. *Theor. Comput. Sci.*, 389(3):484–511, 2007.
- [71] Sébastien Briaïs and Uwe Nestmann. Open bisimulation, revisited. *Theor. Comput. Sci.*, 386(3):236–271, 2007.
- [72] Hajo Broersma and Xueliang Li. On the complexity of dominating set problems related to the minimum all-ones problem. *Theor. Comput. Sci.*, 385(1-3):60–70, 2007.
- [73] Stephen Brookes. A semantics for concurrent separation logic. *Theor. Comput. Sci.*, 375(1-3):227–270, 2007.
- [74] Yuriy Brun. Arithmetic computation in the tile assembly model: Addition and multiplication. *Theor. Comput. Sci.*, 378(1):17–31, 2007.
- [75] Andrei Bulatov, Hubie Chen, and Víctor Dalmau. Learning intersection-closed classes with signatures. *Theor. Comput. Sci.*, 382(3):209–220, 2007.
- [76] Mark Burgin. Algorithmic complexity as a criterion of unsolvability. *Theor. Comput. Sci.*, 383(2-3):244–259, 2007.
- [77] Nadia Busi. Using well-structured transition systems to decide divergence for catalytic  $p$  systems. *Theor. Comput. Sci.*, 372(2-3):125–135, 2007.
- [78] D. Cacciagrano, F. Corradini, and C. Palamidessi. Separation of synchronous and asynchronous communication via testing. *Theor. Comput. Sci.*, 386(3):218–235, 2007.
- [79] Jin-Yi Cai and Vinay Choudhary. Valiant’s holant theorem and matchgate tensors. *Theor. Comput. Sci.*, 384(1):22–32, 2007.

- [80] Diego Calvanese, Giuseppe De Giacomo, Maurizio Lenzerini, and Moshe Y. Vardi. View-based query processing: On the relationship between rewriting, answering and losslessness. *Theor. Comput. Sci.*, 371(3):169–182, 2007.
- [81] James M. Calvin. A lower bound on complexity of optimization on the wiener space. *Theor. Comput. Sci.*, 383(2-3):132–139, 2007.
- [82] Saverio Caminiti, Irene Finocchi, and Rossella Petreschi. On coding labeled trees. *Theor. Comput. Sci.*, 382(2):97–108, 2007.
- [83] Ioannis Caragiannis, Aleksei V. Fishkin, Christos Kaklamanis, and Evi Papaioannou. A tight bound for online colouring of disk graphs. *Theor. Comput. Sci.*, 384(2-3):152–160, 2007.
- [84] Andrew Carnell and Daniel Richardson. Parallel computation in spiking neural nets. *Theor. Comput. Sci.*, 386(1-2):57–72, 2007.
- [85] Arturo Carpi. On dejean’s conjecture over large alphabets. *Theor. Comput. Sci.*, 385(1-3):137–151, 2007.
- [86] Olivier Carton. The growth ratio of synchronous rational relations is unique. *Theor. Comput. Sci.*, 376(1-2):52–59, 2007.
- [87] Olivier Carton and Chloé Rispal. Complementation of rational sets on scattered linear orderings of finite rank. *Theor. Comput. Sci.*, 382(2):109–119, 2007.
- [88] J. Cassaigne and A.E. Frid. On the arithmetical complexity of sturmian words. *Theor. Comput. Sci.*, 380(3):304–316, 2007.
- [89] Dario Catalano and Rosario Gennaro. Cramer-dåmgard signatures revisited: Efficient flat-tree signatures based on factoring. *Theor. Comput. Sci.*, 370(1-3):186–200, 2007.
- [90] Dario Catalano and Ivan Visconti. Hybrid commitments and their applications to zero-knowledge proof systems. *Theor. Comput. Sci.*, 374(1-3):229–260, 2007.
- [91] Matteo Cavaliere, Rudolf Freund, Marion Oswald, and Dragoş Sburlan. Multiset random context grammars, checkers, and transducers. *Theor. Comput. Sci.*, 372(2-3):136–151, 2007.



- [92] Julien Cervelle, Enrico Formenti, and Benoît Masson. From sandpiles to sand automata. *Theor. Comput. Sci.*, 381(1-3):1–28, 2007.
- [93] Nicolò Cesa-Bianchi. Applications of regularized least squares to pattern classification. *Theor. Comput. Sci.*, 382(3):221–231, 2007.
- [94] R. Chadha, L. Cruz-Filipe, P. Mateus, and A. Sernadas. Reasoning about probabilistic sequential programs. *Theor. Comput. Sci.*, 379(1-2):142–165, 2007.
- [95] Gerard J. Chang, Sen-Peng Eu, and Chung-Heng Yeh. On the  $(n, t)$ -antipodal gray codes. *Theor. Comput. Sci.*, 374(1-3):82–90, 2007.
- [96] Krishnendu Chatterjee. Concurrent games with tail objectives. *Theor. Comput. Sci.*, 388(1-3):181–198, 2007.
- [97] Konstantinos Chatzikokolakis and Catuscia Palamidessi. A framework for analyzing probabilistic protocols and its application to the partial secrets exchange. *Theor. Comput. Sci.*, 389(3):512–527, 2007.
- [98] Erdong Chen, Linji Yang, and Hao Yuan. Longest increasing subsequences in windows based on canonical antichain partition. *Theor. Comput. Sci.*, 378(3):223–236, 2007.
- [99] Mingxia Chen, Jianbo Li, Jianping Li, Weidong Li, and Lusheng Wang. Some approximation algorithms for the clique partition problem in weighted interval graphs. *Theor. Comput. Sci.*, 381(1-3):124–133, 2007.
- [100] Wenbin Chen and Jiangtao Meng. Hardness of approximating the minimum solutions of linear diophantine equations. *Theor. Comput. Sci.*, 374(1-3):191–195, 2007.
- [101] Gang Cheng, Ping Li, and Peng Shi. A new algorithm based on copulas for var valuation with empirical calculations. *Theor. Comput. Sci.*, 378(2):190–197, 2007.
- [102] Yongxi Cheng. Lattice grids and prisms are antimagic. *Theor. Comput. Sci.*, 374(1-3):66–73, 2007.
- [103] Yongxi Cheng, Xi Chen, and Yiqun Lisa Yin. On searching a table consistent with division poset. *Theor. Comput. Sci.*, 370(1-3):240–253, 2007.

- [104] Bogdan S. Chlebus and Mariusz A. Rokicki. Centralized asynchronous broadcast in radio networks. *Theor. Comput. Sci.*, 383(1):5–22, 2007.
- [105] Christian Choffrut, Flavio D’Alessandro, and Stefano Varricchio. On the separability of sparse context-free languages and of bounded rational relations. *Theor. Comput. Sci.*, 381(1-3):274–279, 2007.
- [106] S. Cimato, R. De Prisco, and A. De Santis. Colored visual cryptography without color darkening. *Theor. Comput. Sci.*, 374(1-3):261–276, 2007.
- [107] Gabriel Ciobanu, Linqiang Pan, Gheorghe Păun, and Mario J. Pérez-Jiménez.  $p$  systems with minimal parallelism. *Theor. Comput. Sci.*, 378(1):117–130, 2007.
- [108] Corina Cîrstea and Dirk Pattinson. Modular construction of complete coalgebraic logics. *Theor. Comput. Sci.*, 388(1-3):83–108, 2007.
- [109] Manuel Clavel, José Meseguer, and Miguel Palomino. Reflection in membership equational logic, many-sorted equational logic, horn logic with equality, and rewriting logic. *Theor. Comput. Sci.*, 373(1-2):70–91, 2007.
- [110] Sean Cleary, Fabrizio Luccio, and Linda Pagli. Refined upper bounds for right-arm rotation distances. *Theor. Comput. Sci.*, 377(1-3):277–281, 2007.
- [111] Andrea E.F. Clementi, Miriam Di Ianni, Massimo Lauria, Angelo Monti, Gianluca Rossi, and Riccardo Silvestri. On the bounded-hop mst problem on random euclidean instances. *Theor. Comput. Sci.*, 384(2-3):161–167, 2007.
- [112] Byron Cook, Daniel Kroening, and Natasha Sharygina. Verification of boolean programs with unbounded thread creation. *Theor. Comput. Sci.*, 388(1-3):227–242, 2007.
- [113] Brendan Cordy and Kai Salomaa. On the existence of regular approximations. *Theor. Comput. Sci.*, 387(2):125–135, 2007.
- [114] Erzsébet Csuhaj-Varjú, Maurice Margenstern, György Vaszil, and Sergey Verlan. On small universal antiport  $p$  systems. *Theor. Comput. Sci.*, 372(2-3):152–164, 2007.

- [115] Erzsébet Csuhaj-Varjú, Ion Petre, and György Vaszil. Self-assembly of strings and languages. *Theor. Comput. Sci.*, 374(1-3):74–81, 2007.
- [116] Eugen Czeizler and Jarkko Kari. A tight linear bound on the synchronization delay of bijective automata. *Theor. Comput. Sci.*, 380(1-2):23–36, 2007.
- [117] Artur Czumaj, Mirosław Kowaluk, and Andrzej Lingas. Faster algorithms for finding lowest common ancestors in directed acyclic graphs. *Theor. Comput. Sci.*, 380(1-2):37–46, 2007.
- [118] Ugo Dal Lago, Angelo Montanari, and Gabriele Puppis. Compact and tractable automaton-based representations of time granularities. *Theor. Comput. Sci.*, 373(1-2):115–141, 2007.
- [119] Flavio D’Alessandro, Gwénaél Richomme, and Stefano Varricchio. Well quasi-orders generated by a word-shuffle rewriting. *Theor. Comput. Sci.*, 377(1-3):73–92, 2007.
- [120] Mark Daley and Michael Domaratzki. On codes defined by bio-operations. *Theor. Comput. Sci.*, 378(1):3–16, 2007.
- [121] Sebastian Danicic, Mark Harman, Rob Hierons, John Howroyd, and Michael R. Laurence. Equivalence of linear, free, liberal, structured program schemas is decidable in polynomial time. *Theor. Comput. Sci.*, 373(1-2):1–18, 2007.
- [122] Shantanu Das, Paola Flocchini, Shay Kutten, Amiya Nayak, and Nicola Santoro. Map construction of unknown graphs by multiple agents. *Theor. Comput. Sci.*, 385(1-3):34–48, 2007.
- [123] Jürgen Dassow and Bianca Truthe. On the number of components for some parallel communicating grammar systems. *Theor. Comput. Sci.*, 387(2):136–146, 2007.
- [124] Anuj Dawar and Stephan Kreutzer. Generalising automaticity to modal properties of finite structures. *Theor. Comput. Sci.*, 379(1-2):266–285, 2007.
- [125] Rocco De Nicola, Joost-Pieter Katoen, Diego Latella, Michele Loreti, and Mieke Massink. Model checking mobile stochastic logic. *Theor. Comput. Sci.*, 382(1):42–70, 2007.

- [126] Caterina De Simone and Anna Galluccio. Edge-colouring of regular graphs of large degree. *Theor. Comput. Sci.*, 389(1-2):91–99, 2007.
- [127] Yuxin Deng and Catuscia Palamidessi. Axiomatizations for probabilistic finite-state behaviors. *Theor. Comput. Sci.*, 373(1-2):92–114, 2007.
- [128] Alin Deutsch, Bertram Ludäscher, and Alan Nash. Rewriting queries using views with access patterns under integrity constraints. *Theor. Comput. Sci.*, 371(3):200–226, 2007.
- [129] Aleksej Di Salvo and Guido Proietti. Swapping a failing edge of a shortest paths tree by minimizing the average stretch factor. *Theor. Comput. Sci.*, 383(1):23–33, 2007.
- [130] Răzvan Diaconescu and Petros Stefaneas. Ultraproducts and possible worlds semantics in institutions. *Theor. Comput. Sci.*, 379(1-2):210–230, 2007.
- [131] J. Díaz, M.J. Serna, and N.C. Wormald. Bounds on the bisection width for random  $d$ -regular graphs. *Theor. Comput. Sci.*, 382(2):120–130, 2007.
- [132] Josep Díaz and Marcin Kamiński. Max-cut and max-bisection are  $np$ -hard on unit disk graphs. *Theor. Comput. Sci.*, 377(1-3):271–276, 2007.
- [133] Florian Diedrich and Klaus Jansen. Faster and simpler approximation algorithms for mixed packing and covering problems. *Theor. Comput. Sci.*, 377(1-3):181–204, 2007.
- [134] Martin Dietzfelbinger and Christoph Weidling. Balanced allocation and dictionaries with tightly packed constant size bins. *Theor. Comput. Sci.*, 380(1-2):47–68, 2007.
- [135] Yefim Dinitz and Noam Solomon. Two absolute bounds for distributed bit complexity. *Theor. Comput. Sci.*, 384(2-3):168–183, 2007.
- [136] Igor Dolinka. Axiomatizing the identities of binoid languages. *Theor. Comput. Sci.*, 372(1):1–14, 2007.
- [137] Michael Domaratzki and Kai Salomaa. Transition complexity of language operations. *Theor. Comput. Sci.*, 387(2):147–154, 2007.

- [138] David Doty and Jared Nichols. Pushdown dimension. *Theor. Comput. Sci.*, 381(1-3):105–123, 2007.
- [139] Wenqing Dou and Enyu Yao. On rearrangeable multirate three-stage clos networks. *Theor. Comput. Sci.*, 372(1):103–107, 2007.
- [140] Yon Dourisboure, Feodor F. Dragan, Cyril Gavaille, and Chenyu Yan. Spanners for bounded tree-length graphs. *Theor. Comput. Sci.*, 383(1):34–44, 2007.
- [141] Manfred Droste and Paul Gastin. Weighted automata and weighted logics. *Theor. Comput. Sci.*, 380(1-2):69–86, 2007.
- [142] Eugene Eberbach. The  $\$$ -calculus process algebra for problem solving: A paradigmatic shift in handling hard computational problems. *Theor. Comput. Sci.*, 383(2-3):200–243, 2007.
- [143] A. Ehrenfeucht and G. Rozenberg. Events and modules in reaction systems. *Theor. Comput. Sci.*, 376(1-2):3–16, 2007.
- [144] C. Epifanio, A. Gabriele, F. Mignosi, A. Restivo, and M. Sciortino. Languages with mismatches. *Theor. Comput. Sci.*, 385(1-3):152–166, 2007.
- [145] Leah Epstein, Yanir Kleiman, Jiří Sgall, and Rob van Stee. Paging with connections: Fifo strikes again. *Theor. Comput. Sci.*, 377(1-3):55–64, 2007.
- [146] Niklas Eriksen. Reversal and transposition medians. *Theor. Comput. Sci.*, 374(1-3):111–126, 2007.
- [147] Jywe-Fei Fang. The bipanconnectivity and  $m$ -panconnectivity of the folded hypercube. *Theor. Comput. Sci.*, 385(1-3):286–300, 2007.
- [148] Joan Feigenbaum, David R. Karger, Vahab S. Mirrokni, and Rahul Sami. Subjective-cost policy routing. *Theor. Comput. Sci.*, 378(2):175–189, 2007.
- [149] Yuan Feng, Runyao Duan, Zhengfeng Ji, and Mingsheng Ying. Proof rules for the correctness of quantum programs. *Theor. Comput. Sci.*, 386(1-2):151–166, 2007.

- [150] Peter Fenwick. Burrows-wheeler compression: Principles and reflections. *Theor. Comput. Sci.*, 387(3):200–219, 2007.
- [151] Thomas Fernique. Local rule substitutions and stepped surfaces. *Theor. Comput. Sci.*, 380(3):317–329, 2007.
- [152] Paolo Ferragina and Rossano Venturini. A simple storage scheme for strings achieving entropy bounds. *Theor. Comput. Sci.*, 372(1):115–121, 2007.
- [153] Andrzej Filinski. On the relations between monadic semantics. *Theor. Comput. Sci.*, 375(1-3):41–75, 2007.
- [154] Simon Fischer and Berthold Vöcking. On the structure and complexity of worst-case equilibria. *Theor. Comput. Sci.*, 378(2):165–174, 2007.
- [155] Tamás Fleiner, Robert W. Irving, and David F. Manlove. Efficient algorithms for generalized stable marriage and roommates problems. *Theor. Comput. Sci.*, 381(1-3):162–176, 2007.
- [156] Federico Fontana and Vincenzo Manca. Discrete solutions to differential equations by metabolic  $p$  systems. *Theor. Comput. Sci.*, 372(2-3):165–182, 2007.
- [157] Peter Freyd. Core algebra revisited. *Theor. Comput. Sci.*, 375(1-3):193–200, 2007.
- [158] Sibylle Fröschle and Sławomir Lasota. Causality versus true-concurrency. *Theor. Comput. Sci.*, 386(3):169–187, 2007.
- [159] Andrea Frosini and Maurice Nivat. Binary matrices under the microscope: A tomographical problem. *Theor. Comput. Sci.*, 370(1-3):201–217, 2007.
- [160] Ruyan Fu, Ji Tian, Jinjiang Yuan, and Yixun Lin. Online scheduling in a parallel batch processing system to minimize makespan using restarts. *Theor. Comput. Sci.*, 374(1-3):196–202, 2007.
- [161] Carlo A. Furia, Matteo Rossi, Dino Mandrioli, and Angelo Morzenti. Automated compositional proofs for real-time systems. *Theor. Comput. Sci.*, 376(3):164–184, 2007.

- [162] Martin Gairing, Burkhard Monien, and Andreas Woclaw. A faster combinatorial approximation algorithm for scheduling unrelated parallel machines. *Theor. Comput. Sci.*, 380(1-2):87–99, 2007.
- [163] A. Gajardo and J. Mazoyer. One head machines from a symbolic approach. *Theor. Comput. Sci.*, 370(1-3):34–47, 2007.
- [164] Anna Gál and Peter Bro Miltersen. The cell probe complexity of succinct data structures. *Theor. Comput. Sci.*, 379(3):405–417, 2007.
- [165] Giulia Galbiati and Francesco Maffioli. Approximation algorithms for maximum cut with limited unbalance. *Theor. Comput. Sci.*, 385(1-3):78–87, 2007.
- [166] Sumit Ganguly. Counting distinct items over update streams. *Theor. Comput. Sci.*, 378(3):211–222, 2007.
- [167] Dinesh Garg, Kamal Jain, Kunal Talwar, and Vijay V. Vazirani. A primal-dual algorithm for computing fisher equilibrium in the absence of gross substitutability property. *Theor. Comput. Sci.*, 378(2):143–152, 2007.
- [168] Leszek Gąsieniec, Igor Potapov, and Qin Xin. Time efficient centralized gossiping in radio networks. *Theor. Comput. Sci.*, 383(1):45–58, 2007.
- [169] Dominique Geniet and Gaëlle Largeteau. Wcet free time analysis of hard real-time systems on multiprocessors: A regular language-based model. *Theor. Comput. Sci.*, 388(1-3):26–52, 2007.
- [170] Chryssis Georgiou, Peter M. Musial, and Alexander A. Shvartsman. Long-lived rambo: Trading knowledge for communication. *Theor. Comput. Sci.*, 383(1):59–85, 2007.
- [171] Vassilis Giakoumakis and Stephan Olariu. All minimal prime extensions of hereditary classes of graphs. *Theor. Comput. Sci.*, 370(1-3):74–93, 2007.
- [172] R. Giancarlo, A. Restivo, and M. Sciortino. From first principles to the burrows and wheeler transform and beyond, via combinatorial optimization. *Theor. Comput. Sci.*, 387(3):236–248, 2007.

- [173] Christian Glaßer, Alan L. Selman, and Liyu Zhang. Canonical disjoint  $np$ -pairs of propositional proof systems. *Theor. Comput. Sci.*, 370(1-3):60–73, 2007.
- [174] Amy Glen. Powers in a class of  $a$ -strict standard episturmian words. *Theor. Comput. Sci.*, 380(3):330–354, 2007.
- [175] Alexander Golynski. Optimal lower bounds for rank and select indexes. *Theor. Comput. Sci.*, 387(3):348–359, 2007.
- [176] Domingo Gómez, Jaime Gutierrez, and Álvar Ibeas. Optimal routing in double loop networks. *Theor. Comput. Sci.*, 381(1-3):68–85, 2007.
- [177] Martin Grohe, Christoph Koch, and Nicole Schweikardt. Tight lower bounds for query processing on streaming and external memory data. *Theor. Comput. Sci.*, 380(1-2):199–217, 2007.
- [178] Ilan Gronau and Shlomo Moran. On the hardness of inferring phylogenies from triplet-dissimilarities. *Theor. Comput. Sci.*, 389(1-2):44–55, 2007.
- [179] Jan Friso Groote and Marc Voorhoeve. Operational semantics for petri net components. *Theor. Comput. Sci.*, 379(1-2):1–19, 2007.
- [180] Hermann Gruber and Markus Holzer. On the average state and transition complexity of finite languages. *Theor. Comput. Sci.*, 387(2):155–166, 2007.
- [181] Hermann Gruber, Markus Holzer, and Martin Kutrib. The size of higman-haines sets. *Theor. Comput. Sci.*, 387(2):167–176, 2007.
- [182] Ankur Gupta, Wing-Kai Hon, Rahul Shah, and Jeffrey Scott Vitter. Compressed data structures: Dictionaries and data-aware measures. *Theor. Comput. Sci.*, 387(3):313–331, 2007.
- [183] Yuri Gurevich, Margus Veanes, and Charles Wallace. Can abstract state machines be useful in language theory? *Theor. Comput. Sci.*, 376(1-2):17–29, 2007.
- [184] Frank Gurski. Characterizations for restricted graphs of nlc-width 2. *Theor. Comput. Sci.*, 372(1):108–114, 2007.



- [185] Claudio Gutierrez, Flavio Gutierrez, and Maria-Cecilia Rivara. Complexity of the bisection method. *Theor. Comput. Sci.*, 382(2):131–138, 2007.
- [186] Miguel A. Gutiérrez-Naranjo, Mario J. Pérez-Jiménez, and Agustín Riscos-Núñez. On the degree of parallelism in membrane systems. *Theor. Comput. Sci.*, 372(2-3):183–195, 2007.
- [187] Miguel A. Gutiérrez-Naranjo, Mario J. Pérez-Jiménez, and Francisco J. Romero-Campero. A uniform solution to sat using membrane creation. *Theor. Comput. Sci.*, 371(1-2):54–61, 2007.
- [188] Vesa Halava, Tero Harju, Juhani Karhumäki, and Michel Latteux. Extension of the decidability of the marked pcp to instances with unique blocks. *Theor. Comput. Sci.*, 380(3):355–362, 2007.
- [189] Vesa Halava, Tero Harju, and Tomi Kärki. Relational codes of words. *Theor. Comput. Sci.*, 389(1-2):237–249, 2007.
- [190] Alex Hall, Steffen Hippler, and Martin Skutella. Multicommodity flows over time: Efficient algorithms and complexity. *Theor. Comput. Sci.*, 379(3):387–404, 2007.
- [191] Yo-Sub Han, Arto Salomaa, Kai Salomaa, Derick Wood, and Sheng Yu. On the existence of prime decompositions. *Theor. Comput. Sci.*, 376(1-2):60–69, 2007.
- [192] Yo-Sub Han, Yajun Wang, and Derick Wood. Prefix-free regular languages and pattern matching. *Theor. Comput. Sci.*, 389(1-2):307–317, 2007.
- [193] Yo-Sub Han and Derick Wood. Obtaining shorter regular expressions from finite-state automata. *Theor. Comput. Sci.*, 370(1-3):110–120, 2007.
- [194] Ryan C. Harkins and John M. Hitchcock. Upward separations and weaker hypotheses in resource-bounded measure. *Theor. Comput. Sci.*, 389(1-2):162–171, 2007.
- [195] Osman Hasan and Sofiène Tahar. Formalization of the standard uniform random variable. *Theor. Comput. Sci.*, 382(1):71–83, 2007.

- [196] Cheng He, Yixun Lin, and Jinjiang Yuan. Bicriteria scheduling on a batching machine to minimize maximum lateness and makespan. *Theor. Comput. Sci.*, 381(1-3):234–240, 2007.
- [197] Lisa Hellerstein and Rocco A. Servedio. On pac learning algorithms for rich boolean function classes. *Theor. Comput. Sci.*, 384(1):66–76, 2007.
- [198] Lane A. Hemaspaandra and Mayur Thakur. Query-monotonic turing reductions. *Theor. Comput. Sci.*, 383(2-3):153–186, 2007.
- [199] Jun-Ho Her and R.S. Ramakrishna. An external-memory depth-first search algorithm for general grid graphs. *Theor. Comput. Sci.*, 374(1-3):170–180, 2007.
- [200] C. Hermida and R.D. Tennent. A fibrational framework for possible-world semantics of algol-like languages. *Theor. Comput. Sci.*, 375(1-3):3–19, 2007.
- [201] Javier Herranz. Identity-based ring signatures from rsa. *Theor. Comput. Sci.*, 389(1-2):100–117, 2007.
- [202] Markus Hinkelmann and Andreas Jakoby. Communications in unknown networks: Preserving the secret of topology. *Theor. Comput. Sci.*, 384(2-3):184–200, 2007.
- [203] Štěpán Holub and Juha Kortelainen. On systems of word equations with simple loop sets. *Theor. Comput. Sci.*, 380(3):363–372, 2007.
- [204] Juraj Hromkovič and Georg Schnitger. Comparing the size of nfas with and without  $\epsilon$ -transitions. *Theor. Comput. Sci.*, 380(1-2):100–114, 2007.
- [205] Ming Yu Hsieh and Shi-Chun Tsai. On the fairness and complexity of generalized  $k$ -in-a-row games. *Theor. Comput. Sci.*, 385(1-3):88–100, 2007.
- [206] Sun-Yuan Hsieh. Finding maximal leaf-agreement isomorphic descendant subtrees from phylogenetic trees with different species. *Theor. Comput. Sci.*, 370(1-3):299–308, 2007.

- [207] Sun-Yuan Hsieh and Shih-Cheng Yang. Approximating the selected-internal steiner tree. *Theor. Comput. Sci.*, 381(1-3):288–291, 2007.
- [208] Marcus Hutter. On universal prediction and bayesian confirmation. *Theor. Comput. Sci.*, 384(1):33–48, 2007.
- [209] Marcus Hutter and Andrej Muchnik. On semimeasures predicting martin-löf random sequences. *Theor. Comput. Sci.*, 382(3):247–261, 2007.
- [210] Martin Hyland, Paul Blain Levy, Gordon Plotkin, and John Power. Combining algebraic effects with continuations. *Theor. Comput. Sci.*, 375(1-3):20–40, 2007.
- [211] Samuel Hym and Matthew Hennessy. Adding recursion to dpi. *Theor. Comput. Sci.*, 373(3):182–212, 2007.
- [212] Oscar H. Ibarra, Andrei Păun, Gheorghe Păun, Alfonso Rodríguez-Patón, Petr Sosík, and Sara Woodworth. Normal forms for spiking neural  $p$  systems. *Theor. Comput. Sci.*, 372(2-3):196–217, 2007.
- [213] Lucian Ilie. A note on the number of squares in a word. *Theor. Comput. Sci.*, 380(3):373–376, 2007.
- [214] Toshimasa Ishii, Hitoshi Fujita, and Hiroshi Nagamochi. Minimum cost source location problem with local 3-vertex-connectivity requirements. *Theor. Comput. Sci.*, 372(1):81–93, 2007.
- [215] Jens Jägersküpfer. Algorithmic analysis of a basic evolutionary algorithm for continuous optimization. *Theor. Comput. Sci.*, 379(3):329–347, 2007.
- [216] Sanjay Jain and Efim Kinber. Learning languages from positive data and a limited number of short counterexamples. *Theor. Comput. Sci.*, 389(1-2):190–218, 2007.
- [217] Sanjay Jain and Efim Kinber. Learning multiple languages in groups. *Theor. Comput. Sci.*, 387(1):67–76, 2007.
- [218] Sanjay Jain, Steffen Lange, and Sandra Zilles. A general comparison of language learning from examples and from queries. *Theor. Comput. Sci.*, 387(1):51–66, 2007.

- [219] Sanjay Jain, Jochen Nessel, and Frank Stephan. Invertible classes. *Theor. Comput. Sci.*, 384(1):49–65, 2007.
- [220] Thomas Jansen and Ingo Wegener. A comparison of simulated annealing with a simple evolutionary algorithm on pseudo-boolean functions of unitation. *Theor. Comput. Sci.*, 386(1-2):73–93, 2007.
- [221] Giorgi Japaridze. From truth to computability ii. *Theor. Comput. Sci.*, 379(1-2):20–52, 2007.
- [222] Michael Johnson and Robert Rosebrugh. Fibrations and universal view updatability. *Theor. Comput. Sci.*, 388(1-3):109–129, 2007.
- [223] C.B. Jones. Splitting atoms safely. *Theor. Comput. Sci.*, 375(1-3):109–119, 2007.
- [224] Neil D. Jones and Nils Andersen. Flow analysis of lazy higher-order functional programs. *Theor. Comput. Sci.*, 375(1-3):120–136, 2007.
- [225] Tomasz Jurdziński. On complexity of grammars related to the safety problem. *Theor. Comput. Sci.*, 389(1-2):56–72, 2007.
- [226] Helmut Jürgensen, Ludwig Staiger, and Hideki Yamasaki. Finite automata encoding geometric figures. *Theor. Comput. Sci.*, 381(1-3):33–43, 2007.
- [227] Max Kanovich and Jacqueline Vauzeilles. Strong planning under uncertainty in domains with numerous but identical elements (a generic approach). *Theor. Comput. Sci.*, 379(1-2):84–119, 2007.
- [228] Ming-Yang Kao, Xiang-Yang Li, and Weizhao Wang. Average case analysis for tree labelling schemes. *Theor. Comput. Sci.*, 378(3):271–291, 2007.
- [229] Haim Kaplan, Shir Landau, and Elad Verbin. A simpler analysis of burrows-wheeler-based compression. *Theor. Comput. Sci.*, 387(3):220–235, 2007.
- [230] Sanjiv Kapoor, Aranyak Mehta, and Vijay Vazirani. An auction-based market equilibrium algorithm for a production model. *Theor. Comput. Sci.*, 378(2):153–164, 2007.

- [231] Juha Kärkkäinen. Fast bwt in small space by blockwise suffix sorting. *Theor. Comput. Sci.*, 387(3):249–257, 2007.
- [232] Elham Kashefi and Iordanis Kerenidis. Statistical zero knowledge and quantum one-way functions. *Theor. Comput. Sci.*, 378(1):101–116, 2007.
- [233] Kevin T. Kelly. Ockham’s razor, empirical complexity, and truth-finding efficiency. *Theor. Comput. Sci.*, 383(2-3):270–289, 2007.
- [234] Leonid Khachiyan, Endre Boros, Khaled Elbassioni, and Vladimir Gurvich. On the dualization of hypergraphs with bounded edge-intersections and other related classes of hypergraphs. *Theor. Comput. Sci.*, 382(2):139–150, 2007.
- [235] Leonid Khachiyan, Endre Boros, Khaled Elbassioni, Vladimir Gurvich, and Kazuhisa Makino. Dual-bounded generating problems: Efficient and inefficient points for discrete probability distributions and sparse boxes for multidimensional data. *Theor. Comput. Sci.*, 379(3):361–376, 2007.
- [236] Maleq Khan, Gopal Pandurangan, and V.S. Anil Kumar. A simple randomized scheme for constructing low-weight  $k$ -connected spanning subgraphs with applications to distributed algorithms. *Theor. Comput. Sci.*, 385(1-3):101–114, 2007.
- [237] Ramtin Khosravi and Mohammad Ghodsi. Query-point visibility constrained shortest paths in simple polygons. *Theor. Comput. Sci.*, 389(1-2):1–11, 2007.
- [238] Jin Wook Kim and Kunsoo Park. An efficient alignment algorithm for masked sequences. *Theor. Comput. Sci.*, 370(1-3):19–33, 2007.
- [239] Ralf Klasing, Euripides Markou, Tomasz Radzik, and Fabiano Sarracco. Hardness and approximation results for black hole search in arbitrary networks. *Theor. Comput. Sci.*, 384(2-3):201–221, 2007.
- [240] Oddvar Kloster. A solution to the angel problem. *Theor. Comput. Sci.*, 389(1-2):152–161, 2007.

- [241] Ker-I Ko and Fuxiang Yu. Jordan curves with polynomial inverse moduli of continuity. *Theor. Comput. Sci.*, 381(1-3):148–161, 2007.
- [242] Pascal Koiran, Vincent Nesme, and Natacha Portier. The quantum query complexity of the abelian hidden subgroup problem. *Theor. Comput. Sci.*, 380(1-2):115–126, 2007.
- [243] Pascal Koiran and Sylvain Perifel. The complexity of two problems on arithmetic circuits. *Theor. Comput. Sci.*, 389(1-2):172–181, 2007.
- [244] Vladlen Koltun and Christos H. Papadimitriou. Approximately dominating representatives. *Theor. Comput. Sci.*, 371(3):148–154, 2007.
- [245] Jan Komenda and Jan H. van Schuppen. Control of discrete-event systems with modular or distributed structure. *Theor. Comput. Sci.*, 388(1-3):199–226, 2007.
- [246] Dimitrios Koukopoulos, Marios Mavronicolas, and Paul Spirakis. The increase of the instability of networks due to quasi-static link capacities. *Theor. Comput. Sci.*, 381(1-3):44–56, 2007.
- [247] R. Kráľovič and P. Ružička. Ranks of graphs: The size of acyclic orientation cover for deadlock-free packet routing. *Theor. Comput. Sci.*, 374(1-3):203–213, 2007.
- [248] Dieter Kratsch and Mathieu Liedloff. An exact algorithm for the minimum dominating clique problem. *Theor. Comput. Sci.*, 385(1-3):226–240, 2007.
- [249] Dalia Krieger. On critical exponents in fixed points of non-erasing morphisms. *Theor. Comput. Sci.*, 376(1-2):70–88, 2007.
- [250] Dalia Krieger and Jeffrey Shallit. Every real number greater than 1 is a critical exponent. *Theor. Comput. Sci.*, 381(1-3):177–182, 2007.
- [251] Shankara Narayanan Krishna. Universality results for  $p$  systems based on brane calculi operations. *Theor. Comput. Sci.*, 371(1-2):83–105, 2007.
- [252] Karl Krukow and Andrew Twigg. The complexity of fixed point models of trust in distributed networks. *Theor. Comput. Sci.*, 389(3):528–549, 2007.

- [253] Markus Kuba and Alois Panholzer. The left-right-imbalance of binary search trees. *Theor. Comput. Sci.*, 370(1-3):265–278, 2007.
- [254] Manfred Kufleitner. Polynomials, fragments of temporal logic and the variety **da** over traces. *Theor. Comput. Sci.*, 376(1-2):89–100, 2007.
- [255] Dietrich Kuske. Weighted asynchronous cellular automata. *Theor. Comput. Sci.*, 374(1-3):127–148, 2007.
- [256] Martin Kutrib and Andreas Malcher. Context-dependent nondeterminism for pushdown automata. *Theor. Comput. Sci.*, 376(1-2):101–111, 2007.
- [257] Hongliang Lai and Dexue Zhang. Complete and directed complete  $\omega$ -categories. *Theor. Comput. Sci.*, 388(1-3):1–25, 2007.
- [258] Yung-Ling Lai and Chang-Sin Tian. An extremal graph with given bandwidth. *Theor. Comput. Sci.*, 377(1-3):238–242, 2007.
- [259] N. Jesper Larsson and Kunihiko Sadakane. Faster suffix sorting. *Theor. Comput. Sci.*, 387(3):258–272, 2007.
- [260] Sylvain Lavallée and Christophe Reutenauer. On a zeta function associated with automata and codes. *Theor. Comput. Sci.*, 381(1-3):266–273, 2007.
- [261] Minh Ha Le and Thi Ha Duong Phan. Strict partitions and discrete dynamical systems. *Theor. Comput. Sci.*, 389(1-2):82–90, 2007.
- [262] Van Bang Le, Bert Randerath, and Ingo Schiermeyer. On the complexity of 4-coloring graphs without long induced paths. *Theor. Comput. Sci.*, 389(1-2):330–335, 2007.
- [263] Arto Lepistö, Francesco Pappalardi, and Kalle Saari. Transposition invariant words. *Theor. Comput. Sci.*, 380(3):377–387, 2007.
- [264] Alberto Leporati and Sara Felloni. Three "quantum" algorithms to solve 3-satt. *Theor. Comput. Sci.*, 372(2-3):218–241, 2007.
- [265] Peter Leupold. Languages generated by iterated idempotency. *Theor. Comput. Sci.*, 370(1-3):170–185, 2007.

- [266] F. Levé and G. Richomme. Quasiperiodic sturmian words and morphisms. *Theor. Comput. Sci.*, 372(1):15–25, 2007.
- [267] Xueliang Li and Xiaoyan Zhang. On the minimum monochromatic or multicolored subgraph partition problems. *Theor. Comput. Sci.*, 385(1-3):1–10, 2007.
- [268] Cheng-Kuan Lin, Jimmy J.M. Tan, D. Frank Hsu, and Lih-Hsing Hsu. On the spanning connectivity and spanning laceability of hypercube-like networks. *Theor. Comput. Sci.*, 381(1-3):218–229, 2007.
- [269] Tien-Ching Lin and D.T. Lee. Randomized algorithm for the sum selection problem. *Theor. Comput. Sci.*, 377(1-3):151–156, 2007.
- [270] Hsiao-Fei Liu and Kun-Mao Chao. A tight analysis of the katriel-bodlaender algorithm for online topological ordering. *Theor. Comput. Sci.*, 389(1-2):182–189, 2007.
- [271] Lan Liu, Chen Xi, Jing Xiao, and Tao Jiang. Complexity and approximation of the minimum recombinant haplotype configuration problem. *Theor. Comput. Sci.*, 378(3):316–330, 2007.
- [272] L.L. Liu, C.T. Ng, and T.C.E. Cheng. Scheduling jobs with agreeable processing times and due dates on a single batch processing machine. *Theor. Comput. Sci.*, 374(1-3):159–169, 2007.
- [273] Remco Loos and Mitsunori Ogihara. Complexity theory for splicing systems. *Theor. Comput. Sci.*, 386(1-2):132–150, 2007.
- [274] Chi-Jen Lu, Shi-Chun Tsai, and Hsin-Lung Wu. Improved hardness amplification in  $np$ . *Theor. Comput. Sci.*, 370(1-3):293–298, 2007.
- [275] Flaminia L. Luccio and Jop F. Sibeyn. Feedback vertex sets in mesh-based networks. *Theor. Comput. Sci.*, 383(1):86–101, 2007.
- [276] Gerald Lüttgen and Walter Vogler. Conjunction on processes: Full abstraction via ready-tree semantics. *Theor. Comput. Sci.*, 373(1-2):19–40, 2007.
- [277] Veli Mäkinen and Gonzalo Navarro. Rank and select revisited and extended. *Theor. Comput. Sci.*, 387(3):332–347, 2007.



- [278] Francesco M. Malvestuto, Mauro Mezzini, and Marina Moscarini. An analytical approach to the inference of summary data of additive type. *Theor. Comput. Sci.*, 385(1-3):264–285, 2007.
- [279] Florin Manea, Carlos Martín-Vide, and Victor Mitrana. Accepting networks of splicing processors: Complexity results. *Theor. Comput. Sci.*, 371(1-2):72–82, 2007. see Erratum in *Theor. Comput. Sci.* 378, 2007, No. 1, 131.
- [280] Florin Manea, Carlos Martin-Vide, and Victor Mitrana. Erratum to "accepting networks of splicing processors: Complexity results". *Theor. Comput. Sci.*, 378(1):131, 2007. Originally in *Theor. Comput. Sci.*, Vol. 371, 2007, No. 1-2, 72-82.
- [281] Florin Manea and Robert Mercuş. Freeness of partial words. *Theor. Comput. Sci.*, 389(1-2):265–277, 2007.
- [282] S. Mantaci, A. Restivo, G. Rosone, and M. Sciortino. An extension of the burrows-wheeler transform. *Theor. Comput. Sci.*, 387(3):298–312, 2007.
- [283] Bodo Manthey and Rüdiger Reischuk. Smoothed analysis of binary search trees. *Theor. Comput. Sci.*, 378(3):292–315, 2007.
- [284] J. Raymundo Marcial-Romero and Martín H. Escardó. Semantics of a sequential language for exact real-number computation. *Theor. Comput. Sci.*, 379(1-2):120–141, 2007.
- [285] Ana Marco and José-Javier Martínez. Bernstein-bezoutian matrices and curve implicitization. *Theor. Comput. Sci.*, 377(1-3):65–72, 2007.
- [286] Eric Martin, Arun Sharma, and Frank Stephan. On the data consumption benefits of accepting increased uncertainty. *Theor. Comput. Sci.*, 382(3):170–182, 2007.
- [287] Fábio Viduani Martinez, José Coelho de Pina, and José Soares. Algorithms for terminal steiner trees. *Theor. Comput. Sci.*, 389(1-2):133–142, 2007.
- [288] Manuel A. Martins. Closure properties for the class of behavioral models. *Theor. Comput. Sci.*, 379(1-2):53–83, 2007.

- [289] Yossi Matias and Ely Porat. Efficient pebbling for list traversal synopses with application to program rollback. *Theor. Comput. Sci.*, 379(3):418–436, 2007.
- [290] Yossi Matias and Daniel Urieli. Optimal workload-based weighted wavelet synopses. *Theor. Comput. Sci.*, 371(3):227–246, 2007.
- [291] Rachel Matichin and David Peleg. Approximation algorithm for hotlink assignment in the greedy model. *Theor. Comput. Sci.*, 383(1):102–110, 2007.
- [292] Ina Mäurer. Characterizations of recognizable picture series. *Theor. Comput. Sci.*, 374(1-3):214–228, 2007.
- [293] Alexander Meduna and Jiří Techet. Canonical scattered context generators of sentences with their parses. *Theor. Comput. Sci.*, 389(1-2):73–81, 2007.
- [294] Carlo Mereghetti and Beatrice Palano. Quantum automata for some multiperiodic languages. *Theor. Comput. Sci.*, 387(2):177–186, 2007.
- [295] José Meseguer and Grigore Roşu. The rewriting logic semantics project. *Theor. Comput. Sci.*, 373(3):213–237, 2007.
- [296] Dimitrios Michail. Reducing rank-maximal to maximum weight matching. *Theor. Comput. Sci.*, 389(1-2):125–132, 2007.
- [297] Krzysztof Michalak and Halina Kwaśnicka. Influence of data dimensionality on the quality of forecasts given by a multilayer perceptron. *Theor. Comput. Sci.*, 371(1-2):62–71, 2007.
- [298] Matthew Might and Olin Shivers. Analyzing the environment structure of higher-order languages using frame strings. *Theor. Comput. Sci.*, 375(1-3):137–168, 2007.
- [299] Michael Mislove. Discrete random variables over domains. *Theor. Comput. Sci.*, 380(1-2):181–198, 2007.
- [300] F. Lockwood Morris. A few exercises in theorem processing. *Theor. Comput. Sci.*, 375(1-3):335–345, 2007.