References

[1] Fidaa Abed and Chien-Chung Huang. Coordinating oligopolistic players in unrelated machine scheduling. *Theor. Comput. Sci.*, 570:40–54, 2015.

[2] Isolde Adler and Mamadou Moustapha Kanté. Linear rank-width and linear clique-width of trees. *Theor. Comput. Sci.*, 589:87–98, 2015.

[3] Manu Agarwal, Ragesh Jaiswal, and Arindam Pal. k-means++ under approximation stability. *Theor. Comput. Sci.*, 588:37–51, 2015.

[4] Selim Akl, Robert Benkoczi, Daya Ram Gaur, Hossam Hassanein, Shahadat Hossain, and Mark Thom. On a class of covering problems with variable capacities in wireless networks. *Theor. Comput. Sci.*, 575:42–55, 2015.

[5] Tatsuya Akutsu, Takeyuki Tamura, Avraham A. Melkman, and Atsuhiro Takasu. On the complexity of finding a largest common subtree of bounded degree. *Theor. Comput. Sci.*, 590:2–16, 2015.

[6] Elvira Albert, Jesús Correas, Germán Puebla, and Guillermo Román-Díez. A multi-domain incremental analysis engine and its application to incremental resource analysis. *Theor. Comput. Sci.*, 585:91–114, 2015.

[7] Greg Aloupis, Erik D. Demaine, Alan Guo, and Giovanni Viglietta. Classic nintendo games are (computationally) hard. *Theor. Comput. Sci.*, 586:135–160, 2015.

[8] Omid Amini, David Coudert, and Nicolas Nisse. Non-deterministic graph searching in trees. *Theor. Comput. Sci.*, 580:101–121, 2015.

[9] Amihood Amir, Avivit Levy, Ely Porat, and B. Riva Shalom. Dictionary matching with a few gaps. *Theor. Comput. Sci.*, 589:34–46, 2015.

[10] Lakshmi Anantharamu and Bogdan S. Chlebus. Broadcasting in ad hoc multiple access channels. *Theor. Comput. Sci.*, 584:155–176, 2015.

[11] Patrizio Angelini, Giordano Da Lozzo, Giuseppe Di Battista, Fabrizio Frati, and Vincenzo Roselli. The importance of being proper: (in clustered-level planarity and t-level planarity). *Theor. Comput. Sci.*, 571:1–9, 2015.

[12] Patrizio Angelini, Giordano Da Lozzo, and Daniel Neuwirth. Advancements on sefe and partitioned book embedding problems. *Theor. Comput. Sci.*, 575:71–89, 2015.

[13] Fabrizio Angiulli, Rachel Ben-Eliyahu-Zohary, and Luigi Palopoli. Restricted default theories: Expressive power and outlier detection tasks. *Theor. Comput. Sci.*, 564:107–130, 2015.

[14] Alessio Angius, Gianfranco Balbo, Marco Beccuti, Enrico Bibbona, Andras Horvath, and Roberta Sirovich. Approximate analysis of biological systems by hybrid switching jump diffusion. *Theor. Comput. Sci.*, 587:49–72, 2015.

[15] Martin Anthony and Joel Ratsaby. A probabilistic approach to case-based inference. *Theor. Comput. Sci.*, 589:61–75, 2015.

[16] Julio Araujo, Nathann Cohen, Susanna F. de Rezende, Frédéric Havet, and Phablo F.S. Moura. On the proper orientation number of bipartite graphs. *Theor. Comput. Sci.*, 566:59–75, 2015.

[17] V. Arvind, Johannes Köbler, Sebastian Kuhnert, Gaurav Rattan, and Yadu Vasudev. On the isomorphism problem for decision trees and decision lists. *Theor. Comput. Sci.*, 590:38–54, 2015.

[18] Christopher Auer, Christian Bachmaier, Franz J. Brandenburg, Andreas Gleißner, and Kathrin Hanauer. Upward planar graphs and their duals. *Theor. Comput. Sci.*, 571:36–49, 2015.

[19] Martin Avanzini, Naohi Eguchi, and Georg Moser. A new order-theoretic characterisation of the polytime computable functions. *Theor. Comput. Sci.*, 585:3–24, 2015.

[20] Chen Avin, Michael Borokhovich, Bernhard Haeupler, and Zvi Lotker. Self-adjusting grid networks to minimize expected path length. *Theor. Comput. Sci.*, 584:91–102, 2015.

[21] Golnaz Badkobeh and Pascal Ochem. Characterization of some binary words with few squares. *Theor. Comput. Sci.*, 588:73–80, 2015.

[22] Eric Balkanski, F. Blanchet-Sadri, Matthew Kilgore, and B.J. Wyatt. On the state complexity of partial word dfas. *Theor. Comput. Sci.*, 578:2–12, 2015.

[23] Evripidis Bampis, Dimitrios Letsios, and Giorgio Lucarelli. Green scheduling, flows and matchings. *Theor. Comput. Sci.*, 579:126–136, 2015.

[24] Neta Barkay, Ely Porat, and Bar Shalem. Efficient sampling of non-strict turnstile data streams. *Theor. Comput. Sci.*, 590:106–117, 2015.

[25] Ezio Bartocci, Luca Bortolussi, Laura Nenzi, and Guido Sanguinetti. System design of stochastic models using robustness of temporal properties. *Theor. Comput. Sci.*, 587:3–25, 2015.

[26] Carl Barton, Tomáš Flouri, Costas S. Iliopoulos, and Solon P. Pissis. Global and local sequence alignment with a bounded number of gaps. *Theor. Comput. Sci.*, 582:1–16, 2015.

[27] Julien Baste and Ignasi Sau. The role of planarity in connectivity problems parameterized by treewidth. *Theor. Comput. Sci.*, 570:1–14, 2015.

[28] J. Bastos, A. Messaoudi, T. Rodrigues, and D. Smania. A class of cubic rauzy fractals. *Theor. Comput. Sci.*, 588:114–130, 2015.

[29] Jean-Claude Bermond, David Coudert, Gianlorenzo D'Angelo, and Fatima Zahra Moataz. Finding disjoint paths in networks with star shared risk link groups. *Theor. Comput. Sci.*, 579:74–87, 2015.

[30] Marco Bernardo. On the tradeoff between compositionality and exactness in weak bisimilarity for integrated-time markovian process calculi. *Theor. Comput. Sci.*, 563:99–143, 2015.

[31] Marc Bezem and Thierry Coquand. A kripke model for simplicial sets. *Theor. Comput. Sci.*, 574:86–91, 2015.

[32] Alka Bhushan and G. Sajith. I/o efficient algorithms for the minimum cut problem on unweighted undirected graphs. *Theor. Comput. Sci.*, 575:33–41, 2015.

[33] Davide Bilò, Luciano Gualà, Stefano Leucci, and Guido Proietti. The max-distance network creation game on general host graphs. *Theor. Comput. Sci.*, 573:43–53, 2015.

[34] Carla Binucci, Emilio *DiGiacomo*, Walter Didimo, Fabrizio Montecchiani, Maurizio Patrignani, Antonios Symvonis, and Ioannis G. Tollis. Fan-planarity: Properties and complexity. *Theor. Comput. Sci.*, 589:76–86, 2015.

[35] Chiara Bodei, Roberta Gori, and Francesca Levi. Causal static analysis for brane calculi. *Theor. Comput. Sci.*, 587:73–103, 2015.

[36] Guillaume Bonfante, Florian Deloup, and Antoine Henrot. Real or natural number interpretation and their effect on complexity. *Theor. Comput. Sci.*, 585:25–40, 2015.

[37] Michele Borassi, Pierluigi Crescenzi, Michel Habib, Walter A. Kosters, Andrea Marino, and Frank W. Takes. Fast diameter and radius bfs-based computation in (weakly connected) real-world graphs: With an application to the six degrees of separation games. *Theor. Comput. Sci.*, 586:59–80, 2015.

[38] Marziyeh Boroujeni, Abdolali Basiri, Sajjad Rahmany, and Annick Valibouze. f_4-invariant algorithm for computing sagbi-gröbner bases. *Theor. Comput. Sci.*, 573:54–62, 2015.

[39] Prosenjit Bose, Jean-Lou De Carufel, and Stephane Durocher. Searching on a line: A complete characterization of the optimal solution. *Theor. Comput. Sci.*, 569:24–42, 2015.

[40] Patricia Bouyer, Nicolas Markey, and Ocan Sankur. Robust reachability in timed automata and games: A game-based approach. *Theor. Comput. Sci.*, 563:43–74, 2015.

[41] Joan Boyar and Magnus Gausdal Find. Cancellation-free circuits in unbounded and bounded depth. *Theor. Comput. Sci.*, 590:17–26, 2015.

[42] Joan Boyar, Sushmita Gupta, and Kim S. Larsen. Relative interval analysis of paging algorithms on access graphs. *Theor. Comput. Sci.*, 568:28–48, 2015.

[43] Michael Brand. No easy puzzles: Hardness results for jigsaw puzzles. *Theor. Comput. Sci.*, 586:2–11, 2015.

[44] Gilad Braunschvig, Shiri Chechik, David Peleg, and Adam Sealfon. Fault tolerant additive and (μ, α)-spanners. *Theor. Comput. Sci.*, 580:94–100, 2015.

[45] Aloïs Brunel and Marco Gaboardi. Realizability models for a linear dependent pcf. *Theor. Comput. Sci.*, 585:55–70, 2015.

[46] Yuehua Bu and Xudong Bao. Backbone coloring of planar graphs for $c8$-free or $c9$-free. *Theor. Comput. Sci.*, 580:50–58, 2015.

[47] Laurent Bulteau, Anna Paola Carrieri, and Riccardo Dondi. Fixed-parameter algorithms for scaffold filling. *Theor. Comput. Sci.*, 568:72–83, 2015.

[48] Laurent Bulteau, Jiehua Chen, Piotr Faliszewski, Rolf Niedermeier, and Nimrod Talmon. Combinatorial voter control in elections. *Theor. Comput. Sci.*, 589:99–120, 2015.

[49] Sam Buss. Quasipolynomial size proofs of the propositional pigeonhole principle. *Theor. Comput. Sci.*, 576:77–84, 2015.

[50] Ioannis Caragiannis, Aris Filos-Ratsikas, and Ariel D. Procaccia. An improved 2-agent kidney exchange mechanism. *Theor. Comput. Sci.*, 589:53–60, 2015.

[51] Mathieu Caralp, Pierre-Alain Reynier, and Jean-Marc Talbot. Trimming visibly pushdown automata. *Theor. Comput. Sci.*, 578:13–29, 2015.

[52] Alberto Casagrande and Carla Piazza. Unwinding biological systems. *Theor. Comput. Sci.*, 587:26–48, 2015.

[53] Arnaud Casteigts, Paola Flocchini, Emmanuel Godard, Nicola Santoro, and Masafumi Yamashita. On the expressivity of time-varying graphs. *Theor. Comput. Sci.*, 590:27–37, 2015.

[54] Ana Cavalcanti and Marie-Claude Gaudel. Test selection for traces refinement. *Theor. Comput. Sci.*, 563:1–42, 2015.

[55] Timothy M. Chan, J. Ian Munro, and Venkatesh Raman. Finding median in read-only memory on integer input. *Theor. Comput. Sci.*, 583:51–56, 2015.

[56] Steven Chaplick, Jiří Fiala, Pim van 't Hof, Daniël Paulusma, and Marek Tesař. Locally constrained homomorphisms on graphs of bounded treewidth and bounded degree. *Theor. Comput. Sci.*, 590:86–95, 2015.

[57] Krishnendu Chatterjee, Manas Joglekar, and Nisarg Shah. Average case analysis of the classical algorithm for markov decision processes with büchi objectives. *Theor. Comput. Sci.*, 573:71–89, 2015.

[58] Shiri Chechik and David Peleg. The fault-tolerant capacitated k-center problem. *Theor. Comput. Sci.*, 566:12–25, 2015.

[59] Ke Chen and Adrian Dumitrescu. Nonconvex cases for carpenter's rulers. *Theor. Comput. Sci.*, 586:12–25, 2015.

[60] Youjun Chen, Lingfa Lu, and Jinjiang Yuan. Preemptive scheduling on identical machines with delivery coordination to minimize the maximum delivery completion time. *Theor. Comput. Sci.*, 583:67–77, 2015.

[61] Eddie Cheng, Robert Connolly, and Christoper Melekian. Matching preclusion and conditional matching preclusion problems for the folded petersen cube. *Theor. Comput. Sci.*, 576:30–44, 2015.

[62] Da-Jung Cho, Yo-Sub Han, and Hwee Kim. Alignment with non-overlapping inversions and translocations on two strings. *Theor. Comput. Sci.*, 575:90–101, 2015.

[63] Ferdinando Cicalese, Gennaro Cordasco, Luisa Gargano, Martin Milanič, Joseph Peters, and Ugo Vaccaro. Spread of influence in weighted networks under time and budget constraints. *Theor. Comput. Sci.*, 586:40–58, 2015.

[64] Andrea Clementi, Miriam Di Ianni, Giorgio Gambosi, Emanuele Natale, and Riccardo Silvestri. Distributed community detection in dynamic graphs. *Theor. Comput. Sci.*, 584:19–41, 2015.

[65] Willem Conradie, Yves Fomatati, Alessandra Palmigiano, and Sumit Sourabh. Algorithmic correspondence for intuitionistic modal mu-calculus. *Theor. Comput. Sci.*, 564:30–62, 2015.

[66] Étienne Coulouma, Emmanuel Godard, and Joseph Peters. A characterization of oblivious message adversaries for which consensus is solvable. *Theor. Comput. Sci.*, 584:80–90, 2015.

[67] Christophe Crespelle, Thi Ha Duong Phan, and The Hung Tran. Termination of the iterated strong-factor operator on multipartite graphs. *Theor. Comput. Sci.*, 571:67–77, 2015.

[68] Giovanna D'Agostino and Giacomo Lenzi. Bisimulation quantifiers and uniform interpolation for guarded first order logic. *Theor. Comput. Sci.*, 563:75–85, 2015.

[69] Flavio D'Alessandro and Benedetto Intrigila. On the commutative equivalence of bounded context-free and regular languages: The semi-linear case. *Theor. Comput. Sci.*, 572:1–24, 2015.

[70] Mila Dalla Preda, Roberto Giacobazzi, and Saumya Debray. Unveiling metamorphism by abstract interpretation of code properties. *Theor. Comput. Sci.*, 577:74–97, 2015.

[71] Hadassa Daltrophe, Shlomi Dolev, and Zvi Lotker. Probabilistic connectivity threshold for directional antenna widths. *Theor. Comput. Sci.*, 584:103–114, 2015.

[72] Peter Damaschke. Finding and enumerating large intersections. *Theor. Comput. Sci.*, 580:75–82, 2015.

[73] Paolo D'Arco and Alfredo De Santis. Anonymous protocols: Notions and equivalence. *Theor. Comput. Sci.*, 581:9–25, 2015.

[74] Atish Das Sarma, Anisur Rahaman Molla, and Gopal Pandurangan. Distributed computation in dynamic networks via random walks. *Theor. Comput. Sci.*, 581:45–66, 2015.

[75] Aldo de Luca and Alessandro De Luca. Sturmian words and the stern sequence. *Theor. Comput. Sci.*, 581:26–44, 2015.

[76] Lorenzo De Stefani and Francesco Silvestri. Exploiting non-constant safe memory in resilient algorithms and data structures. *Theor. Comput. Sci.*, 583:86–97, 2015.

[77] Denis Debarbieux, Olivier Gauwin, Joachim Niehren, Tom Sebastian, and Mohamed Zergaoui. Early nested word automata for xpath query answering on xml streams. *Theor. Comput. Sci.*, 578:100–125, 2015.

[78] Michael Dekhtyar, Alexander Dikovsky, and Boris Karlov. Categorial dependency grammars. *Theor. Comput. Sci.*, 579:33–63, 2015.

[79] Erik D. Demaine and Martin L. Demaine. Fun with fonts: Algorithmic typography. *Theor. Comput. Sci.*, 586:111–119, 2015.

[80] Yuxin Deng and Yu Zhang. Program equivalence in linear contexts. *Theor. Comput. Sci.*, 585:71–90, 2015.

[81] Dariusz Dereniowski, Adrian Kosowski, and Dominik Pająk. Distinguishing views in symmetric networks: A tight lower bound. *Theor. Comput. Sci.*, 582:27–34, 2015.

[82] Barbara Di Giampaolo, Salvatore La Torre, and Margherita Napoli. Parametric metric interval temporal logic. *Theor. Comput. Sci.*, 564:131–148, 2015.

[83] Stefan Dobrev, Stephane Durocher, Mohsen Eftekhari, Konstantinos Georgiou, Evangelos Kranakis, Danny Krizanc, Lata Narayanan, Jaroslav Opatrny, Sunil Shende, and Jorge Urrutia. Complexity of barrier coverage with relocatable sensors in the plane. *Theor. Comput. Sci.*, 579:64–73, 2015.

[84] M.P. Dobson, E. Hinrichsen, and V. Leoni. Generalized limited packings of some graphs with a limited number of p_4-partners. *Theor. Comput. Sci.*, 579:1–8, 2015.

[85] Benjamin Doerr, Carola Doerr, and Franziska Ebel. From black-box complexity to designing new genetic algorithms. *Theor. Comput. Sci.*, 567:87–104, 2015.

[86] Márcio A. Duarte, Felix Joos, Lucia D. Penso, Dieter Rautenbach, and Uéverton S. Souza. Maximum induced matchings close to maximum matchings. *Theor. Comput. Sci.*, 588:131–137, 2015.

[87] Jean-François Dufourd. Formal study of functional orbits in finite domains. *Theor. Comput. Sci.*, 564:63–88, 2015.

[88] Stephane Durocher, Hicham El-Zein, J. Ian Munro, and Sharma V. Thankachan. Low space data structures for geometric range mode query. *Theor. Comput. Sci.*, 581:97–101, 2015.

[89] Stephane Durocher, Debajyoti Mondal, and Md. Saidur Rahman. On graphs that are not pcgs. *Theor. Comput. Sci.*, 571:78–87, 2015.

[90] Sebastian Eberhard. Applicative theories for logarithmic complexity classes. *Theor. Comput. Sci.*, 585:115–135, 2015.

[91] Abbas Edalat. A derivative for complex lipschitz maps with generalised cauchy-riemann equations. *Theor. Comput. Sci.*, 564:89–106, 2015.

[92] Zoltán Ésik and Panos Rondogiannis. A fixed point theorem for non-monotonic functions. *Theor. Comput. Sci.*, 574:18–38, 2015.

[93] Guy Even and Moti Medina. A nonmonotone analysis with the primal-dual approach: Online routing of virtual circuits with unknown durations. *Theor. Comput. Sci.*, 584:144–154, 2015.

[94] Nicholas Faulkner and Reem Yassawi. A family of sand automata. *Theor. Comput. Sci.*, 565:50–62, 2015.

[95] Jean-Marc Fédou and Gabriele Fici. Vertical representation of c^∞-words. *Theor. Comput. Sci.*, 565:90–101, 2015.

[96] Michael R. Fellows, Uéverton dos Santos Souza, Fábio Protti, and Maise Dantas da Silva. Tractability and hardness of flood-filling games on trees. *Theor. Comput. Sci.*, 576:102–116, 2015.

[97] Hugo Férée, Emmanuel Hainry, Mathieu Hoyrup, and Romain Péchoux. Characterizing polynomial time complexity of stream programs using interpretations. *Theor. Comput. Sci.*, 585:41–54, 2015.

[98] Antonio Fernández Anta, Chryssis Georgiou, Dariusz R. Kowalski, and Elli Zavou. Online parallel scheduling of non-uniform tasks: Trading failures for energy. *Theor. Comput. Sci.*, 590:129–146, 2015.

[99] Henning Fernau, Fedor V. Fomin, Geevarghese Philip, and Saket Saurabh. On the parameterized complexity of vertex cover and edge cover with connectivity constraints. *Theor. Comput. Sci.*, 565:1–15, 2015.

[100] Guillaume Fertin, Shahrad Jamshidi, and Christian Komusiewicz. Towards an algorithmic guide to spiral galaxies. *Theor. Comput. Sci.*, 586:26–39, 2015.

[101] Maxime Folschette, Loïc Paulevé, Katsumi Inoue, Morgan Magnin, and Olivier Roux. Identification of biological regulatory networks from process hitting models. *Theor. Comput. Sci.*, 568:49–71, 2015.

[102] Nikolaos Fountoulakis, Tobias Friedrich, and Danny Hermelin. On the average-case complexity of parameterized clique. *Theor. Comput. Sci.*, 576:18–29, 2015.

[103] Satoshi Fujita. Optimal serial broadcast of successive chunks. *Theor. Comput. Sci.*, 575:3–9, 2015.

[104] Pedro García, Damián López, and Parga.

[105] Luisa Gargano, Pavol Hell, Joseph G. Peters, and Ugo Vaccaro. Influence diffusion in social networks under time window constraints. *Theor. Comput. Sci.*, 584:53–66, 2015.

[106] Luisa Gargano and Adele A. Rescigno. Complexity of conflict-free colorings of graphs. *Theor. Comput. Sci.*, 566:39–49, 2015.

[107] Zhichao Geng and Jinjiang Yuan. Pareto optimization scheduling of family jobs on a p-batch machine to minimize makespan and maximum lateness. *Theor. Comput. Sci.*, 570:22–29, 2015.

[108] Antoine Genitrini, Bernhard Gittenberger, Veronika Kraus, and Cécile Mailler. Associative and commutative tree representations for boolean functions. *Theor. Comput. Sci.*, 570:70–101, 2015.

[109] Konstantinos Georgiou, Evangelos Kranakis, and Danny Krizanc. Excuse me! or the courteous theatregoers' problem. *Theor. Comput. Sci.*, 586:95–110, 2015.

[110] Subir Kumar Ghosh and Bodhayan Roy. Some results on point visibility graphs. *Theor. Comput. Sci.*, 575:17–32, 2015.

[111] Yiannis Giannakopoulos. Bounding the optimal revenue of selling multiple goods. *Theor. Comput. Sci.*, 581:83–96, 2015.

[112] F. Giroire, I. Lamprou, D. Mazauric, N. Nisse, S. Pérennes, and R. Soares. Connected surveillance game. *Theor. Comput. Sci.*, 584:131–143, 2015.

[113] Laurent Gourvès, Jérôme Monnot, and Lydia Tlilane. Worst case compromises in matroids with applications to the allocation of indivisible goods. *Theor. Comput. Sci.*, 589:121–140, 2015.

[114] Clémentine Gritti, Willy Susilo, Thomas Plantard, and Khin Than Win. Privacy-preserving encryption scheme using dna parentage test. *Theor. Comput. Sci.*, 580:1–13, 2015.

[115] Jarosław Grytczuk, Karol Kosiński, and Michał Zmarz. How to play thue games. *Theor. Comput. Sci.*, 582:83–88, 2015.

[116] Xuechong Guan and Yongming Li. On conditions for mappings to preserve optimal solutions of semiring-induced valuation algebras. *Theor. Comput. Sci.*, 563:86–98, 2015.

[117] Ashwin Guha and Ambedkar Dukkipati. A faster algorithm for testing polynomial representability of functions over finite integer rings. *Theor. Comput. Sci.*, 579:88–99, 2015.

[118] Péter Györgyi and Tamás Kis. Reductions between scheduling problems with non-renewable resources and knapsack problems. *Theor. Comput. Sci.*, 565:63–76, 2015.

[119] Ararat Harutyunyan and Sylvain Legay. Linear time algorithms for weighted offensive and powerful alliances in trees. *Theor. Comput. Sci.*, 582:17–26, 2015.

[120] Nidhi Hegde, Laurent Massoulié, and Laurent Viennot. Self-organizing flows in social networks. *Theor. Comput. Sci.*, 584:3–18, 2015.

[121] Marc Hellmuth and Tilen Marc. On the cartesian skeleton and the factorization of the strong product of digraphs. *Theor. Comput. Sci.*, 565:16–29, 2015.

[122] Monika Henzinger and Veronika Loitzenbauer. Truthful unit-demand auctions with budgets revisited. *Theor. Comput. Sci.*, 573:1–15, 2015.

[123] Yuya Higashikawa, John Augustine, Siu-Wing Cheng, Mordecai J. Golin, Naoki Katoh, Guanqun Ni, Bing Su, and Yinfeng Xu. Minimax regret 1-sink location problem in dynamic path networks. *Theor. Comput. Sci.*, 588:24–36, 2015.

[124] Nhan Bao Ho. On the expansion of three-element subtraction sets. *Theor. Comput. Sci.*, 582:35–47, 2015.

[125] Christopher M. Homan and Sven Kosub. Dichotomy results for fixed point counting in boolean dynamical systems. *Theor. Comput. Sci.*, 573:16–25, 2015.

[126] Wing-Kai Hon, Ton Kloks, Ching-Hao Liu, Hsiang-Hsuan Liu, Sheung-Hung Poon, and Yue-Li Wang. On maximum independent set of categorical product and ultimate categorical ratios of graphs. *Theor. Comput. Sci.*, 588:81–95, 2015.

[127] Tomohiro I, Takaaki Nishimoto, Shunsuke Inenaga, Hideo Bannai, and Masayuki Takeda. Compressed automata for dictionary matching. *Theor. Comput. Sci.*, 578:30–41, 2015.

[128] Aleksandar Ilić. On the variable common due date, minimal tardy jobs bicriteria two-machine flow shop problem with ordered machines. *Theor. Comput. Sci.*, 582:70–73, 2015.

[129] Gabriel Istrate. Reachability and recurrence in a modular generalization of annihilating random walks (and lights-out games) to hypergraphs. *Theor. Comput. Sci.*, 580:83–93, 2015.

[130] Toshiya Itoh and Seiji Yoshimoto. Buffer management of multi-queue qos switches with class segregation. *Theor. Comput. Sci.*, 589:24–33, 2015.

[131] Mikoláš Janota and Joao Marques-Silva. Expansion-based qbf solving versus q-resolution. *Theor. Comput. Sci.*, 577:25–42, 2015.

[132] Min Ji, Qinyun Yang, Danli Yao, and T.C.E. Cheng. Single-machine batch scheduling of linear deteriorating jobs. *Theor. Comput. Sci.*, 580:36–49, 2015.

[133] Jozef Jirásek and Galina Jirásková. On the boundary of regular languages. *Theor. Comput. Sci.*, 578:42–57, 2015.

[134] Taylor T. Johnson and Sayan Mitra. Safe and stabilizing distributed multi-path cellular flows. *Theor. Comput. Sci.*, 579:9–32, 2015.

[135] Peter Jonsson, Victor Lagerkvist, and Gustav Nordh. Constructing np-intermediate problems by blowing holes with parameters of various properties. *Theor. Comput. Sci.*, 581:67–82, 2015.

[136] Naonori Kakimura and Ken-ichi Kawarabayashi. Fixed-parameter tractability for subset feedback set problems with parity constraints. *Theor. Comput. Sci.*, 576:61–76, 2015.

[137] Teturo Kamae and Dong Han Kim. A characterization of eventual periodicity. *Theor. Comput. Sci.*, 581:1–8, 2015.

[138] Adam Kasperski and Paweł Zieliński. Combinatorial optimization problems with uncertain costs and the owa criterion. *Theor. Comput. Sci.*, 565:102–112, 2015.

[139] Changwook Kim and Mahiro Ando. Node replacement graph grammars with dynamic node relabeling. *Theor. Comput. Sci.*, 583:40–50, 2015.

[140] Pavel Klavík, Jan Kratochvíl, Yota Otachi, and Toshiki Saitoh. Extending partial representations of subclasses of chordal graphs. *Theor. Comput. Sci.*, 576:85–101, 2015.

[141] Sebastian Kniesburges, Andreas Koutsopoulos, and Christian Scheideler. A deterministic worst-case message complexity optimal solution for resource discovery. *Theor. Comput. Sci.*, 584:67–79, 2015.

[142] Irina Kostitsyna, Maarten Löffler, and Valentin Polishchuk. Optimizing airspace closure with respect to politicians' egos. *Theor. Comput. Sci.*, 586:161–175, 2015.

[143] Mirosław Kowaluk and Gabriela Majewska. New sequential and parallel algorithms for computing the β-spectrum. *Theor. Comput. Sci.*, 590:73–85, 2015.

[144] Evangelos Kranakis, Fraser MacQuarrie, and Oscar Morales Ponce. Connectivity and stretch factor trade-offs in wireless sensor networks with directional antennae. *Theor. Comput. Sci.*, 590:55–72, 2015.

[145] Walter O. Krawec. n-player impartial combinatorial games with random players. *Theor. Comput. Sci.*, 569:1–12, 2015.

[146] Piotr Krysta and Carmine Ventre. Combinatorial auctions with verification are tractable. *Theor. Comput. Sci.*, 571:21–35, 2015.

[147] Raghav Kulkarni, Youming Qiao, and Xiaoming Sun. Any monotone property of 3-uniform hypergraphs is weakly evasive. *Theor. Comput. Sci.*, 588:16–23, 2015.

[148] Che-Nan Kuo. Every edge lies on cycles embedding in folded hypercubes with vertex-fault-tolerant. *Theor. Comput. Sci.*, 589:47–52, 2015.

[149] Dietrich Kuske. Schützenberger's theorem on formal power series follows from kleene's theorem. *Theor. Comput. Sci.*, 401(1-3):243–248, 2008.

[150] Martin Kutrib, Andreas Malcher, Carlo Mereghetti, Beatrice Palano, and Matthias Wendlandt. Deterministic input-driven queue automata: Finite turns, decidability, and closure properties. *Theor. Comput. Sci.*, 578:58–71, 2015.

[151] Cheng-Nan Lai. On the construction of all shortest vertex-disjoint paths in cayley graphs of abelian groups. *Theor. Comput. Sci.*, 571:10–20, 2015.

[152] Nhat X. Lam, Tien Tran, Min Kyung An, and Dung T. Huynh. A note on the complexity of minimum latency data aggregation scheduling with uniform power in physical interference model. *Theor. Comput. Sci.*, 569:70–73, 2015.

[153] Kasper Green Larsen, J. Ian Munro, Jesper Sindahl Nielsen, and Sharma V. Thankachan. On hardness of several string indexing problems. *Theor. Comput. Sci.*, 582:74–82, 2015.

[154] Tor Lattimore and Marcus Hutter. On martin-löf (non-)convergence of solomonoff's universal mixture. *Theor. Comput. Sci.*, 588:2–15, 2015.

[155] Van Bang Le and Sheng-Lung Peng. Characterizing and recognizing probe block graphs. *Theor. Comput. Sci.*, 568:97–102, 2015.

[156] Kwangsu Lee, Dong Hoon Lee, and Moti Yung. Sequential aggregate signatures with short public keys without random oracles. *Theor. Comput. Sci.*, 579:100–125, 2015.

[157] Amir Levi and Boaz Patt-Shamir. Non-additive two-option ski rental. *Theor. Comput. Sci.*, 584:42–52, 2015.

[158] Liron Levin, Dariusz R. Kowalski, and Michael Segal. Message and time efficient multi-broadcast schemes. *Theor. Comput. Sci.*, 569:13–23, 2015.

[159] Chung-Lun Li. Improved algorithms for single-machine common due window assignment and scheduling with batch deliveries. *Theor. Comput. Sci.*, 570:30–39, 2015.

[160] Qin Li and Zhe Dang. Sampling automata and programs. *Theor. Comput. Sci.*, 577:125–140, 2015.

[161] Shisheng Li, T.C.E. Cheng, C.T. Ng, and Jinjiang Yuan. Single-machine batch scheduling with job processing time compatibility. *Theor. Comput. Sci.*, 583:57–66, 2015.

[162] Kewen Liao, Hong Shen, and Longkun Guo. Improved approximation algorithms for constrained fault-tolerant resource allocation. *Theor. Comput. Sci.*, 590:118–128, 2015.

[163] Jia-Jie Liu, Cindy Tzu-Hsin Wang, Yue-Li Wang, and William Chung-Kung Yen. The hub number of co-comparability graphs. *Theor. Comput. Sci.*, 570:15–21, 2015.

[164] Yunlong Liu, Jianxin Wang, Jie You, Jianer Chen, and Yixin Cao. Edge deletion problems: Branching facilitated by modular decomposition. *Theor. Comput. Sci.*, 573:63–70, 2015.

[165] Lingfa Lu, Liqi Zhang, and Long Wan. Integrated production and delivery scheduling on a serial batch machine to minimize the makespan. *Theor. Comput. Sci.*, 572:50–57, 2015.

[166] Andreas Maletti. Hyper-optimization for deterministic tree automata. *Theor. Comput. Sci.*, 578:72–87, 2015.

[167] Eleftherios Matsikoudis and Edward A. Lee. The fixed-point theory of strictly causal functions. *Theor. Comput. Sci.*, 574:39–77, 2015.

[168] Y. Métivier, J.M. Robson, and A. Zemmari. Analysis of fully distributed splitting and naming probabilistic procedures and applications. *Theor. Comput. Sci.*, 584:115–130, 2015.

[169] Johannes Müller and Hengrui Jiang. Graphical limit sets for general cellular automata. *Theor. Comput. Sci.*, 580:14–27, 2015.

[170] N.S. Narayanaswamy and G. Ramakrishna. On minimum average stretch spanning trees in polygonal 2-trees. *Theor. Comput. Sci.*, 575:56–70, 2015.

[171] Turlough Neary. Three small universal spiking neural p systems. *Theor. Comput. Sci.*, 567:2–20, 2015.

[172] S. Nikoletseas, P. Panagopoulou, C. Raptopoulos, and P.G. Spirakis. On the structure of equilibria in basic network formation. *Theor. Comput. Sci.*, 590:96–105, 2015.

[173] Harumichi Nishimura and Tomoyuki Yamakami. Interactive proofs with quantum finite automata. *Theor. Comput. Sci.*, 568:1–18, 2015.

[174] Colm Ó Dúnlaing. An almost-confluent congruential language which is not church-rosser congruential. *Theor. Comput. Sci.*, 589:141–146, 2015.

[175] Alexander Okhotin. Improved normal form for grammars with one-sided contexts. *Theor. Comput. Sci.*, 588:52–72, 2015.

[176] Alexander Okhotin and Kai Salomaa. Descriptional complexity of unambiguous input-driven pushdown automata. *Theor. Comput. Sci.*, 566:1–11, 2015.

[177] Fukuhito Ooshita and Sébastien Tixeuil. On the self-stabilization of mobile oblivious robots in uniform rings. *Theor. Comput. Sci.*, 568:84–96, 2015.

[178] Friedrich Otto and František Mráz. Lambda-confluence for context rewriting systems. *Theor. Comput. Sci.*, 578:88–99, 2015.

[179] B.S. Panda, S. Paul, and D. Pradhan. Hardness results, approximation and exact algorithms for liar's domination problem in graphs. *Theor. Comput. Sci.*, 573:26–42, 2015.

[180] Giovanni Pardini, Paolo Milazzo, and Andrea Maggiolo-Schettini. Component identification in biochemical pathways. *Theor. Comput. Sci.*, 587:104–124, 2015.

[181] Andrei Popescu and Grigore Roşu. Term-generic logic. *Theor. Comput. Sci.*, 577:1–24, 2015.

[182] Elena Popovici and Ezra Winston. A framework for co-optimization algorithm performance and its application to worst-case optimization. *Theor. Comput. Sci.*, 567:46–73, 2015.

[183] Pavithra Prabhakar, Vladimeros Vladimerou, Mahesh Viswanathan, and Geir Dullerud. A decidable class of planar linear hybrid systems. *Theor. Comput. Sci.*, 574:1–17, 2015.

[184] Abraham P. Punnen, Piyashat Sripratak, and Daniel Karapetyan. Average value of solutions for the bipartite boolean quadratic programs and rounding algorithms. *Theor. Comput. Sci.*, 565:77–89, 2015.

[185] Michaël Rao, Michel Rigo, and Pavel Salimov. Avoiding 2-binomial squares and cubes. *Theor. Comput. Sci.*, 572:83–91, 2015.

[186] Adrien Richard. Fixed point theorems for boolean networks expressed in terms of forbidden subnetworks. *Theor. Comput. Sci.*, 583:1–26, 2015.

[187] Wojciech Rytter and Arseny M. Shur. Searching for zimin patterns. *Theor. Comput. Sci.*, 571:50–57, 2015.

[188] Ville Salo and Ilkka Törmä. Category theory of symbolic dynamics. *Theor. Comput. Sci.*, 567:21–45, 2015.

[189] Manfred Schmidt-Schauß, David Sabel, Joachim Niehren, and Jan Schwinghammer. Observational program calculi and the correctness of translations. *Theor. Comput. Sci.*, 577:98–124, 2015.

[190] Michele Sevegnani and Muffy Calder. Bigraphs with sharing. *Theor. Comput. Sci.*, 577:43–73, 2015.

[191] Tong-Wook Shinn and Tadao Takaoka. Variations on the bottleneck paths problem. *Theor. Comput. Sci.*, 575:10–16, 2015.

[192] Shyong Jian Shyu. Visual cryptograms of random grids for threshold access structures. *Theor. Comput. Sci.*, 565:30–49, 2015.

[193] Piotr Skowron, Lan Yu, Piotr Faliszewski, and Edith Elkind. The complexity of fully proportional representation for single-crossing electorates. *Theor. Comput. Sci.*, 569:43–57, 2015.

[194] Bosheng Song and Linqiang Pan. Computational efficiency and universality of timed p systems with active membranes. *Theor. Comput. Sci.*, 567:74–86, 2015.

[195] Sulin Song, Xiaoyan Li, Shuming Zhou, and Mi Chen. Fault tolerance and diagnosability of burnt pancake networks under the comparison model. *Theor. Comput. Sci.*, 582:48–59, 2015.

[196] K. Subramani and James Worthington. Feasibility checking in horn constraint systems through a reduction based approach. *Theor. Comput. Sci.*, 576:1–17, 2015.

[197] Shu-Ming Sun and Ning Zhong. Computability aspects for 1st-order partial differential equations via characteristics. *Theor. Comput. Sci.*, 583:27–39, 2015.

[198] Claude Sureson. Random reals as measures of natural open sets. *Theor. Comput. Sci.*, 589:1–23, 2015.

[199] Ming-Xiao Tang, Jia Lee, and Kenichi Morita. General design of reversible sequential machines based on reversible logic elements. *Theor. Comput. Sci.*, 568:19–27, 2015.

[200] Wen Chean Teh and Kiam Heong Kwa. Core words and parikh matrices. *Theor. Comput. Sci.*, 582:60–69, 2015.

[201] H.F. Ting and Xiangzhong Xiang. Online pricing for multi-type of items. *Theor. Comput. Sci.*, 572:66–82, 2015.

[202] Ondřej Turek. Abelian properties of parry words. *Theor. Comput. Sci.*, 566:26–38, 2015.

[203] Giovanni Viglietta. Lemmings is pspace-complete. *Theor. Comput. Sci.*, 586:120–134, 2015.

[204] Farn Wang, Sven Schewe, and Jung-Hsuan Wu. Complexity of node coverage games. *Theor. Comput. Sci.*, 576:45–60, 2015.

[205] Limin Wang, Xiaoyan Zhang, Zhao Zhang, and Hajo Broersma. A ptas for the minimum weight connected vertex cover p_3 problem on unit disk graphs. *Theor. Comput. Sci.*, 571:58–66, 2015.

[206] Fang Xie, Zhe Xu, Yuzhong Zhang, and Qingguo Bai. Scheduling games on uniform machines with activation cost. *Theor. Comput. Sci.*, 580:28–35, 2015.

[207] Jia Xu and Zhaohui Liu. Online scheduling with equal processing times and machine eligibility constraints. *Theor. Comput. Sci.*, 572:58–65, 2015.

[208] Katsuhisa Yamanaka, Erik D. Demaine, Takehiro Ito, Jun Kawahara, Masashi Kiyomi, Yoshio Okamoto, Toshiki Saitoh, Akira Suzuki, Kei Uchizawa, and Takeaki Uno. Swapping labeled tokens on graphs. *Theor. Comput. Sci.*, 586:81–94, 2015.

[209] Boting Yang and William Hamilton. The optimal capture time of the one-cop-moves game. *Theor. Comput. Sci.*, 588:96–113, 2015.

[210] Yu Yang, Hongbo Liu, Hua Wang, and Scott Makeig. Enumeration of bc-subtrees of trees. *Theor. Comput. Sci.*, 580:59–74, 2015.

[211] Yu Yu, Xiangxue Li, and Jian Weng. Pseudorandom generators from regular one-way functions: New constructions with improved parameters. *Theor. Comput. Sci.*, 569:58–69, 2015.

[212] Wenfeng Zhang and Xiaoquan Xu. s_2-quasicontinuous posets. *Theor. Comput. Sci.*, 574:78–85, 2015.

[213] Wenhui Zhang. Bounded semantics. *Theor. Comput. Sci.*, 564:1–29, 2015.

[214] Wenwen Zhang and Jian-Liang Wu. Some sufficient conditions for 1-planar graphs to be class 1. *Theor. Comput. Sci.*, 566:50–58, 2015.

[215] Zhongzhi Zhang and Bin Wu. Pfaffian orientations and perfect matchings of scale-free networks. *Theor. Comput. Sci.*, 570:55–69, 2015.

[216] Zongyang Zhang, Sherman S.M. Chow, and Zhenfu Cao. Post-challenge leakage in public-key encryption. *Theor. Comput. Sci.*, 572:25–49, 2015.