References

[1] V. Arvind and N.V. Vinodchandran. Exact learning via teaching assistants. *Theor. Comput. Sci.*, 241(1-2):51–81, 2000.

[2] John Case, Sanjay Jain, and Frank Stephan. Vacillatory and bc learning on noisy data. *Theor. Comput. Sci.*, 241(1-2):115–141, 2000.

[3] Sanjay Jain, Efim Kinber, Steffen Lange, Rolf Wiehagen, and Thomas Zeugmann. Learning languages and functions by erasing. *Theor. Comput. Sci.*, 241(1-2):143–189, 2000.

[4] M.R.K. Krishna Rao. Some classes of prolog programs inferable from positive data. *Theor. Comput. Sci.*, 241(1-2):211–234, 2000.

[5] Philip M. Long. Improved bounds about on-line learning of smooth-functions of a single variable. *Theor. Comput. Sci.*, 241(1-2):25–35, 2000.

[6] Atsuyoshi Nakamura. Query learning of bounded-width obdds. *Theor. Comput. Sci.*, 241(1-2):83–114, 2000.

[7] Takeshi Shinohara and Hiroki Arimura. Inductive inference of unbounded unions of pattern languages from positive data. *Theor. Comput. Sci.*, 241(1-2):191–209, 2000.

[8] Eiji Takimoto, Yoshifumi Sakai, and Akira Maruoka. The learnability of exclusive-or expansions based on monotone dnf formulas. *Theor. Comput. Sci.*, 241(1-2):37–50, 2000.

[9] Paul Vitányi. A discipline of evolutionary programming. *Theor. Comput. Sci.*, 241(1-2):3–23, 2000.