References

[1] Donald F. Beal and Martin C. Smith. Temporal difference learning applied to game playing and the results of application to shogi. *Theor. Comput. Sci.*, 252(1-2):105–119, 2001.

[2] Yngvi Björnsson and Tony A. Marsland. Multi-cut $\alpha\beta$-pruning in game-tree search. *Theor. Comput. Sci.*, 252(1-2):177–196, 2001.

[3] Dennis M. Breuker, H. Jaap van den Herik, Jos W.H.M. Uiterwijk, and L. Victor Allis. A soluton to the ghi problem for best-first search. *Theor. Comput. Sci.*, 252(1-2):121–149, 2001.

[4] Aviezri S. Fraenkel and Ofer Rahat. Infinite cyclic impartial games. *Theor. Comput. Sci.*, 252(1-2):13–22, 2001.

[5] Aviezri S. Fraenkel and Dmitri Zusman. A new heap game. *Theor. Comput. Sci.*, 252(1-2):5–12, 2001.

[6] Ian Frank and David Basin. A theoretical and empirical investigation of search in imperfect information games. *Theor. Comput. Sci.*, 252(1-2):217–256, 2001.

[7] Xinbo Gao, Hiroyuki Iida, Jos W.H.M. Uiterwijk, and H. Jaap van den Herik. Strategies anticipating a difference in search depth using opponent-model search. *Theor. Comput. Sci.*, 252(1-2):83–104, 2001.

[8] Andreas Junghanns and Jonathan Schaeffer. Sokoban: Improving the search with relevance cuts. *Theor. Comput. Sci.*, 252(1-2):151–175, 2001.

[9] Wim Pijls and Arie de Bruin. Game tree algorithms and solution trees. *Theor. Comput. Sci.*, 252(1-2):197–215, 2001.

[10] William L. Spight. Extended thermography for multiple kos in go. *Theor. Comput. Sci.*, 252(1-2):23–43, 2001.

[11] Steven Willmott, Julian Richardson, Alan Bundy, and John Levine. Applying adversarial planning techniques to go. *Theor. Comput. Sci.*, 252(1-2):45–82, 2001.