References

[1] Samson Abramsky. A structural approach to reversible computation. *Theor. Comput. Sci.*, 347(3):441–464, 2005.

[2] Peter R.J. Asveld. Fuzzy context-free languages — part 1: Generalized fuzzy context-free grammars. *Theor. Comput. Sci.*, 347(1-2):167–190, 2005.

[3] Peter R.J. Asveld. Fuzzy context-free languages — part 2: Recognition and parsing algorithms. *Theor. Comput. Sci.*, 347(1-2):191–213, 2005.

[4] Paola Bonizzoni, Gianluca Della Vedova, and Riccardo Dondi. Reconciling a gene tree to a species tree under the duplication cost model. *Theor. Comput. Sci.*, 347(1-2):36–53, 2005.

[5] Sara Brunetti and Alain Daurat. Random generation of q-convex sets. *Theor. Comput. Sci.*, 347(1-2):393–414, 2005.

[6] G. Castiglione, A. Frosini, A. Restivo, and S. Rinaldi. Enumeration of l-convex polyominoes by rows and columns. *Theor. Comput. Sci.*, 347(1-2):336–352, 2005.

[7] J.-M. Champarnaud and F. Coulon. Erratum to ”nfa reduction algorithms by means of regular inequalities”. *Theor. Comput. Sci.*, 347(1-2):437–440, 2005. Originally in Theoretical Computer Science, Vol. 327, 2004, No. 3, 241-253.

[8] Victor D. Chepoi, Feodor F. Dragan, and Chenyu Yan. Additive sparse spanners for graphs with bounded length of largest induced cycle. *Theor. Comput. Sci.*, 347(1-2):54–75, 2005.

[9] A. Daurat, Y. Gérard, and M. Nivat. Some necessary clarifications about the chords' problem and the partial digest problem. *Theor. Comput. Sci.*, 347(1-2):432–436, 2005.

[10] Ivo Düntsch and Michael Winter. A representation theorem for boolean contact algebras. *Theor. Comput. Sci.*, 347(3):498–512, 2005.

[11] Feng Feng, Xianzhong Zhao, and Young Bae Jun. *-μ-semirings and *-λ-semirings. *Theor. Comput. Sci.*, 347(1-2):423–431, 2005.

[12] Kimmo Fredriksson, Gonzalo Navarro, and Esko Ukkonen. Sequential and indexed two-dimensional combinatorial template matching allowing rotations. *Theor. Comput. Sci.*, 347(1-2):239–275, 2005.

[13] Andrea Frosini, Maurice Nivat, and Laurent Vuillon. An introduction to periodical discrete sets from a tomographical perspective. *Theor. Comput. Sci.*, 347(1-2):370–392, 2005.

[14] Zoltán Fülöp, Armin Kühnemann, and Heiko Vogler. Linear deterministic multi bottom-up tree transducers. *Theor. Comput. Sci.*, 347(1-2):276–287, 2005.

[15] Chryssis Georgiou, Dariusz R. Kowalski, and Alexander A. Shvartsman. Efficient gossip and robust distributed computation. *Theor. Comput. Sci.*, 347(1-2):130–166, 2005.

[16] Frank Gurski and Egon Wanke. On the relationship between nlc-width and linear nlc-width. *Theor. Comput. Sci.*, 347(1-2):76–89, 2005.

[17] Tero Harju, Arto Lepistö, and Dirk Nowotka. A characterization of periodicity of bi-infinite words. *Theor. Comput. Sci.*, 347(1-2):419–422, 2005.

[18] H.K. Hsiao, Y.T. Yeh, and S.S. Yu. Dependences related to strict binary relations. *Theor. Comput. Sci.*, 347(1-2):306–324, 2005.

[19] Zurab Khasidashvili and John Glauert. The conflict-free reduction geometry. *Theor. Comput. Sci.*, 347(3):465–497, 2005.

[20] Krzysztof C. Kiwiel. On floyd and rivest's select algorithm. *Theor. Comput. Sci.*, 347(1-2):214–238, 2005.

[21] Zhaohui Liu and T.C. Edwin Cheng. Approximation schemes for minimizing total (weighted) completion time with release dates on a batch machine. *Theor. Comput. Sci.*, 347(1-2):288–298, 2005.

[22] Peter Bro Miltersen, Jaikumar Radhakrishnan, and Ingo Wegener. On converting cnf to dnf. *Theor. Comput. Sci.*, 347(1-2):325–335, 2005.

[23] Emanuele Munarini and Damiano Torri. Cayley continuants. *Theor. Comput. Sci.*, 347(1-2):353–369, 2005.

[24] Tatjana Petković and Saeed Salehi. Positive varieties of tree languages. *Theor. Comput. Sci.*, 347(1-2):1–35, 2005.

[25] Éric Schost. There is no efficient reverse derivation mode for discrete derivatives. *Theor. Comput. Sci.*, 347(1-2):299–305, 2005.

[26] N.V. Vinodchandran. A note on the circuit complexity of *pp*. *Theor. Comput. Sci.*, 347(1-2):415–418, 2005.

[27] Tomoyuki Yamakami and Toshio Suzuki. Resource bounded immunity and simplicity. *Theor. Comput. Sci.*, 347(1-2):90–129, 2005.