References

[1] E. Allender and M.M. Klawe. Improved lower bounds for the cycle detection problem. *Theor. Comput. Sci.*, 36(2,3):231–237, 1985.

[2] H. Alt. Multiplication is the easiest nontrivial arithmetic function. *Theor. Comput. Sci.*, 36(2,3):333–339, 1985.

[3] N. Blum. An $\omega(n^{4/3})$ lower bound on the monotone network complexity of the n^{th} degree convolution. *Theor. Comput. Sci.*, 36(1):59–69, 1985.

[4] M. Broy. On the herbrand-kleene universe for nondeterministic computations. *Theor. Comput. Sci.*, 36(1):1–19, 1985.

[5] C. De Felice. Construction de codes factorisants. *Theor. Comput. Sci.*, 36(1):99–108, 1985.

[6] J. Demel, M. Demlová, and V. Koubek. Fast algorithms constructing minimal subalgebras, congruences, and ideals in a finite algebra. *Theor. Comput. Sci.*, 36(2,3):203–216, 1985.

[7] K. Diks. Embeddings of binary trees in lines. *Theor. Comput. Sci.*, 36(2,3):319–331, 1985.

[8] J. Engelfriet. Determinacy $\rightarrow$ (observation equivalence $=$ trace equivalence). *Theor. Comput. Sci.*, 36(1):21–25, 1985.

[9] R. Fagin, M.M. Klawe, N.J. Pippenger, and L. Stockmeyer. Bounded-depth, polynomial-size circuits for symmetric functions. *Theor. Comput. Sci.*, 36(2,3):239–250, 1985.

[10] L. Fariñas del Cerro and E. Orlowska. Dal – a logic for data analysis. *Theor. Comput. Sci.*, 36(2,3):251–264, 1985. see Corrigendum in Theor. Comput. Sci. 47, 345.

[11] G. Farr and C. McDiarmid. The complexity of counting homeomorphs. *Theor. Comput. Sci.*, 36(2,3):345–348, 1985.

[12] N.E. Fenton, R.W. Whitty, and A.A. Kaposi. A generalised mathematical theory of structured programming. *Theor. Comput. Sci.*, 36(2,3):145–171, 1985.

[13] S. Hirose and M. Yoneda. On the chomsky and stanley's homomorphic characterization of context-free languages. *Theor. Comput. Sci.*, 36(1):109–112, 1985.

[14] Y. Igarashi. A pumping lemma for real-time deterministic context-free languages. *Theor. Comput. Sci.*, 36(1):89–97, 1985.

[15] R. Janicki. Transforming sequential systems into concurrent systems. *Theor. Comput. Sci.*, 36(1):27–58, 1985.

[16] M.R. Jerrum. The complexity of finding minimum-length generator sequences. *Theor. Comput. Sci.*, 36(2,3):265–289, 1985.

[17] M. Kaminski. A classification of ω-regular languages. *Theor. Comput. Sci.*, 36(2,3):217–229, 1985.

[18] W. Keller-Gehrig. Fast algorithms for the characteristic polynomial. *Theor. Comput. Sci.*, 36(2,3):309–317, 1985.

[19] H. Matsuno, K. Inoue, H. Taniguchi, and I. Takanami. Alternating simple multihead finite automata. *Theor. Comput. Sci.*, 36(2,3):291–308, 1985.

[20] K. Ruohonen. On equality of multiplicity sets of regular languages. *Theor. Comput. Sci.*, 36(1):113–117, 1985.

[21] W. Rytter and M. Chrobak. A characterization of reversal-bounded multipushdown machine languages. *Theor. Comput. Sci.*, 36(2,3):341–344, 1985.

[22] B. Scarpellini. Complex boolean networks obtained by diagonalization. *Theor. Comput. Sci.*, 36(1):119–125, 1985.

[23] I.H. Sudborough and E. Welzl. Complexity and decidability for chain code picture languages. *Theor. Comput. Sci.*, 36(2,3):173–202, 1985.

[24] M.L. Tiomkin and J.A. Makowsky. Propositional dynamic logic with local assignments. *Theor. Comput. Sci.*, 36(1):71–87, 1985.

[25] G. Winskel. On powerdomains and modality. *Theor. Comput. Sci.*, 36(1):127–137, 1985.