References

[1] Jorge Almeida and Marc Zeitoun. An automata-theoretic approach to the word problem for ω-terms over r. *Theor. Comput. Sci.*, 370(1-3):131–169, 2007.

[2] Jeremy Avigad and Yimu Yin. Quantifier elimination for the reals with a predicate for the powers of two. *Theor. Comput. Sci.*, 370(1-3):48–59, 2007.

[3] Andreas Brandstädt, Van Bang Le, and Suhail Mahfud. New applications of clique separator decomposition for the maximum weight stable set problem. *Theor. Comput. Sci.*, 370(1-3):229–239, 2007.

[4] Dario Catalano and Rosario Gennaro. Cramer-dåmgard signatures revisited: Efficient flat-tree signatures based on factoring. *Theor. Comput. Sci.*, 370(1-3):186–200, 2007.

[5] Yongxi Cheng, Xi Chen, and Yiqun Lisa Yin. On searching a table consistent with division poset. *Theor. Comput. Sci.*, 370(1-3):240–253, 2007.

[6] Andrea Frosini and Maurice Nivat. Binary matrices under the microscope: A tomographical problem. *Theor. Comput. Sci.*, 370(1-3):201–217, 2007.

[7] A. Gajardo and J. Mazoyer. One head machines from a symbolic approach. *Theor. Comput. Sci.*, 370(1-3):34–47, 2007.

[8] Vassilis Giakoumakis and Stephan Olariu. All minimal prime extensions of hereditary classes of graphs. *Theor. Comput. Sci.*, 370(1-3):74–93, 2007.

[9] Christian Glaßer, Alan L. Selman, and Liyu Zhang. Canonical disjoint *np*-pairs of propositional proof systems. *Theor. Comput. Sci.*, 370(1-3):60–73, 2007.

[10] Yo-Sub Han and Derick Wood. Obtaining shorter regular expressions from finite-state automata. *Theor. Comput. Sci.*, 370(1-3):110–120, 2007.

[11] Sun-Yuan Hsieh. Finding maximal leaf-agreement isomorphic descendent subtrees from phylogenetic trees with different species. *Theor. Comput. Sci.*, 370(1-3):299–308, 2007.

[12] Jin Wook Kim and Kunsoo Park. An efficient alignment algorithm for masked sequences. *Theor. Comput. Sci.*, 370(1-3):19–33, 2007.

[13] Markus Kuba and Alois Panholzer. The left-right-imbalance of binary search trees. *Theor. Comput. Sci.*, 370(1-3):265–278, 2007.

[14] Peter Leupold. Languages generated by iterated idempotency. *Theor. Comput. Sci.*, 370(1-3):170–185, 2007.

[15] Chi-Jen Lu, Shi-Chun Tsai, and Hsin-Lung Wu. Improved hardness amplification in *np*. *Theor. Comput. Sci.*, 370(1-3):293–298, 2007.

[16] François Nicolas and Eric Rivals. Longest common subsequence problem for unoriented and cyclic strings. *Theor. Comput. Sci.*, 370(1-3):1–18, 2007.

[17] Jun-Jie Pan and Gerard J. Chang. Induced-path partition on graphs with special blocks. *Theor. Comput. Sci.*, 370(1-3):121–130, 2007.

[18] Boaz Patt-Shamir. A note on efficient aggregate queries in sensor networks. *Theor. Comput. Sci.*, 370(1-3):254–264, 2007.

[19] Andrzej Pelc and David Peleg. Feasibility and complexity of broadcasting with random transmission failures. *Theor. Comput. Sci.*, 370(1-3):279–292, 2007.

[20] Shane Saunders and Tadao Takaoka. Solving shortest paths efficiently on nearly acyclic directed graphs. *Theor. Comput. Sci.*, 370(1-3):94–109, 2007.

[21] L. Sunil Chandran and L. Shankar Ram. On the relationship between atsp and the cycle cover problem. *Theor. Comput. Sci.*, 370(1-3):218–228, 2007.