References

[1] Y. André, A.C. Caron, D. Debarbieux, Y. Roos, and S. Tison. Path constraints in semistructured data. *Theor. Comput. Sci.*, 385(1-3):11–33, 2007.

[2] Verónica Becher and Serge Grigorieff. Random reals à la chaitin with or without prefix-freeness. *Theor. Comput. Sci.*, 385(1-3):193–201, 2007.

[3] Nicolas Bedaride. Classification of rotations on the torus t^2. *Theor. Comput. Sci.*, 385(1-3):214–225, 2007.

[4] André Berger, Takuro Fukunaga, Hiroshi Nagamochi, and Ojas Parekh. Approximability of the capacitated b-edge dominating set problem. *Theor. Comput. Sci.*, 385(1-3):202–213, 2007.

[5] F. Blanchet-Sadri and Nathan D. Wetzler. Partial words and the critical factorization theorem revisited. *Theor. Comput. Sci.*, 385(1-3):179–192, 2007.

[6] Guillaume Blin, Guillaume Fertin, and Stéphane Vialette. Extracting constrained 2-interval subsets in 2-interval sets. *Theor. Comput. Sci.*, 385(1-3):241–263, 2007.

[7] Hajo Broersma and Xueliang Li. On the complexity of dominating set problems related to the minimum all-ones problem. *Theor. Comput. Sci.*, 385(1-3):60–70, 2007.

[8] Arturo Carpi. On dejean's conjecture over large alphabets. *Theor. Comput. Sci.*, 385(1-3):137–151, 2007.

[9] Shantanu Das, Paola Flocchini, Shay Kutten, Amiya Nayak, and Nicola Santoro. Map construction of unknown graphs by multiple agents. *Theor. Comput. Sci.*, 385(1-3):34–48, 2007.

[10] C. Epifanio, A. Gabriele, F. Mignosi, A. Restivo, and M. Sciortino. Languages with mismatches. *Theor. Comput. Sci.*, 385(1-3):152–166, 2007.

[11] Jywe-Fei Fang. The bipanconnectivity and m-panconnectivity of the folded hypercube. *Theor. Comput. Sci.*, 385(1-3):286–300, 2007.

[12] Giulia Galbiati and Francesco Maffioli. Approximation algorithms for maximum cut with limited unbalance. *Theor. Comput. Sci.*, 385(1-3):78–87, 2007.

[13] Ming Yu Hsieh and Shi-Chun Tsai. On the fairness and complexity of generalized k-in-a-row games. *Theor. Comput. Sci.*, 385(1-3):88–100, 2007.

[14] Maleq Khan, Gopal Pandurangan, and V.S. Anil Kumar. A simple randomized scheme for constructing low-weight k-connected spanning subgraphs with applications to distributed algorithms. *Theor. Comput. Sci.*, 385(1-3):101–114, 2007.

[15] Dieter Kratsch and Mathieu Liedloff. An exact algorithm for the minimum dominating clique problem. *Theor. Comput. Sci.*, 385(1-3):226–240, 2007.

[16] Xueliang Li and Xiaoyan Zhang. On the minimum monochromatic or multicolored subgraph partition problems. *Theor. Comput. Sci.*, 385(1-3):1–10, 2007.

[17] Francesco M. Malvestuto, Mauro Mezzini, and Marina Moscarini. An analytical approach to the inference of summary data of additive type. *Theor. Comput. Sci.*, 385(1-3):264–285, 2007.

[18] Joong Chae Na and Kunsoo Park. Alphabet-independent linear-time construction of compressed suffix arrays using $o(n \log n)$-bit working space. *Theor. Comput. Sci.*, 385(1-3):127–136, 2007.

[19] A. Pavan, Alan L. Selman, Samik Sengupta, and N.V. Vinodchandran. Polylogarithmic-round interactive proofs for *conp* collapse the exponential hierarchy. *Theor. Comput. Sci.*, 385(1-3):167–178, 2007.

[20] V.Yu. Popov. Multiple genome rearrangement by swaps and by element duplications. *Theor. Comput. Sci.*, 385(1-3):115–126, 2007.

[21] My T. Thai, Ning Zhang, Ravi Tiwari, and Xiaochun Xu. On approximation algorithms of k-connected m-dominating sets in disk graphs. *Theor. Comput. Sci.*, 385(1-3):49–59, 2007.

[22] Weifan Wang and Yongzhu Chen. A sufficient condition for a planar graph to be class 1. *Theor. Comput. Sci.*, 385(1-3):71–77, 2007.