References

[1] Alexander Ahern and Nobuko Yoshida. Formalising java rmi with explicit code mobility. *Theor. Comput. Sci.*, 389(3):341–410, 2007.

[2] V.E. Alekseev, R. Boliac, D.V. Korobitsyn, and V.V. Lozin. *np*-hard graph problems and boundary classes of graphs. *Theor. Comput. Sci.*, 389(1-2):219–236, 2007.

[3] David Aspinall, Lennart Beringer, Martin Hofmann, Hans-Wolfgang Loidl, and Alberto Momigliano. A program logic for resources. *Theor. Comput. Sci.*, 389(3):411–445, 2007.

[4] James Aspnes, Joan Feigenbaum, Aleksandr Yampolskiy, and Sheng Zhong. Towards a theory of data entanglement. *Theor. Comput. Sci.*, 389(1-2):26–43, 2007.

[5] P. Baldan, A. Bracciali, and R. Bruni. A semantic framework for open processes. *Theor. Comput. Sci.*, 389(3):446–483, 2007.

[6] Julien Bernat, Zuzana Masáková, and Edita Pelantová. On a class of infinite words with affine factor complexity. *Theor. Comput. Sci.*, 389(1-2):12–25, 2007.

[7] Andreas Brandstädt and Chính T. Hoàng. On clique separators, nearly chordal graphs, and the maximum weight stable set problem. *Theor. Comput. Sci.*, 389(1-2):295–306, 2007.

[8] Sébastien Briais and Uwe Nestmann. A formal semantics for protocol narrations. *Theor. Comput. Sci.*, 389(3):484–511, 2007.

[9] Konstantinos Chatzikokolakis and Catuscia Palamidessi. A framework for analyzing probabilistic protocols and its application to the partial secrets exchange. *Theor. Comput. Sci.*, 389(3):512–527, 2007.

[10] Caterina De Simone and Anna Galluccio. Edge-colouring of regular graphs of large degree. *Theor. Comput. Sci.*, 389(1-2):91–99, 2007.

[11] Ilan Gronau and Shlomo Moran. On the hardness of inferring phylogenies from triplet-dissimilarities. *Theor. Comput. Sci.*, 389(1-2):44–55, 2007.

[12] Vesa Halava, Tero Harju, and Tomi Kärki. Relational codes of words. *Theor. Comput. Sci.*, 389(1-2):237–249, 2007.

[13] Yo-Sub Han, Yajun Wang, and Derick Wood. Prefix-free regular languages and pattern matching. *Theor. Comput. Sci.*, 389(1-2):307–317, 2007.

[14] Ryan C. Harkins and John M. Hitchcock. Upward separations and weaker hypotheses in resource-bounded measure. *Theor. Comput. Sci.*, 389(1-2):162–171, 2007.

[15] Javier Herranz. Identity-based ring signatures from rsa. *Theor. Comput. Sci.*, 389(1-2):100–117, 2007.

[16] Sanjay Jain and Efim Kinber. Learning languages from positive data and a limited number of short counterexamples. *Theor. Comput. Sci.*, 389(1-2):190–218, 2007.

[17] Tomasz Jurdziński. On complexity of grammars related to the safety problem. *Theor. Comput. Sci.*, 389(1-2):56–72, 2007.

[18] Ramtin Khosravi and Mohammad Ghodsi. Query-point visibility constrained shortest paths in simple polygons. *Theor. Comput. Sci.*, 389(1-2):1–11, 2007.

[19] Oddvar Kloster. A solution to the angel problem. *Theor. Comput. Sci.*, 389(1-2):152–161, 2007.

[20] Pascal Koiran and Sylvain Perifel. The complexity of two problems on arithmetic circuits. *Theor. Comput. Sci.*, 389(1-2):172–181, 2007.

[21] Karl Krukow and Andrew Twigg. The complexity of fixed point models of trust in distributed networks. *Theor. Comput. Sci.*, 389(3):528–549, 2007.

[22] Minh Ha Le and Thi Ha Duong Phan. Strict partitions and discrete dynamical systems. *Theor. Comput. Sci.*, 389(1-2):82–90, 2007.

[23] Van Bang Le, Bert Randerath, and Ingo Schiermeyer. On the complexity of 4-coloring graphs without long induced paths. *Theor. Comput. Sci.*, 389(1-2):330–335, 2007.

[24] Hsiao-Fei Liu and Kun-Mao Chao. A tight analysis of the katriel-bodlaender algorithm for online topological ordering. *Theor. Comput. Sci.*, 389(1-2):182–189, 2007.

[25] Florin Manea and Robert Mercaş. Freeness of partial words. *Theor. Comput. Sci.*, 389(1-2):265–277, 2007.

[26] Fábio Viduani Martinez, José Coelho de Pina, and José Soares. Algorithms for terminal steiner trees. *Theor. Comput. Sci.*, 389(1-2):133–142, 2007.

[27] Alexander Meduna and Jiří Techet. Canonical scattered context generators of sentences with their parses. *Theor. Comput. Sci.*, 389(1-2):73–81, 2007.

[28] Dimitrios Michail. Reducing rank-maximal to maximum weight matching. *Theor. Comput. Sci.*, 389(1-2):125–132, 2007.

[29] Yossi Moshe. On the subword complexity of thue-morse polynomial extractions. *Theor. Comput. Sci.*, 389(1-2):318–329, 2007.

[30] Dirk Strothmann. The affix array data structure and its applications to rna secondary structure analysis. *Theor. Comput. Sci.*, 389(1-2):278–294, 2007.

[31] Bo Tan. Mirror substitutions and palindromic sequences. *Theor. Comput. Sci.*, 389(1-2):118–124, 2007.

[32] Rui Wang, Francis C.M. Lau, and Yan Yan Liu. On the hardness of minimizing space for all-shortest-path interval routing schemes. *Theor. Comput. Sci.*, 389(1-2):250–264, 2007.

[33] Yinfeng Xu, Wenqiang Dai, Naoki Katoh, and Makoto Ohsaki. Triangulating a convex polygon with fewer number of non-standard bars. *Theor. Comput. Sci.*, 389(1-2):143–151, 2007.