## References


[1] Carme Àlvarez, Josep Díaz, Jordi Petit, José Rolim, and Maria Serna. High level communication functionalities for wireless sensor networks. *Theor. Comput. Sci.*, 406(3):240–247, 2008.

[2] Pasquale Ambrosio and Vincenzo Auletta. Deterministic monotone algorithms for scheduling on related machines. *Theor. Comput. Sci.*, 406(3):173–186, 2008.

[3] Eric Andres. The supercover of an $m$-flat is a discrete analytical object. *Theor. Comput. Sci.*, 406(1-2):8–14, 2008.

[4] Péter Balázs. A framework for generating some discrete sets with disjoint components by using uniform distributions. *Theor. Comput. Sci.*, 406(1-2):15–23, 2008.

[5] Valentin E. Brimkov and Reneta P. Barneva. On the polyhedral complexity of the integer points in a hyperball. *Theor. Comput. Sci.*, 406(1-2):24–30, 2008.

[6] S. Brlek, G. Labelle, and A. Lacasse. Discrete sets with minimal moment of inertia. *Theor. Comput. Sci.*, 406(1-2):31–42, 2008.

[7] S. Brocchi, A. Frosini, and C. Picouleau. Reconstruction of binary matrices under fixed size neighborhood constraints. *Theor. Comput. Sci.*, 406(1-2):43–54, 2008.

[8] S. Brunetti, A. Del Lungo, P. Gritzmann, and S. de Vries. On the reconstruction of binary and permutation matrices under (binary) tomographic constraints. *Theor. Comput. Sci.*, 406(1-2):63–71, 2008.

[9] Sara Brunetti and Alain Daurat. Reconstruction of convex lattice sets from tomographic projections in quartic time. *Theor. Comput. Sci.*, 406(1-2):55–62, 2008.

[10] Miroslav Chlebík and Janka Chlebíková. The steiner tree problem on graphs: Inapproximability results. *Theor. Comput. Sci.*, 406(3):207–214, 2008.

[11] David Coeurjolly, Jérôme Hulin, and Isabelle Sivignon. Finding a minimum medial axis of a discrete shape is *np*-hard. *Theor. Comput. Sci.*, 406(1-2):72–79, 2008.

[12] Colin Cooper, Ralf Klasing, and Tomasz Radzik. A randomized algorithm for the joining protocol in dynamic distributed networks. *Theor. Comput. Sci.*, 406(3):248–262, 2008.

[13] Paolo Dulio. Convex decomposition of $u$-polygons. *Theor. Comput. Sci.*, 406(1-2):80–89, 2008.

[14] Andrea Frosini, Maurice Nivat, and Simone Rinaldi. Scanning integer matrices by means of two rectangular windows. *Theor. Comput. Sci.*, 406(1-2):90–96, 2008.

[15] Ralf Klasing, Nelson Morales, and Stéphane Pérennes. On the complexity of bandwidth allocation in radio networks. *Theor. Comput. Sci.*, 406(3):225–239, 2008.

[16] T. Yung Kong. Minimal non-deletable sets and minimal non-codeletable sets in binary images. *Theor. Comput. Sci.*, 406(1-2):97–118, 2008.

[17] Thomas Lücking, Marios Mavronicolas, Burkhard Monien, and Manuel Rode. A new model for selfish routing. *Theor. Comput. Sci.*, 406(3):187–206, 2008.

[18] S. Nikoletseas, C. Raptopoulos, and P. Spirakis. Large independent sets in general random intersection graphs. *Theor. Comput. Sci.*, 406(3):215–224, 2008.

[19] Kálmán Palágyi. A 3d fully parallel surface-thinning algorithm. *Theor. Comput. Sci.*, 406(1-2):119–135, 2008.

[20] Miguel Santoyo and Ernesto Vallejo. Additivity obstructions for integral matrices and pyramids. *Theor. Comput. Sci.*, 406(1-2):136–145, 2008.

[21] Daniel Vainsencher and Alfred M. Bruckstein. On isoperimetrically optimal polyforms. *Theor. Comput. Sci.*, 406(1-2):146–159, 2008.

[22] Rafal Zdunek. On image reconstruction algorithms for binary electromagnetic geotomography. *Theor. Comput. Sci.*, 406(1-2):160–170, 2008.