References

[1] L'. Balková, E. Pelantová, and Š. Starosta. Corrigendum to "on brlek-reutenauer conjecture". *Theor. Comput. Sci.*, 465:73–74, 2012. Originally in Theor. Comput. Sci., Vol. 412, 2011, No. 41, 5649-5655.

[2] Tobias Jacobs. Analytical aspects of tie breaking. *Theor. Comput. Sci.*, 465:1–9, 2012.

[3] Huazhong Lü, Xianyue Li, and Heping Zhang. Matching preclusion for balanced hypercubes. *Theor. Comput. Sci.*, 465:10–20, 2012.

[4] Keaitsuda Nakprasit and Kittikorn Nakprasit. Equitable colorings of planar graphs without short cycles. *Theor. Comput. Sci.*, 465:21–27, 2012.

[5] Toshinori Takabatake and Tomoki Nakamigawa. Node-disjoint paths in a level block of generalized hierarchical completely connected networks. *Theor. Comput. Sci.*, 465:28–34, 2012.

[6] Torsten Tholey. Linear time algorithms for two disjoint paths problems on directed acyclic graphs. *Theor. Comput. Sci.*, 465:35–48, 2012.

[7] Nodari Vakhania. Branch less, cut more and minimize the number of late equal-length jobs on identical machines. *Theor. Comput. Sci.*, 465:49–60, 2012.

[8] Yan Wang, Jianxi Fan, Xiaohua Jia, and He Huang. An algorithm to construct independent spanning trees on parity cubes. *Theor. Comput. Sci.*, 465:61–72, 2012.