References

[1] Xujin Chen, Leah Epstein, Elena Kleiman, and Rob van Stee. Maximizing the minimum load: The cost of selfishness. *Theor. Comput. Sci.*, 482:9–19, 2013.

[2] James Currie. Infinite ternary square-free words concatenated from permutations of a single word. *Theor. Comput. Sci.*, 482:1–8, 2013.

[3] Petr A. Golovach, Dieter Kratsch, and Daniël Paulusma. Detecting induced minors in at-free graphs. *Theor. Comput. Sci.*, 482:20–32, 2013.

[4] Sanjay Jain, Eric Martin, and Frank Stephan. Learning and classifying. *Theor. Comput. Sci.*, 482:73–85, 2013.

[5] Yasushi Kawase and Kazuhisa Makino. Nash equilibria with minimum potential in undirected broadcast games. *Theor. Comput. Sci.*, 482:33–47, 2013.

[6] Gonzalo Navarro, Yakov Nekrich, and Luís M.S. Russo. Space-efficient data-analysis queries on grids. *Theor. Comput. Sci.*, 482:60–72, 2013.

[7] Salvador Roura. Fibonacci bsts: A new balancing method for binary search trees. *Theor. Comput. Sci.*, 482:48–59, 2013.

[8] Nguyen Kim Thang. $\mathcal{NP}$-hardness of pure nash equilibrium in scheduling and network design games. *Theor. Comput. Sci.*, 482:86–95, 2013.

[9] Xiumei Wang and Yixun Lin. Three-matching intersection conjecture for perfect matching polytopes of small dimensions. *Theor. Comput. Sci.*, 482:111–114, 2013.

[10] Adam Woryna. The concept of self-similar automata over a changing alphabet and lamplighter groups generated by such automata. *Theor. Comput. Sci.*, 482:96–110, 2013.