References

[1] Enrico Angelelli, Cristina Bazgan, M. Grazia Speranza, and Zsolt Tuza. Complexity and approximation for traveling salesman problems with profits. *Theor. Comput. Sci.*, 531:54–65, 2014.

[2] Suna Bensch, Frank Drewes, Helmut Jürgensen, and Brink van der Merwe. Graph transformation for incremental natural language analysis. *Theor. Comput. Sci.*, 531:1–25, 2014.

[3] Jacqueline W. Daykin and W.F. Smyth. A bijective variant of the burrows-wheeler transform using v-order. *Theor. Comput. Sci.*, 531:77–89, 2014.

[4] Masanobu Furuse and Koichi Yamazaki. A revisit of the scheme for computing treewidth and minimum fill-in. *Theor. Comput. Sci.*, 531:66–76, 2014.

[5] Sook-Yeon Kim and Jung-Heum Park. Many-to-many two-disjoint path covers in restricted hypercube-like graphs. *Theor. Comput. Sci.*, 531:26–36, 2014.

[6] Xianyong Li, Xiaofan Yang, Li He, Jing Zhang, and Cui Yu. Conditional diagnosability of optical multi-mesh hypercube networks under the comparison diagnosis model. *Theor. Comput. Sci.*, 531:47–53, 2014.

[7] Yong Wu, T.C.E. Cheng, and Min Ji. Optimal algorithms for semi-online machine covering on two hierarchical machines. *Theor. Comput. Sci.*, 531:37–46, 2014.