References

[1] Davide Bilò, Luciano Gualà, Stefano Leucci, and Guido Proietti. The max-distance network creation game on general host graphs. *Theor. Comput. Sci.*, 573:43–53, 2015.

[2] Marziyeh Boroujeni, Abdolali Basiri, Sajjad Rahmany, and Annick Valibouze. f_4-invariant algorithm for computing sagbi-gröbner bases. *Theor. Comput. Sci.*, 573:54–62, 2015.

[3] Krishnendu Chatterjee, Manas Joglekar, and Nisarg Shah. Average case analysis of the classical algorithm for markov decision processes with büchi objectives. *Theor. Comput. Sci.*, 573:71–89, 2015.

[4] Monika Henzinger and Veronika Loitzenbauer. Truthful unit-demand auctions with budgets revisited. *Theor. Comput. Sci.*, 573:1–15, 2015.

[5] Christopher M. Homan and Sven Kosub. Dichotomy results for fixed point counting in boolean dynamical systems. *Theor. Comput. Sci.*, 573:16–25, 2015.

[6] Yunlong Liu, Jianxin Wang, Jie You, Jianer Chen, and Yixin Cao. Edge deletion problems: Branching facilitated by modular decomposition. *Theor. Comput. Sci.*, 573:63–70, 2015.

[7] B.S. Panda, S. Paul, and D. Pradhan. Hardness results, approximation and exact algorithms for liar's domination problem in graphs. *Theor. Comput. Sci.*, 573:26–42, 2015.