References

[1] Eric Balkanski, F. Blanchet-Sadri, Matthew Kilgore, and B.J. Wyatt. On the state complexity of partial word dfas. *Theor. Comput. Sci.*, 578:2–12, 2015.

[2] Mathieu Caralp, Pierre-Alain Reynier, and Jean-Marc Talbot. Trimming visibly pushdown automata. *Theor. Comput. Sci.*, 578:13–29, 2015.

[3] Denis Debarbieux, Olivier Gauwin, Joachim Niehren, Tom Sebastian, and Mohamed Zergaoui. Early nested word automata for xpath query answering on xml streams. *Theor. Comput. Sci.*, 578:100–125, 2015.

[4] Tomohiro I, Takaaki Nishimoto, Shunsuke Inenaga, Hideo Bannai, and Masayuki Takeda. Compressed automata for dictionary matching. *Theor. Comput. Sci.*, 578:30–41, 2015.

[5] Jozef Jirásek and Galina Jirásková. On the boundary of regular languages. *Theor. Comput. Sci.*, 578:42–57, 2015.

[6] Martin Kutrib, Andreas Malcher, Carlo Mereghetti, Beatrice Palano, and Matthias Wendlandt. Deterministic input-driven queue automata: Finite turns, decidability, and closure properties. *Theor. Comput. Sci.*, 578:58–71, 2015.

[7] Andreas Maletti. Hyper-optimization for deterministic tree automata. *Theor. Comput. Sci.*, 578:72–87, 2015.

[8] Friedrich Otto and František Mráz. Lambda-confluence for context rewriting systems. *Theor. Comput. Sci.*, 578:88–99, 2015.