References

[1] Selim G. Akl, Michel Cosnard, and Afonso G. Ferreira. Data-movement-intensive problems: Two folk theorems in parallel computation revisited. *Theor. Comput. Sci.*, 95:323–337, 1992.

[2] Jean-Paul Allouche, Patrick Morton, and Jeffrey Shallit. Pattern spectra, substring enumeration, and automatic sequences. *Theor. Comput. Sci.*, 94:161–174, 1992.

[3] Jean-Paul Allouche and Jeffrey Shallit. The ring of k-regular sequences. *Theor. Comput. Sci.*, 98:163–197, 1992.

[4] Torben Amtoft and Jesper Larsson Träff. Partial memorization for obtaining linear time behavior of a 2dpda. *Theor. Comput. Sci.*, 98:347–356, 1992.

[5] Arne Andersson. Comments on "on the balance property of patricia tries: External path length viewpoint". *Theor. Comput. Sci.*, 106:391–393, 1992.

[6] Setsuo Arikawa, Takeshi Shinohara, and Akihiro Yamamoto. Learning elementary formal systems. *Theor. Comput. Sci.*, 95:97–113, 1992.

[7] Egidio Astesiano, Alessandro Giovini, and Gianna Reggio. Observational structures and their logic. *Theor. Comput. Sci.*, 96:249–283, 1992.

[8] Giorgio Ausiello, Giuseppe F. Italiano, Alberto Marchetti-Spaccamela, and Umberto Nanni. On-line computation of minimal and maximal length paths. *Theor. Comput. Sci.*, 95:245–261, 1992.

[9] R.J.R. Back and J. Von Wright. Combining angels, demons and miracles in program specifications. *Theor. Comput. Sci.*, 100:365–383, 1992.

[10] José L. Balcázar and Uwe Schöning. Logarithmic advice classes. *Theor. Comput. Sci.*, 99:279–290, 1992.

[11] L. Baratchart, M. Olivi, and F. Wielonsky. On a rational approximation problem in the real hardy space h_2. *Theor. Comput. Sci.*, 94:175–197, 1992.

[12] Stefano Baratella. A completeness result for allowed semi-strict programs with respect to well-behaved and allowed query clauses. *Theor. Comput. Sci.*, 97:143–156, 1992.

[13] Miklós Bartha. Foundations of a theory of synchronous systems. *Theor. Comput. Sci.*, 100:325–346, 1992.

[14] Rana Barua. The hausdorff-kuratowski hierarchy of ω-regular languages and a hierarchy of muller automata. *Theor. Comput. Sci.*, 96:345–360, 1992.

[15] Michel Bauderon. Infinite hypergraphs. ii. systems of recursive equations. *Theor. Comput. Sci.*, 103:165–190, 1992.

[16] Paul Beame, Erik Brisson, and Richard Ladner. The complexity of computing symmetric functions using threshold circuits. *Theor. Comput. Sci.*, 100:253–265, 1992.

[17] Joffroy Beauquier. Two distributed problems involving byzantine processes. *Theor. Comput. Sci.*, 95:169–185, 1992.

[18] Richard Beigel and John Gill. Counting classes: thresholds, parity, mods, and fewness. *Theor. Comput. Sci.*, 103:3–23, 1992.

[19] Gianluigi Bellin and Jussi Ketonen. A decision procedure revisited: Notes on direct logic, linear logic and its implementation. *Theor. Comput. Sci.*, 95:115–142, 1992.

[20] Daniel Benninger and Jürg Schmid. Effective subdirect decomposition: A case study. *Theor. Comput. Sci.*, 100:137–156, 1992.

[21] Marshall W. Bern, Howard J. Karloff, Prabhakar Raghavan, and Baruch Schieber. Fast geometric approximation techniques and geometric embedding problems. *Theor. Comput. Sci.*, 106:265–281, 1992.

[22] Gérard Berry and Gérard Boudol. The chemical abstract machine. *Theor. Comput. Sci.*, 96:217–248, 1992.

[23] Eike Best, Jörg Desel, and Javier Esparza. Traps characterize home states in free choice systems. *Theor. Comput. Sci.*, 101:161–176, 1992.

[24] Eike Best and Maciej Koutny. Petri nets semantics of priority systems. *Theor. Comput. Sci.*, 96:175–215, 1992.

[25] Anders Björner and Christophe Reutenauer. Rationality of the möbius function of subword order. *Theor. Comput. Sci.*, 98:53–63, 1992.

[26] Bard Bloom and Albert R. Meyer. Experimenting with process equivalence. *Theor. Comput. Sci.*, 101:223–237, 1992.

[27] Raymond Board and Leonard Pitt. On the necessity of occam algorithms. *Theor. Comput. Sci.*, 100:157–184, 1992.

[28] Hans L. Bodlaender and Dieter Kratsch. The complexity of coloring games on perfect graphs. *Theor. Comput. Sci.*, 106:309–326, 1992.

[29] Roland N. Bol. Generalizing completeness results for loop checks in logic programming. *Theor. Comput. Sci.*, 104:3–28, 1992.

[30] P. Bonizzoni and G. Mauri. On automata on infinite trees. *Theor. Comput. Sci.*, 93:227–244, 1992.

[31] Gérard Boudol and Kim G. Larsen. Graphical versus logical specifications. *Theor. Comput. Sci.*, 106:3–20, 1992.

[32] Daniel P. Bovet, Pierluigi Crescenzi, and Riccardo Silvestri. A uniform approach to define complexity classes. *Theor. Comput. Sci.*, 104:263–283, 1992.

[33] Joan Boyar, Gudmund Frandsen, and Carl Sturtivant. An arithmetic model of computation equivalent to threshold circuits. *Theor. Comput. Sci.*, 93:303–319, 1992.

[34] Symeon Bozapalidis. Alphabetic tree relations. *Theor. Comput. Sci.*, 99:177–211, 1992.

[35] Julian Bradfield and Colin Stirling. Local model checking for infinite state spaces. *Theor. Comput. Sci.*, 96:157–174, 1992.

[36] Stephen Brookes and Shai Geva. Towards a theory of parallel algorithms on concrete data structures. *Theor. Comput. Sci.*, 101:177–221, 1992.

[37] Danilo Bruschi. Strong separations of the polynomial hierarchy with oracles: Constructive separations by immune and simple sets. *Theor. Comput. Sci.*, 102:215–252, 1992.

[38] J. Cai, R. Paige, and R. Tarjan. More efficient bottom-up multi-pattern matching in trees. *Theor. Comput. Sci.*, 106:21–60, 1992.

[39] Jin-yi Cai, Anne Condon, and Richard J. Lipton. On games of incomplete information. *Theor. Comput. Sci.*, 103:25–38, 1992.

[40] Paul Caspi. Clocks in dataflow languages. *Theor. Comput. Sci.*, 94:125–140, 1992.

[41] Didier Caucal. On the regular structure of prefix rewriting. *Theor. Comput. Sci.*, 106:61–86, 1992.

[42] G. Cauchon. Séries de malcev-neumann sur le groupe libre et questions de rationalité. *Theor. Comput. Sci.*, 98:79–97, 1992.

[43] Virgil-Emil Căzănescu and Gheorghe Ştefănescu. A general result on abstract flowchart schemes with applications to the study of accessibility, reduction and minimization. *Theor. Comput. Sci.*, 99:1–63, 1992.

[44] Christian Choffrut. Rational relations and rational series. *Theor. Comput. Sci.*, 98:5–13, 1992.

[45] Marek Chrobak and Lawrence L. Larmore. Harmonic is 3-competitive for two servers. *Theor. Comput. Sci.*, 98:339–346, 1992.

[46] M. Clerbout and Y. Roos. Semicommutations and algebraic languages. *Theor. Comput. Sci.*, 103:39–49, 1992.

[47] Andrea Corradini and Ugo Montanari. An algebraic semantics for structured transition systems and its application to logic programs. *Theor. Comput. Sci.*, 103:51–106, 1992.

[48] Bruno Courcelle. The monadic second-order logic of graphs vii: Graphs as relational structures. *Theor. Comput. Sci.*, 101:3–33, 1992.

[49] Paul Dagum and Michael Luby. Approximating the permanent of graphs with large factors. *Theor. Comput. Sci.*, 102:283–305, 1992.

[50] Carsten Damm and Christoph Meinel. Separating complexity classes related to ω-decision trees. *Theor. Comput. Sci.*, 106:351–360, 1992.

[51] Philippe Darondeau, Doris Nolte, Lutz Priese, and Serge Yoccoz. Fairness, distances and degrees. *Theor. Comput. Sci.*, 97:131–142, 1992.

[52] Gautam Das and Deborah Joseph. Minimum vertex hulls for polyhedral domains. *Theor. Comput. Sci.*, 103:107–135, 1992.

[53] Max Dauchet. Simulation of turing machines by a regular rewrite rule. *Theor. Comput. Sci.*, 103:409–420, 1992.

[54] F.S. de Boer, J.N. Kok, C. Palamidessi, and J.J.M.M. Rutten. From failure to success: Comparing a denotational and a declarative semantics for horn clause logic. *Theor. Comput. Sci.*, 101:239–263, 1992.

[55] Aldo de Luca and Stefano Varricchio. On noncounting regular classes. *Theor. Comput. Sci.*, 100:67–104, 1992.

[56] Michel de Rougemont. The functional dimension of inductive definitions. *Theor. Comput. Sci.*, 101:143–158, 1992.

[57] Françoise Debart, Patrice Enjalbert, and Madeleine Lescot. Multimodal logic programming using equational and order-sorted logic. *Theor. Comput. Sci.*, 105:141–166, 1992.

[58] Patrick Dehornoy. A criterion for proving noetherianity of a relation. *Theor. Comput. Sci.*, 93:321–325, 1992.

[59] Patrick Dehornoy. Problème de mots dans les gerbes libres. *Theor. Comput. Sci.*, 94:199–213, 1992.

[60] M.P. Delest and J.M. Fedou. Attribute grammars are useful for combinatorics. *Theor. Comput. Sci.*, 98:65–76, 1992.

[61] Raymond Devillers. Maximality preserving bisimulation. *Theor. Comput. Sci.*, 102:165–183, 1992.

[62] Mariangiola Dezani-Ciancaglini and J. Roger Hindley. Intersection types for combinatory logic. *Theor. Comput. Sci.*, 100:303–324, 1992.

[63] Sette Diop. Differential-algebraic decision methods and some applications to system theory. *Theor. Comput. Sci.*, 98:137–161, 1992.

[64] Kees Doets. A slight strengthening of a theorem of blair and kunen. *Theor. Comput. Sci.*, 97:175–181, 1992.

[65] Kosta Došen. Nonmodal classical linear predicate logic is a fragment of intuitionistic linear logic. *Theor. Comput. Sci.*, 102:207–214, 1992.

[66] Gérard Duchamp and Daniel Krob. On the partially commutative shuffle product. *Theor. Comput. Sci.*, 96:405–410, 1992.

[67] François Dumas. Skew power series rings with general commutation formula. *Theor. Comput. Sci.*, 98:99–114, 1992.

[68] Phan Minh Dung. On the relations between stable and well-founded semantics of logic programs. *Theor. Comput. Sci.*, 105:7–25, 1992.

[69] Muhammad El-Taha and Jr. Stidham, Shaler. Deterministic analysis of queueing systems with heterogeneous servers. *Theor. Comput. Sci.*, 106:243–264, 1992.

[70] Paul Erdös and D. Frank Hsu. Distributed loop network with minimum transmission delay. *Theor. Comput. Sci.*, 100:223–241, 1992.

[71] Javier Esparza and Manuel Silva. A polynomial-time algorithm to decide liveness of bounded free choice nets. *Theor. Comput. Sci.*, 102:185–205, 1992.

[72] Matthias Felleisen and Robert Hieb. The revised report on the syntactic theories of sequential control and state. *Theor. Comput. Sci.*, 103:235–271, 1992.

[73] Sébastien Ferenczi. Tiling the morse sequence. *Theor. Comput. Sci.*, 94:215–221, 1992.

[74] Thomas S. Ferguson. Mate with bishop and knight in kriegspiel. *Theor. Comput. Sci.*, 96:389–403, 1992.

[75] I. Filippenko and F.L. Morris. Domains for logic programming. *Theor. Comput. Sci.*, 94:63–99, 1992.

[76] Jean-Denis Fouks. Tseitin's formulas revisited. *Theor. Comput. Sci.*, 99:315–326, 1992.

[77] Christiane Frougny. Confluent linear numeration systems. *Theor. Comput. Sci.*, 106:183–219, 1992.

[78] Christiane Frougny. Systèmes de numération linéaires et θ-représentations. *Theor. Comput. Sci.*, 94:223–236, 1992.

[79] Maurizio Gabbrielli and Giorgio Levi. Unfolding and fixpoint semantics of concurrent constraint logic programs. *Theor. Comput. Sci.*, 105:85–128, 1992.

[80] Didier Galmiche. Program development in constructive type theory. *Theor. Comput. Sci.*, 94:237–259, 1992.

[81] Danièle Gardy. Méthode de col et lois limites en analyse combinatoire. *Theor. Comput. Sci.*, 94:261–280, 1992.

[82] Vijay K. Garg and M.T. Ragunath. Concurrent regular expressions and their relationship to petri nets. *Theor. Comput. Sci.*, 96:285–304, 1992.

[83] Steven M. German. Semantics and reasoning with free procedures. *Theor. Comput. Sci.*, 97:67–81, 1992.

[84] Bernhard Gil. Complete extension of general logic programs. *Theor. Comput. Sci.*, 94:281–294, 1992.

[85] Laura Giordano, Alberto Martelli, and Gianfranco Rossi. Extending horn clause logic with implication goals. *Theor. Comput. Sci.*, 95:43–74, 1992.

[86] Jean-Yves Girard, Andre Scedrov, and Philip J. Scott. Bounded linear logic: A modular approach to polynomial-time computability. *Theor. Comput. Sci.*, 97:1–66, 1992.

[87] Andreas Goerdt. Charaterizing complexity classes by higher type primitive recursive definitions. *Theor. Comput. Sci.*, 100:45–66, 1992.

[88] Andreas Goerdt. Unrestricted resolution versus n-resolution. *Theor. Comput. Sci.*, 93:159–167, 1992.

[89] Joseph A. Goguen and José Meseguer. Order-sorted algebra i: equational deduction for multiple inheritance, overloading, exceptions and partial operations. *Theor. Comput. Sci.*, 105:217–273, 1992.

[90] Erich Grädel. Capturing complexity classes by fragments of second-order logic. *Theor. Comput. Sci.*, 101:35–57, 1992.

[91] Klaus Grue. Map theory. *Theor. Comput. Sci.*, 102:1–133, 1992.

[92] Giovanna Guaiana, Antonio Restivo, and Sergio Salemi. Star-free trace languages. *Theor. Comput. Sci.*, 97:301–311, 1992.

[93] Jeremy Gunawardena. Causal automata. *Theor. Comput. Sci.*, 101:265–288, 1992.

[94] Carl A. Gunter. The mixed powerdomain. *Theor. Comput. Sci.*, 103:311–334, 1992.

[95] Liam Halpenny and Christopher J. Smyth. A classification of minimal standard-path 2×2 switching networks. *Theor. Comput. Sci.*, 102:329–354, 1992.

[96] Kiyoharu Hamaguchi, Hiromi Hiraishi, and Shuzo Yajima. ∞-regular temporal logic and its model checking problem. *Theor. Comput. Sci.*, 103:191–204, 1992.

[97] Peter G. Harrison and Hessam Khoshnevisan. A new approach to recursion removal. *Theor. Comput. Sci.*, 93:91–113, 1992.

[98] Roland Hausser. Complexity in left-associative grammar. *Theor. Comput. Sci.*, 106:283–308, 1992.

[99] James Hein. Completions of perpetual logic programs. *Theor. Comput. Sci.*, 99:65–78, 1992.

[100] Rolf Hennicker. A semi-algorithm for algebraic implementation proofs. *Theor. Comput. Sci.*, 104:53–87, 1992.

[101] Thomas Herbst. On a kind of fatou property of context-free groups. *Theor. Comput. Sci.*, 93:327–331, 1992.

[102] Wim H. Hesselink. Processes and formalisms for unbounded choice. *Theor. Comput. Sci.*, 99:105–119, 1992.

[103] Kunihiko Hiraishi and Atsunobu Ichikawa. On structural conditions for weak persistency and semilinearity of petri nets. *Theor. Comput. Sci.*, 93:185–199, 1992.

[104] Chinh T. Hoàng. A parallel algorithm for minimum weighted colouring of triangulated graphs. *Theor. Comput. Sci.*, 99:335–344, 1992.

[105] Dieter Hofbauer. Termination proofs by multiset path orderings imply primitive recursive derivation lengths. *Theor. Comput. Sci.*, 105:129–140, 1992.

[106] Robert Holte, Louis Rosier, Igor Tulchinsky, and Donald Varvel. Pinwheel scheduling with two distinct numbers. *Theor. Comput. Sci.*, 100:105–135, 1992.

[107] J.J.M. Hooman, S. Ramesh, and W.P. de Roever. A compositional axiomatization of statecharts. *Theor. Comput. Sci.*, 101:289–335, 1992.

[108] Juraj Hromkovič, Sergej A. Ložkin, Andrej I. Rybko, Alexander A. Sapoženko, and Nadežda A. Škalikova. Lower bounds on the area complexity of boolean circuits. *Theor. Comput. Sci.*, 97:285–300, 1992.

[109] Shou-Hsuan Stephen Huang, Hongfei Liu, and Venkatraman Viswanathan. A sublinear parallel algorithm for some dynamic programming problems. *Theor. Comput. Sci.*, 106:361–371, 1992.

[110] Dung T. Huynh. Nonuniform complexity and the randomness of certain complete languages. *Theor. Comput. Sci.*, 96:305–324, 1992.

[111] Oscar H. Ibarra, Tao Jiang, and Hui Wang. A characterization of exponential-time languages by alternating context-free grammars. *Theor. Comput. Sci.*, 99:301–313, 1992.

[112] Oscar H. Ibarra and Nicholas Q. Trân. On space-bounded synchronized alternating turing machines. *Theor. Comput. Sci.*, 99:243–264, 1992.

[113] M. Ito, H. Jürgensen, H.J. Shyr, and G. Thierrin. Languages whose n-element subsets are codes. *Theor. Comput. Sci.*, 96:325–344, 1992.

[114] Bart Jacobs, Ines Margaria, and Maddalena Zacchi. Filter models with polymorphic types. *Theor. Comput. Sci.*, 95:143–158, 1992.

[115] Klaus Jansen. Processor optimization for flow graphs. *Theor. Comput. Sci.*, 104:285–298, 1992.

[116] Jean-Pierre Jouannaud and Claude Marché. Termination and completion modulo associativity, commutativity and identity. *Theor. Comput. Sci.*, 104:29–51, 1992.

[117] Kanchana Kanchanasut and Peter J. Stuckey. Transforming normal logic programs to constraint logic programs. *Theor. Comput. Sci.*, 105:27–56, 1992.

[118] Juhani Karhumäki. Multiplicities: A deterministic view of nondeterminism. *Theor. Comput. Sci.*, 98:15–25, 1992.

[119] Georg Karner. Nivat's theorem for pushdown transducers. *Theor. Comput. Sci.*, 97:245–262, 1992.

[120] Georg Karner. On transductions of formal power series over complete semirings. *Theor. Comput. Sci.*, 98:27–39, 1992.

[121] Shmuel Katz and Doron Peled. Defining conditional independence using collapses. *Theor. Comput. Sci.*, 101:337–359, 1992.

[122] Zvi M. Kedem and Krishna V. Palem. Optimal parallel algorithms for forest and term matching. *Theor. Comput. Sci.*, 93:245–264, 1992.

[123] A.J. Kfoury, J. Tiuryn, and P. Urzyczyn. On the expressive power of finitely typed and universally polymorphic recursive procedures. *Theor. Comput. Sci.*, 93:1–41, 1992.

[124] Byeong Man Kim and Jung Wan Cho. A new subsumption method in the connection graph proof procedure. *Theor. Comput. Sci.*, 103:283–309, 1992.

[125] Changwook Kim and Ivan Hal Sudborough. On reversal-bounded picture languages. *Theor. Comput. Sci.*, 104:185–206, 1992.

[126] Peter Kirschenhofer, Helmut Prodinger, and Wojciech Szpankowski. Probabilistic modeling of data structures on words—a reply to professor andersson's letter. *Theor. Comput. Sci.*, 106:395–400, 1992.

[127] Emmanuel Kounalis. Testing for the ground (co-)reducibility property in term-rewriting systems. *Theor. Comput. Sci.*, 106:87–117, 1992.

[128] Maciej Koutny. Adequacy-preserving transformations of cosy path programs. *Theor. Comput. Sci.*, 94:141–158, 1992.

[129] Mark W. Krentel. Generalizations of opt p to the polynomial hierarchy. *Theor. Comput. Sci.*, 97:183–198, 1992.

[130] Masahito Kurihara and Azuma Ohuchi. Modularity of simple termination of term rewriting systems with shared constructors. *Theor. Comput. Sci.*, 103:273–282, 1992.

[131] Gilles Lachaud. Artin-schreier curves, exponential sums, and coding theory. *Theor. Comput. Sci.*, 94:295–310, 1992.

[132] François Lamarche. Quantitative domains and infinitary algebras. *Theor. Comput. Sci.*, 94:37–62, 1992.

[133] Jean-Luc Lambert. Sorting the sums $(x_i + y_j)$ in $o(n^2)$ comparisons. *Theor. Comput. Sci.*, 103:137–141, 1992.

[134] J.L. Lambert. A structure to decide reachability in petri nets. *Theor. Comput. Sci.*, 99:79–104, 1992.

[135] René Leermakers. Recursive ascent parsing: From earley to marcus. *Theor. Comput. Sci.*, 104:299–312, 1992.

[136] René Leermakers, Lex Augusteijn, and Frans E.J. Kruseman Aretz. A functional lr-parser. *Theor. Comput. Sci.*, 104:313–323, 1992.

[137] C. Limongelli and M. Temperini. Abstract specification of structures and methods in symbolic mathematical computation. *Theor. Comput. Sci.*, 104:89–107, 1992.

[138] G. Louchard, B. Randrianarimanana, and R. Schott. Dynamic algorithms in d.e. knuth's model: A probabilistic analysis. *Theor. Comput. Sci.*, 93:201–225, 1992.

[139] Andrea Maggiolo-Schettini and Józef Winkowski. Towards an algebra for timed behaviours. *Theor. Comput. Sci.*, 103:335–363, 1992.

[140] Harry G. Mairson. A simple proof of a theorem of statman. *Theor. Comput. Sci.*, 103:387–394, 1992.

[141] Vincenzo Manca and Antonino Salibra. Soundness and completeness of the birkhoff equational calculus for many-sorted algebras with possibly empty carrier sets. *Theor. Comput. Sci.*, 94:101–124, 1992.

[142] W. Marek and V.S. Subrahmanian. The relationship between stable, supported, default and autoepistemic semantics for general logic programs. *Theor. Comput. Sci.*, 103:365–386, 1992.

[143] Ian Mason and Carolyn Talcott. Inferring the equivalence of functional programs that mutate data. *Theor. Comput. Sci.*, 105:167–215, 1992.

[144] J. Mazoyer and N. Reimen. A linear speed-up theorem for cellular automata. *Theor. Comput. Sci.*, 101:59–98, 1992.

[145] Karl Meinke. Universal algebra in higher types. *Theor. Comput. Sci.*, 100:385–417, 1992.

[146] Dominique Méry. The $\backslash\sqcap$ system as a development system for concurrent programs:$\delta\backslash\sqcap$. *Theor. Comput. Sci.*, 94:311–334, 1992.

[147] José Meseguer. Conditional rewriting logic as a unified model of concurrency. *Theor. Comput. Sci.*, 96:73–155, 1992.

[148] Pascal Michel. Complexity of logical theories involving coprimality. *Theor. Comput. Sci.*, 106:221–241, 1992.

[149] Pascal Michel. A survey of space complexity. *Theor. Comput. Sci.*, 101:99–132, 1992.

[150] R. Mirwald and C.P. Schnorr. The multiplicative complexity of quadratic boolean forms. *Theor. Comput. Sci.*, 102:307–328, 1992.

[151] Angelo Monfroglio. Integer programs for logic constraint satisfaction. *Theor. Comput. Sci.*, 97:105–130, 1992.

[152] Lawrence S. Moss, José Meseguer, and Joseph A. Goguen. Final algebras, cosemicomputable algebras and degrees of unsolvability. *Theor. Comput. Sci.*, 100:267–302, 1992.

[153] Brigitte Mossé. Puissances de mots et reconnaissabilité des points fixes d'une substitution. *Theor. Comput. Sci.*, 99:327–334, 1992.

[154] Jean Moulin Ollagnier. Proof of dejean's conjecture for alphabets with 5,6,7,8,9,10 and 11 letters. *Theor. Comput. Sci.*, 95:187–205, 1992.

[155] Bernard Mourrain. Computable identities in the algebra of formal matrices. *Theor. Comput. Sci.*, 98:115–133, 1992.

[156] Madhavan Mukund and P.S. Thiagarajan. A logical characterization of well branching event structures. *Theor. Comput. Sci.*, 96:35–72, 1992.

[157] David E. Muller, Ahmed Saoudi, and Paul E. Schupp. Alternating automata, the weak monadic theory of trees and its complexity. *Theor. Comput. Sci.*, 97:233–244, 1992.

[158] Philip S. Mulry. Monads and algebras in the semantics of partial data types. *Theor. Comput. Sci.*, 99:141–155, 1992.

[159] Jean Néraud. On the rank of the subsets of a free monoid. *Theor. Comput. Sci.*, 99:231–241, 1992.

[160] M. Nielsen, G. Rozenberg, and P.S. Thiagarajan. Elementary transition systems. *Theor. Comput. Sci.*, 96:3–33, 1992.

[161] J. Nummenmaa. Constructing compact rectilinear planar layouts using canonical representation of planar graphs. *Theor. Comput. Sci.*, 99:213–230, 1992.

[162] Michael A. Palis and Sunil M. Shende. Upper bounds on recognition of a hierarchy of non-context-free languages. *Theor. Comput. Sci.*, 98:289–319, 1992.

[163] Luigi Palopoli. Testing logic programs for local stratification. *Theor. Comput. Sci.*, 103:205–234, 1992.

[164] Michel Parigot. Recursive programming with proofs. *Theor. Comput. Sci.*, 94:335–356, 1992.

[165] Pierre Péladeau. Formulas, regular languages and boolean circuits. *Theor. Comput. Sci.*, 101:133–141, 1992.

[166] Pierre Péladeau. Logically defined subsets of n^k. *Theor. Comput. Sci.*, 93:169–183, 1992.

[167] Jean Perraud, Olivier Roux, and Marc Huou. Operational semantics of a kernel of the language ELECTRE. *Theor. Comput. Sci.*, 97:83–103, 1992.

[168] Dominique Perrin. On positive matrices. *Theor. Comput. Sci.*, 94:357–366, 1992.

[169] Laurent Pierre. Rational indexes of generators of the cone of context-free languages. *Theor. Comput. Sci.*, 95:279–305, 1992.

[170] Thane E. Plambeck. Daisies, kayles, and the sibert-conway decomposition in misère octal games. *Theor. Comput. Sci.*, 96:361–388, 1992.

[171] Lakshman Prasad and S.S. Iyengar. An asymptotic equality for the number of necklaces in a shuffle-exchange network. *Theor. Comput. Sci.*, 102:355–365, 1992.

[172] Lutz Priese and Doris Nolte. Strong fairness and ultra metrics. *Theor. Comput. Sci.*, 99:121–140, 1992.

[173] Helmut Prodinger. Hypothetical analyses: Approximate counting in the style of knuth, path length in the style of flajolet. *Theor. Comput. Sci.*, 100:243–251, 1992.

[174] Patrice Quinton and Yves Robert. Systolic convolution of arithmetic functions. *Theor. Comput. Sci.*, 95:207–229, 1992.

[175] Yuval Rabani and Zvi Galil. On the space complexity of some algorithms for sequence comparison. *Theor. Comput. Sci.*, 95:231–244, 1992.

[176] Sanguthevar Rajasekaran and John H. Reif. Nested annealing: A provable improvement to simulated annealing. *Theor. Comput. Sci.*, 99:157–176, 1992.

[177] Prakash Ramanan. Testing the optimality of alphabetic trees. *Theor. Comput. Sci.*, 93:279–301, 1992.

[178] A.A. Razborov. On the distributional complexity of disjointness. *Theor. Comput. Sci.*, 106:385–390, 1992.

[179] Antonio Restivo. A note on renewal systems. *Theor. Comput. Sci.*, 94:367–371, 1992.

[180] György E. Révész. A list-oriented extension of the lambda-calculus satisfying the church-rosser theorem. *Theor. Comput. Sci.*, 93:75–89, 1992.

[181] J.M. Robson. More languages of generalised star height 1. *Theor. Comput. Sci.*, 106:327–335, 1992.

[182] Ildikó Sain. Temporal logics need their clocks. *Theor. Comput. Sci.*, 95:75–95, 1992.

[183] Lila Santean and Jarkko Kari. The impact of the number of cooperating grammars on the generative power. *Theor. Comput. Sci.*, 98:249–262, 1992.

[184] Nicola Santoro, Jeffrey B. Sidney, and Stuart J. Sidney. A distributed selection algorithm and its expected communication complexity. *Theor. Comput. Sci.*, 100:185–204, 1992.

[185] Taisuke Sato. Equivalence-preserving first-order unfold/fold transformation systems. *Theor. Comput. Sci.*, 105:57–84, 1992.

[186] Michael I. Schwartzbach. Interpretations of recursively defined types. *Theor. Comput. Sci.*, 106:119–134, 1992.

[187] Sylviane R. Schwer. The context-freeness of the languages associated with vector addition systems is decidable. *Theor. Comput. Sci.*, 98:199–247, 1992.

[188] Sylviane R. Schwer. Fine covers of a vas language. *Theor. Comput. Sci.*, 95:159–168, 1992.

[189] Helmut Seidl. Single-valuedness of tree transducers is decidable in polynomial time. *Theor. Comput. Sci.*, 106:135–181, 1992.

[190] Richard A. Shore and Theodore A. Slaman. The p-t-degrees of the recursive sets: Lattice embeddings, extensions of embeddings and the two-quantifier theory. *Theor. Comput. Sci.*, 97:263–284, 1992.

[191] Marcin Skubiszewski. Binary periodic synchronizing sequences. *Theor. Comput. Sci.*, 102:253–281, 1992.

[192] Anna Slobodová. Some properties of space-bounded synchronized alternating turing machines with universal states only. *Theor. Comput. Sci.*, 96:411–419, 1992.

[193] Joel Spencer. Ulam's searching game with a fixed number of lies. *Theor. Comput. Sci.*, 95:307–321, 1992.

[194] Mark E. Stickel. A Prolog technology theorem prover: a new exposition and implementation in Prolog. *Theor. Comput. Sci.*, 104:109–128, 1992.

[195] H. Straubing and P. Weil. On a conjecture concerning dot-depth two languages. *Theor. Comput. Sci.*, 104:161–183, 1992.

[196] Thomas Streicher. Independence of the induction principle and the axiom of choice in the pure calculus of constructions. *Theor. Comput. Sci.*, 103:395–408, 1992.

[197] V.S. Subrahmanian. Paraconsistent disjunctive deductive databases. *Theor. Comput. Sci.*, 93:115–141, 1992.

[198] K.G. Subramanian, Rani Siromoney, and Lisa Mathew. Lyndon trees. *Theor. Comput. Sci.*, 106:373–383, 1992.

[199] Yuji Takada. Learning semilinear sets from examples and via queries. *Theor. Comput. Sci.*, 104:207–233, 1992.

[200] Carolyn Talcott. A theory for program and data type specification. *Theor. Comput. Sci.*, 104:129–159, 1992.

[201] Wolfgang Thomas. Infinite trees and automaton-definable relations over ω-words. *Theor. Comput. Sci.*, 103:143–159, 1992.

[202] Seinosuke Toda. Restricted relativizations of probabilistic polynomial time. *Theor. Comput. Sci.*, 93:265–277, 1992.

[203] Seinosuke Toda and Osamu Watanabe. Polynomial-time 1-turing reductions from #ph to #p. *Theor. Comput. Sci.*, 100:205–221, 1992.

[204] Jerry L. Trahan, Michael C. Loui, and Vijaya Ramachandran. Multiplication, division, and shift instructions in parallel random access machines. *Theor. Comput. Sci.*, 100:1–44, 1992.

[205] Sándor Vágvölgyi. Top-down tree transducers with two-way tree walking look-ahead. *Theor. Comput. Sci.*, 93:43–74, 1992.

[206] Do Long Van and Phan Trung Huy. Varieties of finite monoids and büchi-mcnaughton theorem. *Theor. Comput. Sci.*, 98:321–337, 1992.

[207] Steffen van Bakel. Complete restrictions of the intersection type discipline. *Theor. Comput. Sci.*, 102:135–163, 1992.

[208] Stefano Varricchio. On the decidability of the equivalence problem for partially commutative rational power series. *Theor. Comput. Sci.*, 99:291–299, 1992.

[209] Stefano Varricchio. Rational series with coefficients in a commutative ring. *Theor. Comput. Sci.*, 98:41–50, 1992.

[210] Victor Vianu and Gottfried Vossen. Conceptual level concurrency control of relational update transactions. *Theor. Comput. Sci.*, 95:1–42, 1992.

[211] Roger Villemaire. The theory of $\langle n, +, v_k, v_l \rangle$ is undecidable. *Theor. Comput. Sci.*, 106:337–349, 1992.

[212] Uwe Waldmann. Semantics of order-sorted specifications. *Theor. Comput. Sci.*, 94:1–35, 1992.

[213] Ke Wang. On characterizing boundedness of database schemes with bounded dependencies. *Theor. Comput. Sci.*, 100:347–364, 1992.

[214] Osamu Watanabe and Shouwen Tang. On polynomial-time turing and many-one completeness in pspace. *Theor. Comput. Sci.*, 97:199–215, 1992.

[215] Trudy Weibel. Extension of combinatory logic to a theory of combinatory representation. *Theor. Comput. Sci.*, 97:157–173, 1992.

[216] David J. Weir. A geometric hierarchy beyond context-free languages. *Theor. Comput. Sci.*, 104:235–261, 1992.

[217] Zhi-Xiong Wen and Zhi-Ying Wen. Some studies on the (p, q)-type sequences. *Theor. Comput. Sci.*, 94:373–393, 1992.

[218] Hsu-Chung Yen. A multiparameter analysis of domino tiling with an application to concurrent systems. *Theor. Comput. Sci.*, 98:263–287, 1992.

[219] Heekeun Yoo and Kosaburo Hashiguchi. Extended regular expressions of arbitrary star degrees. *Theor. Comput. Sci.*, 97:217–231, 1992.

[220] Guo-Qiang Zhang. Stable neighbourhoods. *Theor. Comput. Sci.*, 93:143–157, 1992.

[221] Ming-Hua Zhang. Data types with errors and exceptions. *Theor. Comput. Sci.*, 105:275–299, 1992.

[222] Shuhua Zhang. Efficient simplicity testing of automata. *Theor. Comput. Sci.*, 99:265–278, 1992.

[223] Shuhua Zhang. Polynomial-time algorithms for testing strong isomorphism and computing the automorphism group of r-strongly connected automata. *Theor. Comput. Sci.*, 95:263–277, 1992.