References

[1] Luca Aceto, Matteo Cimini, Anna Ingolfsdottir, MohammadReza Mousavi, and Michel A. Reniers. Rule formats for distributivity. *Theor. Comput. Sci.*, 458:1–28, 2012.

[2] Vicente Acuña, Etienne Birmelé, Ludovic Cottret, Pierluigi Crescenzi, Fabien Jourdan, Vincent Lacroix, Alberto Marchetti-Spaccamela, Andrea Marino, Paulo Vieira Milreu, Marie-France Sagot, and Leen Stougie. Telling stories: Enumerating maximal directed acyclic graphs with a constrained set of sources and targets. *Theor. Comput. Sci.*, 457:1–9, 2012.

[3] Sibel Adalı, Tina Liu, and Malik Magdon-Ismail. An analysis of optimal link bombs. *Theor. Comput. Sci.*, 437:1–20, 2012.

[4] Isolde Adler, Tomáš Gavenčiak, and Tereza Klimošová. Hypertree-depth and minors in hypergraphs. *Theor. Comput. Sci.*, 463:84–95, 2012.

[5] Marc Aiguier, Frédéric Boulanger, and Bilal Kanso. A formal abstract framework for modelling and testing complex software systems. *Theor. Comput. Sci.*, 455:66–97, 2012.

[6] Susanne Albers and Matthias Hellwig. Semi-online scheduling revisited. *Theor. Comput. Sci.*, 443:1–9, 2012.

[7] Elvira Albert, Puri Arenas, Samir Genaim, German Puebla, and Damiano Zanardini. Cost analysis of object-oriented bytecode programs. *Theor. Comput. Sci.*, 413(1):142–159, 2012.

[8] Aldini Alessandro. Approximating markovian testing equivalence. *Theor. Comput. Sci.*, 413(1):73–86, 2012.

[9] Noga Alon, Yuval Emek, Michal Feldman, and Moshe Tennenholtz. Bayesian ignorance. *Theor. Comput. Sci.*, 452:1–11, 2012.

[10] Helmut Alt and Ludmila Scharf. Shape matching by random sampling. *Theor. Comput. Sci.*, 442:2–12, 2012.

[11] C. Àlvarez, J. Díaz, D. Mitsche, and M. Serna. Continuous monitoring in the dynamic sensor field model. *Theor. Comput. Sci.*, 463:114–122, 2012.

[12] Amihood Amir, Yonatan Aumann, Avivit Levy, and Yuri Roshko. Quasi-distinct parsing and optimal compression methods. *Theor. Comput. Sci.*, 422:1–14, 2012.

[13] Prabhanjan V. Ananth and Ambedkar Dukkipati. Complexity of gröbner basis detection and border basis detection. *Theor. Comput. Sci.*, 459:1–15, 2012.

[14] J. Anders, E. Andersson, D.E. Browne, E. Kashefi, and D.K.L. Oi. Ancilla-driven quantum computation with twisted graph states. *Theor. Comput. Sci.*, 430:51–72, 2012.

[15] Suzana Andova, Sonja Georgievska, and Nikola Trčka. Branching bisimulation congruence for probabilistic systems. *Theor. Comput. Sci.*, 413(1):58–72, 2012.

[16] Eric Angel, Evripidis Bampis, and Nicolas Thibault. Randomized truthful algorithms for scheduling selfish tasks on parallel machines. *Theor. Comput. Sci.*, 414(1):1–8, 2012.

[17] Angela Angeleska, Nataša Jonoska, and Masahico Saito. Rewriting rule chains modeling dna rearrangement pathways. *Theor. Comput. Sci.*, 454:5–22, 2012.

[18] Hsing-Yen Ann, Chang-Biau Yang, Chiou-Ting Tseng, and Chiou-Yi Hor. Fast algorithms for computing the constrained lcs of run-length encoded strings. *Theor. Comput. Sci.*, 432:1–9, 2012.

[19] Alberto Apostolico, Péter L. Erdős, and Alpár Jüttner. Parameterized searching with mismatches for run-length encoded strings. *Theor. Comput. Sci.*, 454:23–29, 2012.

[20] Nuttapong Attrapadung, Javier Herranz, Fabien Laguillaumie, Benoît Libert, Elie de Panafieu, and Carla Ràfols. Attribute-based encryption schemes with constant-size ciphertexts. *Theor. Comput. Sci.*, 422:15–38, 2012.

[21] Nathalie Aubrun and Marie-Pierre Béal. Tree-shifts of finite type. *Theor. Comput. Sci.*, 459:16–25, 2012.

[22] Anne Auger, Johannes Bader, Dimo Brockhoff, and Eckart Zitzler. Hypervolume-based multiobjective optimization: Theoretical foundations and practical implications. *Theor. Comput. Sci.*, 425:75–103, 2012.

[23] Chen Avin, Zvi Lotker, Francesco Pasquale, and Yvonne-Anne Pignolet. A note on uniform power connectivity in the physical signal to interference plus noise (sinr) model. *Theor. Comput. Sci.*, 453:2–13, 2012.

[24] Sepinoud Azimi, Tero Harju, Miika Langille, and Ion Petre. Simple gene assembly as a rewriting of directed overlap-inclusion graphs. *Theor. Comput. Sci.*, 454:30–37, 2012.

[25] Giorgio Bacci and Marino Miculan. Measurable stochastics for brane calculus. *Theor. Comput. Sci.*, 431:117–136, 2012.

[26] Paolo Baldan, Alessandro Bruni, Andrea Corradini, Barbara König, César Rodríguez, and Stefan Schwoon. Efficient unfolding of contextual petri nets. *Theor. Comput. Sci.*, 449:2–22, 2012.

[27] L'. Balková, E. Pelantová, and Š. Starosta. Corrigendum to "on brlek-reutenauer conjecture". *Theor. Comput. Sci.*, 465:73–74, 2012. Originally in Theor. Comput. Sci., Vol. 412, 2011, No. 41, 5649-5655.

[28] János Balogh, József Békési, and Gábor Galambos. New lower bounds for certain classes of bin packing algorithms. *Theor. Comput. Sci.*, 440-441:1–13, 2012.

[29] Jørgen Bang-Jensen, Frédéric Havet, and Nicolas Trotignon. Finding an induced subdivision of a digraph. *Theor. Comput. Sci.*, 443:10–24, 2012.

[30] Jørgen Bang-Jensen and Anders Yeo. Arc-disjoint spanning sub(di)graphs in digraphs. *Theor. Comput. Sci.*, 438:48–54, 2012.

[31] Richard Banks and L.J. Steggles. An abstraction theory for qualitative models of biological systems. *Theor. Comput. Sci.*, 431:207–218, 2012.

[32] Xiaoguang Bao and Zhaohui Liu. Approximation algorithms for single vehicle scheduling problems with release and service times on a tree or cycle. *Theor. Comput. Sci.*, 434:1–10, 2012.

[33] Amotz Bar-Noy, Panagiotis Cheilaris, Michael Lampis, Valia Mitsou, and Stathis Zachos. Ordered coloring of grids and related graphs. *Theor. Comput. Sci.*, 444:40–51, 2012.

[34] Jérémy Barbay, Johannes Fischer, and Gonzalo Navarro. Lrm-trees: Compressed indices, adaptive sorting, and compressed permutations. *Theor. Comput. Sci.*, 459:26–41, 2012.

[35] Roberto Barbuti, Giulio Caravagna, Andrea Maggiolo-Schettini, Paolo Milazzo, and Simone Tini. Foundational aspects of multiscale modeling of biological systems with process algebras. *Theor. Comput. Sci.*, 431:96–116, 2012.

[36] Roberto Barbuti, Francesca Levi, Paolo Milazzo, and Guido Scatena. Probabilistic model checking of biological systems with uncertain kinetic rates. *Theor. Comput. Sci.*, 419:2–16, 2012.

[37] Bojan Bašić. A note on the paper "on brlek-reutenauer conjecture". *Theor. Comput. Sci.*, 448:94–96, 2012. Originally in Theor. Comput. Sci., Vol. 412, 2011, No. 41, 5649-5655.

[38] Andrej Bauer. On the failure of fixed-point theorems for chain-complete lattices in the effective topos. *Theor. Comput. Sci.*, 430:43–50, 2012.

[39] Richard Beal and Donald Adjeroh. Parameterized longest previous factor. *Theor. Comput. Sci.*, 437:21–34, 2012.

[40] Verónica Becher and Pablo Ariel Heiber. A linearly computable measure of string complexity. *Theor. Comput. Sci.*, 438:62–73, 2012.

[41] Denis Béchet, Alexandre Dikovsky, and Annie Foret. Categorial grammars with iterated types form a strict hierarchy of k-valued languages. *Theor. Comput. Sci.*, 450:22–30, 2012.

[42] Zuzana Bednárová, Viliam Geffert, Carlo Mereghetti, and Beatrice Palano. The size-cost of boolean operations on constant height deterministic pushdown automata. *Theor. Comput. Sci.*, 449:23–36, 2012.

[43] Amir M. Ben-Amram and Simon Yoffe. Corrigendum to "a simple and efficient union-find-delete algorithm". *Theor. Comput. Sci.*, 423:75–75, 2012. Originally in Theor. Comput. Sci., Vol. 412, 2011, No. 4-5, 487-492.

[44] Avraham Ben-Aroya and Amnon Ta-Shma. Better short-seed quantum-proof extractors. *Theor. Comput. Sci.*, 419:17–25, 2012.

[45] Stefano Berardi and Makoto Tatsuta. Internal models of system f for decompilation. *Theor. Comput. Sci.*, 435:3–20, 2012.

[46] Rudolf Berghammer, Tobias Friedrich, and Frank Neumann. Convergence of set-based multi-objective optimization, indicators and deteriorative cycles. *Theor. Comput. Sci.*, 456:2–17, 2012.

[47] Jean-Claude Bermond, David Coudert, Joanna Moulierac, Stéphane Pérennes, Ignasi Sau, and Fernando Solano Donado. Gmpls label space minimization through hypergraph layouts. *Theor. Comput. Sci.*, 444:3–16, 2012.

[48] Jean-Claude Bermond and Joseph G. Peters. Optimal gathering in radio grids with interference. *Theor. Comput. Sci.*, 457:10–26, 2012.

[49] Jean Berstel, Luc Boasson, and Isabelle Fagnot. Splicing systems and the chomsky hierarchy. *Theor. Comput. Sci.*, 436:2–22, 2012.

[50] Dietmar Berwanger, Erich Grädel, Łukasz Kaiser, and Roman Rabinovich. Entanglement and the complexity of directed graphs. *Theor. Comput. Sci.*, 463:2–25, 2012.

[51] Ivona Bezáková and Adam J. Friedlander. Counting and sampling minimum (s, t)-cuts in weighted planar graphs in polynomial time. *Theor. Comput. Sci.*, 417:2–11, 2012.

[52] Marc Bezem, Dag Hovland, and Hoang Truong. A type system for counting instances of software components. *Theor. Comput. Sci.*, 458:29–48, 2012.

[53] Nick Bezhanishvili and Ian Hodkinson. Sahlqvist theorem for modal fixed point logic. *Theor. Comput. Sci.*, 424:1–19, 2012.

[54] Alessandro Bianco, Marco Faella, Fabio Mogavero, and Aniello Murano. Quantitatively fair scheduling. *Theor. Comput. Sci.*, 413(1):160–175, 2012.

[55] Franziska Biegler, Mark Daley, and Ian McQuillan. Algorithmic decomposition of shuffle on words. *Theor. Comput. Sci.*, 454:38–50, 2012.

[56] Marcin Bienkowski and Jarosław Kutyłowski. The k-resource problem in uniform metric spaces. *Theor. Comput. Sci.*, 459:42–54, 2012.

[57] Laurent Bienvenu and Christopher Porter. Strong reductions in effective randomness. *Theor. Comput. Sci.*, 459:55–68, 2012.

[58] Philip Bille, Inge Li Gørtz, Hjalte Wedel Vildhøj, and David Kofoed Wind. String matching with variable length gaps. *Theor. Comput. Sci.*, 443:25–34, 2012.

[59] D. Bilò, Y. Disser, M. Mihalák, S. Suri, E. Vicari, and P. Widmayer. Reconstructing visibility graphs with simple robots. *Theor. Comput. Sci.*, 444:52–59, 2012.

[60] Davide Bilò, Luciano Gualà, and Guido Proietti. Improved approximability and non-approximability results for graph diameter decreasing problems. *Theor. Comput. Sci.*, 417:12–22, 2012.

[61] Livio Bioglio, Mariangiola Dezani-Ciancaglini, Paola Giannini, and Angelo Troina. Typed stochastic semantics for the calculus of looping sequences. *Theor. Comput. Sci.*, 431:165–180, 2012.

[62] Péter Biró, David F. Manlove, and Eric J. McDermid. "almost stable" matchings in the roommates problem with bounded preference lists. *Theor. Comput. Sci.*, 432:10–20, 2012.

[63] Jean R.S. Blair and Fredrik Manne. An efficient self-stabilizing distance-2 coloring algorithm. *Theor. Comput. Sci.*, 444:28–39, 2012.

[64] F. Blanchet-Sadri, Aleksandar Chakarov, Lucas Manuelli, Jarett Schwartz, and Slater Stich. Constructing partial words with subword complexities not achievable by full words. *Theor. Comput. Sci.*, 432:21–27, 2012.

[65] F. Blanchet-Sadri and Robert Mercaş. The three-squares lemma for partial words with one hole. *Theor. Comput. Sci.*, 428:1–9, 2012.

[66] F. Blanchet-Sadri, Robert Mercaş, Abraham Rashin, and Elara Willett. Periodicity algorithms and a conjecture on overlaps in partial words. *Theor. Comput. Sci.*, 443:35–45, 2012.

[67] Hans L. Bodlaender and Jurriaan Hage. On switching classes, nlc-width, cliquewidth and treewidth. *Theor. Comput. Sci.*, 429:30–35, 2012.

[68] Beate Bollig. On symbolic obdd-based algorithms for the minimum spanning tree problem. *Theor. Comput. Sci.*, 447:2–12, 2012.

[69] Anthony Bonato, Margaret-Ellen Messinger, and Paweł Prałat. Fighting constrained fires in graphs. *Theor. Comput. Sci.*, 434:11–22, 2012.

[70] Paola Bonizzoni, Chiara Braghin, Riccardo Dondi, and Gabriella Trucco. The binary perfect phylogeny with persistent characters. *Theor. Comput. Sci.*, 454:51–63, 2012.

[71] Paola Bonizzoni, Gianluca Della Vedova, and Riccardo Dondi. A randomized ptas for the minimum consensus clustering with a fixed number of clusters. *Theor. Comput. Sci.*, 429:36–45, 2012.

[72] Paulo Borba, Leopoldo Teixeira, and Rohit Gheyi. A theory of software product line refinement. *Theor. Comput. Sci.*, 455:2–30, 2012.

[73] Allan Borodin, Ioana Ivan, Yuli Ye, and Bryce Zimny. On sum coloring and sum multi-coloring for restricted families of graphs. *Theor. Comput. Sci.*, 418:1–13, 2012.

[74] Jan Bouda, Matej Pivoluska, and Martin Plesch. Improving the hadamard extractor. *Theor. Comput. Sci.*, 459:69–76, 2012.

[75] N. Bourgeois, F. Della Croce, B. Escoffier, and V.Th. Paschos. Algorithms for dominating clique problems. *Theor. Comput. Sci.*, 459:77–88, 2012.

[76] Milan Bradonjić, Eddie Kohler, and Rafail Ostrovsky. Near-optimal radio use for wireless network synchronization. *Theor. Comput. Sci.*, 453:14–28, 2012.

[77] Dany Breslauer and Giuseppe F. Italiano. On suffix extensions in suffix trees. *Theor. Comput. Sci.*, 457:27–34, 2012.

[78] Robert Brijder, Joris J.M. Gillis, and Jan Van den Bussche. A comparison of graph-theoretic dna hybridization models. *Theor. Comput. Sci.*, 429:46–53, 2012.

[79] Robert Brijder, Tero Harju, and Hendrik Jan Hoogeboom. Pivots, determinants, and perfect matchings of graphs. *Theor. Comput. Sci.*, 454:64–71, 2012.

[80] Karl Bringmann and Tobias Friedrich. Approximating the least hypervolume contributor: Np-hard in general, but fast in practice. *Theor. Comput. Sci.*, 425:104–116, 2012.

[81] Hajo Broersma, Petr A. Golovach, Daniël Paulusma, and Jian Song. Determining the chromatic number of triangle-free $2p_3$-free graphs in polynomial time. *Theor. Comput. Sci.*, 423:1–10, 2012.

[82] Hajo Broersma, Petr A. Golovach, Daniël Paulusma, and Jian Song. Updating the complexity status of coloring graphs without a fixed induced linear forest. *Theor. Comput. Sci.*, 414(1):9–19, 2012.

[83] Janusz Brzozowski, Baiyu Li, and Yuli Ye. Syntactic complexity of prefix-, suffix-, bifix-, and factor-free regular languages. *Theor. Comput. Sci.*, 449:37–53, 2012.

[84] Nader H. Bshouty and Hanna Mazzawi. Toward a deterministic polynomial time algorithm with optimal additive query complexity. *Theor. Comput. Sci.*, 417:23–35, 2012.

[85] Laurent Bulteau, Guillaume Fertin, Minghui Jiang, and Irena Rusu. Tractability and approximability of maximal strip recovery. *Theor. Comput. Sci.*, 440-441:14–28, 2012.

[86] Jane V. Butterfield, Daniel W. Cranston, Gregory J. Puleo, Douglas B. West, and Reza Zamani. Revolutionaries and spies: Spy-good and spy-bad graphs. *Theor. Comput. Sci.*, 463:35–53, 2012.

[87] Jérémie Cabessa and Alessandro E.P. Villa. The expressive power of analog recurrent neural networks on infinite input streams. *Theor. Comput. Sci.*, 436:23–34, 2012.

[88] Jin-Yi Cai and Michael Kowalczyk. Spin systems on k-regular graphs with complex edge functions. *Theor. Comput. Sci.*, 461:2–16, 2012.

[89] Cristian S. Calude, Elena Calude, and Melissa S. Queen. The complexity of euler's integer partition theorem. *Theor. Comput. Sci.*, 454:72–80, 2012.

[90] Kathie Cameron, Benjamin Lévêque, and Frédéric Maffray. Coloring vertices of a graph or finding a meyniel obstruction. *Theor. Comput. Sci.*, 428:10–17, 2012.

[91] Marcelino Campos and José M. Sempere. Accepting networks of genetic processors are computationally complete. *Theor. Comput. Sci.*, 456:18–29, 2012.

[92] Qian Cao, T.C.E. Cheng, Guohua Wan, and Yi Li. Several semi-online scheduling problems on two identical machines with combined information. *Theor. Comput. Sci.*, 457:35–44, 2012.

[93] Zining Cao. More on bisimulations for higher order π-calculus. *Theor. Comput. Sci.*, 446:1–19, 2012.

[94] Giulio Caravagna and Jane Hillston. Bio-pepad: A non-markovian extension of bio-pepa. *Theor. Comput. Sci.*, 419:26–49, 2012.

[95] Luca Cardelli and Philippa Gardner. Processes in space. *Theor. Comput. Sci.*, 431:40–55, 2012.

[96] Vincent Carnino and Sven De Felice. Sampling different kinds of acyclic automata using markov chains. *Theor. Comput. Sci.*, 450:31–42, 2012.

[97] James Carraher, Ilkyoo Choi, Michelle Delcourt, Lawrence H. Erickson, and Douglas B. West. Locating a robber on a graph via distance queries. *Theor. Comput. Sci.*, 463:54–61, 2012.

[98] José M. Castaño and Rodrigo Castaño. A finite state intersection approach to propositional satisfiability. *Theor. Comput. Sci.*, 450:92–108, 2012.

[99] Hind Castel-Taleb, Lynda Mokdad, and Nihal Pekergin. An algorithm approach to bounding aggregations of multidimensional markov chains. *Theor. Comput. Sci.*, 452:12–20, 2012.

[100] G. Castiglione, A. Restivo, and M. Sciortino. Nondeterministic moore automata and brzozowski's minimization algorithm. *Theor. Comput. Sci.*, 450:81–91, 2012.

[101] Pablo F. Castro and Thomas S.E. Maibaum. Encapsulating deontic and branching time specifications. *Theor. Comput. Sci.*, 455:98–122, 2012.

[102] G. Cattaneo, M. Comito, and D. Bianucci. Sand piles: From physics to cellular automata models. *Theor. Comput. Sci.*, 436:35–53, 2012.

[103] Pavol Černý, Thomas A. Henzinger, and Arjun Radhakrishna. Simulation distances. *Theor. Comput. Sci.*, 413(1):21–35, 2012.

[104] Supaporn Chairungsee and Maxime Crochemore. Using minimal absent words to build phylogeny. *Theor. Comput. Sci.*, 450:109–116, 2012.

[105] Khalil Challita. A semi-dynamical approach for solving qualitative spatial constraint satisfaction problems. *Theor. Comput. Sci.*, 440-441:29–38, 2012.

[106] Jean-Marc Champarnaud, Jean-Philippe Dubernard, Franck Guingne, and Hadrien Jeanne. Geometrical regular languages and linear diophantine equations: The strongly connected case. *Theor. Comput. Sci.*, 449:54–63, 2012.

[107] Ho-Leung Chan, Nicole Megow, René Sitters, and Rob van Stee. A note on sorting buffers offline. *Theor. Comput. Sci.*, 423:11–18, 2012.

[108] Ching-Lueh Chang. Some results on approximate 1-median selection in metric spaces. *Theor. Comput. Sci.*, 426-427:1–12, 2012.

[109] Gerard J. Chang, B.S. Panda, and D. Pradhan. Complexity of distance paired-domination problem in graphs. *Theor. Comput. Sci.*, 459:89–99, 2012.

[110] Krishnendu Chatterjee and Laurent Doyen. Energy parity games. *Theor. Comput. Sci.*, 458:49–60, 2012.

[111] Prasad Chebolu, Leslie Ann Goldberg, and Russell Martin. The complexity of approximately counting stable matchings. *Theor. Comput. Sci.*, 437:35–68, 2012.

[112] Danny Z. Chen and Ewa Misiołek. Computing feasible toolpaths for 5-axis machines. *Theor. Comput. Sci.*, 447:13–25, 2012.

[113] Kuan-Yu Chen, Ping-Hui Hsu, and Kun-Mao Chao. Efficient retrieval of approximate palindromes in a run-length encoded string. *Theor. Comput. Sci.*, 432:28–37, 2012.

[114] Lei Chen, Weiming Zeng, and Changhong Lu. *np*-completeness and *apx*-completeness of restrained domination in graphs. *Theor. Comput. Sci.*, 448:1–8, 2012.

[115] Tianshi Chen, Ke Tang, Guoliang Chen, and Xin Yao. A large population size can be unhelpful in evolutionary algorithms. *Theor. Comput. Sci.*, 436:54–70, 2012.

[116] Xujin Chen, Xiaodong Hu, and Weidong Ma. Pairwise cooperations in selfish ring routing for minimax linear latency. *Theor. Comput. Sci.*, 447:26–37, 2012.

[117] Zhenbang Chen, Zhiming Liu, and Ji Wang. Failure-divergence semantics and refinement of long running transactions. *Theor. Comput. Sci.*, 455:31–65, 2012.

[118] Ehsan Chiniforooshan, Mark Daley, Oscar H. Ibarra, Lila Kari, and Shinnosuke Seki. One-reversal counter machines and multihead automata: Revisited. *Theor. Comput. Sci.*, 454:81–87, 2012.

[119] Bhadrachalam Chitturi and I. Hal Sudborough. Bounding prefix transposition distance for strings and permutations. *Theor. Comput. Sci.*, 421:15–24, 2012.

[120] Christian Choffrut and Serge Grigorieff. Rational relations having a rational trace on each finite intersection of rational relations. *Theor. Comput. Sci.*, 454:88–94, 2012.

[121] Young-ri Choi and Mohamed G. Gouda. A state-based model of sensor protocols. *Theor. Comput. Sci.*, 458:61–75, 2012.

[122] Agathe Chollet, Guy Wallet, Laurent Fuchs, Eric Andres, and Gaëlle Largeteau-Skapin. Foundational aspects of multiscale digitization. *Theor. Comput. Sci.*, 466:2–19, 2012.

[123] George Christodoulou, Vahab S. Mirrokni, and Anastasios Sidiropoulos. Convergence and approximation in potential games. *Theor. Comput. Sci.*, 438:13–27, 2012.

[124] Wai-Fong Chuan and Hui-Ling Ho. Locating factors of a characteristic word via the generalized zeckendorf representation of numbers. *Theor. Comput. Sci.*, 440-441:39–51, 2012.

[125] Wai-Fong Chuan, Fang-Yi Liao, Hui-Ling Ho, and Fei Yu. Fibonacci word patterns in two-way infinite fibonacci words. *Theor. Comput. Sci.*, 437:69–81, 2012.

[126] Ferdinando Cicalese, Tobias Jacobs, Eduardo Laber, and Caio Valentim. The binary identification problem for weighted trees. *Theor. Comput. Sci.*, 459:100–112, 2012.

[127] Jacek Cichoń, Zbigniew Gołębiewski, and Mirosław Kutyłowski. From key predistribution to key redistribution. *Theor. Comput. Sci.*, 453:75–87, 2012.

[128] Alessandro Cincotti. The lattice structure of n-player games. *Theor. Comput. Sci.*, 459:113–119, 2012.

[129] A. Çivril and M. Magdon-Ismail. Column subset selection via sparse approximation of svd. *Theor. Comput. Sci.*, 421:1–14, 2012.

[130] Thomas Clouser, Mikhail Nesterenko, and Christian Scheideler. Tiara: A self-stabilizing deterministic skip list and skip graph. *Theor. Comput. Sci.*, 428:18–35, 2012.

[131] Marco Comi, Bhaskar DasGupta, Michael Schapira, and Venkatakumar Srinivasan. On communication protocols that compute almost privately. *Theor. Comput. Sci.*, 457:45–58, 2012.

[132] Chris J. Conidis. Effectively approximating measurable sets by open sets. *Theor. Comput. Sci.*, 428:36–46, 2012.

[133] Harold Connamacher. Exact thresholds for dpll on random xor-sat and np-complete extensions of xor-sat. *Theor. Comput. Sci.*, 421:25–55, 2012.

[134] Mario Coppo, Ferruccio Damiani, Maurizio Drocco, Elena Grassi, Eva Sciacca, Salvatore Spinella, and Angelo Troina. Simulation techniques for the calculus of wrapped compartments. *Theor. Comput. Sci.*, 431:75–95, 2012.

[135] Luca Corolli, Carlo Maj, Fabrizio Marini, Daniela Besozzi, and Giancarlo Mauri. An excursion in reaction systems: From computer science to biology. *Theor. Comput. Sci.*, 454:95–108, 2012.

[136] Christophe Costa Florêncio and Henning Fernau. On families of categorial grammars of bounded value, their learnability and related complexity questions. *Theor. Comput. Sci.*, 452:21–38, 2012.

[137] Maxime Crochemore, Costas S. Iliopoulos, Marcin Kubica, M. Sohel Rahman, German Tischler, and Tomasz Waleń. Improved algorithms for the range next value problem and applications. *Theor. Comput. Sci.*, 434:23–34, 2012.

[138] Roy L. Crole. Alpha equivalence equalities. *Theor. Comput. Sci.*, 433:1–19, 2012.

[139] Bo Cui, Yuan Gao, Lila Kari, and Sheng Yu. State complexity of combined operations with two basic operations. *Theor. Comput. Sci.*, 437:82–102, 2012.

[140] Jurek Czyzowicz, Stefan Dobrev, Leszek Gąsieniec, David Ilcinkas, Jesper Jansson, Ralf Klasing, Ioannis Lignos, Russell Martin, Kunihiko Sadakane, and Wing-Kin Sung. More efficient periodic traversal in anonymous undirected graphs. *Theor. Comput. Sci.*, 444:60–76, 2012.

[141] Jurek Czyzowicz, Leszek Gąsieniec, and Andrzej Pelc. Choosing the best among peers. *Theor. Comput. Sci.*, 440-441:52–59, 2012.

[142] Jan Daciuk and Dawid Weiss. Smaller representation of finite state automata. *Theor. Comput. Sci.*, 450:10–21, 2012.

[143] Flavio D'Alessandro, Benedetto Intrigila, and Stefano Varricchio. Quasi-polynomials, linear diophantine equations and semi-linear sets. *Theor. Comput. Sci.*, 416:1–16, 2012.

[144] Mark Daley, Helmut Jürgensen, Lila Kari, and Kalpana Mahalingam. Relativized codes. *Theor. Comput. Sci.*, 429:54–64, 2012.

[145] Peter Damaschke and Leonid Molokov. Parameterized reductions and algorithms for a graph editing problem that generalizes vertex cover. *Theor. Comput. Sci.*, 452:39–46, 2012.

[146] Olivier Danvy, Kevin Millikin, Johan Munk, and Ian Zerny. On inter-deriving small-step and big-step semantics: A case study for storeless call-by-need evaluation. *Theor. Comput. Sci.*, 435:21–42, 2012.

[147] Jürgen Dassow, Florin Manea, and Bianca Truthe. On external contextual grammars with subregular selection languages. *Theor. Comput. Sci.*, 449:64–73, 2012.

[148] Samir Datta, Meena Mahajan, B.V. Raghavendra Rao, Michael Thomas, and Heribert Vollmer. Counting classes and the fine structure between nc^1 and l. *Theor. Comput. Sci.*, 417:36–49, 2012.

[149] Julien David. Average complexity of moore's and hopcroft's algorithms. *Theor. Comput. Sci.*, 417:50–65, 2012.

[150] Adam R. Day. Process and truth-table characterisations of randomness. *Theor. Comput. Sci.*, 452:47–55, 2012.

[151] Gianluca De Marco, Evangelos Kranakis, and Gábor Wiener. Computing majority with triple queries. *Theor. Comput. Sci.*, 461:17–26, 2012.

[152] Michel Dekking. Paperfolding morphisms, planefilling curves, and fractal tiles. *Theor. Comput. Sci.*, 414(1):20–37, 2012.

[153] Giorgio Delzanno and Gianluigi Zavattaro. Reachability problems in bioambients. *Theor. Comput. Sci.*, 431:56–74, 2012.

[154] Dariusz Dereniowski. Approximate search strategies for weighted trees. *Theor. Comput. Sci.*, 463:96–113, 2012.

[155] Nachum Dershowitz. Jumping and escaping: Modular termination and the abstract path ordering. *Theor. Comput. Sci.*, 464:35–47, 2012.

[156] Mariangiola Dezani-Ciancaglini, Ross Horne, and Vladimiro Sassone. Tracing where and who provenance in linked data: A calculus. *Theor. Comput. Sci.*, 464:113–129, 2012.

[157] Răzvan Diaconescu. An axiomatic approach to structuring specifications. *Theor. Comput. Sci.*, 433:20–42, 2012.

[158] Gilles Didier, Eduardo Corel, Ivan Laprevotte, Alex Grossmann, and Claudine Landès-Devauchelle. Variable length local decoding and alignment-free sequence comparison. *Theor. Comput. Sci.*, 462:1–11, 2012.

[159] Volker Diekert and Steffen Kopecki. Language theoretical properties of hairpin formations. *Theor. Comput. Sci.*, 429:65–73, 2012.

[160] Volker Diekert, Manfred Kufleitner, and Pascal Weil. Star-free languages are church-rosser congruential. *Theor. Comput. Sci.*, 454:129–135, 2012.

[161] Yoann Dieudonné and Franck Petit. Self-stabilizing gathering with strong multiplicity detection. *Theor. Comput. Sci.*, 428:47–57, 2012.

[162] Benjamin Doerr, Edda Happ, and Christian Klein. Crossover can provably be useful in evolutionary computation. *Theor. Comput. Sci.*, 425:17–33, 2012.

[163] Benjamin Doerr, Daniel Johannsen, and Carola Winzen. Non-existence of linear universal drift functions. *Theor. Comput. Sci.*, 436:71–86, 2012.

[164] Robin Donaldson and Muffy Calder. Modular modelling of signalling pathways and their cross-talk. *Theor. Comput. Sci.*, 456:30–50, 2012.

[165] Mitre C. Dourado, Lucia Draque Penso, Dieter Rautenbach, and Jayme L. Szwarcfiter. Reversible iterative graph processes. *Theor. Comput. Sci.*, 460:16–25, 2012.

[166] Gilles Dowek and Murdoch J. Gabbay. Pnl to hol: From the logic of nominal sets to the logic of higher-order functions. *Theor. Comput. Sci.*, 451:38–69, 2012.

[167] Rod Downey and Keng Meng Ng. Lowness for bounded randomness. *Theor. Comput. Sci.*, 460:1–9, 2012.

[168] Manfred Droste and Heiko Vogler. Weighted automata and multi-valued logics over arbitrary bounded lattices. *Theor. Comput. Sci.*, 418:14–36, 2012.

[169] Hongwei Du, Qiang Ye, Jiaofei Zhong, Yuexuan Wang, Wonjun Lee, and Haesun Park. Polynomial-time approximation scheme for minimum connected dominating set under routing cost constraint in wireless sensor networks. *Theor. Comput. Sci.*, 447:38–43, 2012.

[170] Jeff Edmonds. On the competitiveness of aimd-tpc within a general network. *Theor. Comput. Sci.*, 462:12–22, 2012.

[171] Thomas Ehrhard. The scott model of linear logic is the extensional collapse of its relational model. *Theor. Comput. Sci.*, 424:20–45, 2012.

[172] Khaled Elbassioni, Slobodan Jelić, and Domagoj Matijević. The relation of connected set cover and group steiner tree. *Theor. Comput. Sci.*, 438:96–101, 2012.

[173] Khaled Elbassioni, Rajiv Raman, Saurabh Ray, and René Sitters. On the complexity of the highway problem. *Theor. Comput. Sci.*, 460:70–77, 2012.

[174] Khaled Elbassioni and Hans Raj Tiwary. Complexity of approximating the vertex centroid of a polyhedron. *Theor. Comput. Sci.*, 421:56–61, 2012.

[175] Michael Elberfeld, Ilka Schnoor, and Till Tantau. Influence of tree topology restrictions on the complexity of haplotyping with missing data. *Theor. Comput. Sci.*, 432:38–51, 2012.

[176] Yotam Elor and Alfred M. Bruckstein. A “thermodynamic” approach to multi-robot cooperative localization. *Theor. Comput. Sci.*, 457:59–75, 2012.

[177] Yotam Elor and Alfred M. Bruckstein. Two-robot source seeking with point measurements. *Theor. Comput. Sci.*, 457:76–85, 2012.

[178] Yuval Emek and Michal Feldman. Computing optimal contracts in combinatorial agencies. *Theor. Comput. Sci.*, 452:56–74, 2012.

[179] Jörg Endrullis, Dimitri Hendriks, and Jan Willem Klop. Highlights in infinitary rewriting and lambda calculus. *Theor. Comput. Sci.*, 464:48–71, 2012.

[180] David Eppstein, Michael T. Goodrich, Darren Strash, and Lowell Trott. Extended dynamic subgraph statistics using h-index parameterized data structures. *Theor. Comput. Sci.*, 447:44–52, 2012.

[181] Leah Epstein and Asaf Levin. On the max coloring problem. *Theor. Comput. Sci.*, 462:23–38, 2012.

[182] Zoltán Ésik and Szabolcs Iván. On müller context-free grammars. *Theor. Comput. Sci.*, 416:17–32, 2012.

[183] Guy Even and Moti Medina. Revisiting randomized parallel load balancing algorithms. *Theor. Comput. Sci.*, 444:87–99, 2012.

[184] Neng Fan, Qipeng P. Zheng, and Panos M. Pardalos. Robust optimization of graph partitioning involving interval uncertainty. *Theor. Comput. Sci.*, 447:53–61, 2012.

[185] Liming Fang, Willy Susilo, Chunpeng Ge, and Jiandong Wang. Chosen-ciphertext secure anonymous conditional proxy re-encryption with keyword search. *Theor. Comput. Sci.*, 462:39–58, 2012.

[186] Jean-Marc Fédou and Gabriele Fici. Automata and differentiable words. *Theor. Comput. Sci.*, 443:46–62, 2012.

[187] Jerome Feret, Thomas Henzinger, Heinz Koeppl, and Tatjana Petrov. Lumpability abstractions of rule-based systems. *Theor. Comput. Sci.*, 431:137–164, 2012.

[188] Antonio Fernández Anta, Miguel A. Mosteiro, and Christopher Thraves. Deterministic recurrent communication in restricted sensor networks. *Theor. Comput. Sci.*, 418:37–47, 2012.

[189] Steffen Finck and Hans-Georg Beyer. Performance analysis of the simultaneous perturbation stochastic approximation algorithm on the noisy sphere model. *Theor. Comput. Sci.*, 419:50–72, 2012.

[190] Rudolf Fleischer and Gerhard J. Woeginger. An algorithmic analysis of the honey-bee game. *Theor. Comput. Sci.*, 452:75–87, 2012.

[191] Dimitris Fotakis, Alexis C. Kaporis, and Paul G. Spirakis. Efficient methods for selfish network design. *Theor. Comput. Sci.*, 448:9–20, 2012.

[192] Séverine Fratani. Regular sets over extended tree structures. *Theor. Comput. Sci.*, 418:48–70, 2012.

[193] Dominik D. Freydenberger, Hossein Nevisi, and Daniel Reidenbach. Weakly unambiguous morphisms. *Theor. Comput. Sci.*, 448:21–40, 2012.

[194] Pierluigi Frisco, Gordon Govan, and Alberto Leporati. Asynchronous p systems with active membranes. *Theor. Comput. Sci.*, 429:74–86, 2012.

[195] Bin Fu, Yumei Huo, and Hairong Zhao. Coordinated scheduling of production and delivery with production window and delivery capacity constraints. *Theor. Comput. Sci.*, 422:39–51, 2012.

[196] Kokichi Futatsugi, Daniel Găină, and Kazuhiro Ogata. Principles of proof scores in cafeobj. *Theor. Comput. Sci.*, 464:90–112, 2012.

[197] Harold N. Gabow. A combinatoric interpretation of dual variables for weighted matching and f-factors. *Theor. Comput. Sci.*, 454:136–163, 2012.

[198] Karsten Gabriel and Hartmut Ehrig. Modelling evolution of communication platforms and scenarios based on transformations of high-level nets and processes. *Theor. Comput. Sci.*, 429:87–97, 2012.

[199] Travis Gagie, Gonzalo Navarro, and Simon J. Puglisi. New algorithms on wavelet trees and applications to information retrieval. *Theor. Comput. Sci.*, 426-427:25–41, 2012.

[200] I. Gambini and L. Vuillon. Non-lattice-periodic tilings of r^3 by single polycubes. *Theor. Comput. Sci.*, 432:52–57, 2012.

[201] Niloy Ganguly, Saptarshi Ghosh, Tyll Krueger, and Ajitesh Srivastava. Degree distributions of evolving alphabetic bipartite networks and their projections. *Theor. Comput. Sci.*, 466:20–36, 2012.

[202] Avatharam Ganivada, Shubhra Sankar Ray, and Sankar K. Pal. Fuzzy rough granular self-organizing map and fuzzy rough entropy. *Theor. Comput. Sci.*, 466:37–63, 2012.

[203] Yuan Gao, Lila Kari, and Sheng Yu. State complexity of union and intersection of square and reversal on regular languages. *Theor. Comput. Sci.*, 454:164–171, 2012.

[204] Yuan Gao, Lila Kari, and Sheng Yu. State complexity of union and intersection of star on $k$regular languages. *Theor. Comput. Sci.*, 429:98–107, 2012.

[205] Pedro García, Damián López, and Manuel Vázquez de Parga. Polynomial characteristic sets for dfa identification. *Theor. Comput. Sci.*, 448:41–46, 2012.

[206] Viliam Geffert. An alternating hierarchy for finite automata. *Theor. Comput. Sci.*, 445:1–24, 2012.

[207] Daniela Genova and Nataša Jonoska. Forbidding and enforcing on graphs. *Theor. Comput. Sci.*, 429:108–117, 2012.

[208] Mehdi Ghiyasvand. An $o(m(m + n \log n) \log(nc))$-time algorithm to solve the minimum cost tension problem. *Theor. Comput. Sci.*, 448:47–55, 2012.

[209] R. Giancarlo and F. Utro. Algorithmic paradigms for stability-based cluster validity and model selection statistical methods, with applications to microarray data analysis. *Theor. Comput. Sci.*, 428:58–79, 2012.

[210] Jean-Louis Giavitto, Hanna Klaudel, and Franck Pommereau. Integrated regulatory networks (irns): Spatially organized biochemical modules. *Theor. Comput. Sci.*, 431:219–234, 2012.

[211] Samuele Giraudo. Intervals of balanced binary trees in the tamari lattice. *Theor. Comput. Sci.*, 420:1–27, 2012.

[212] Ulrike Golas, Leen Lambers, Hartmut Ehrig, and Fernando Orejas. Attributed graph transformation with inheritance: Efficient conflict detection and local confluence analysis using abstract critical pairs. *Theor. Comput. Sci.*, 424:46–68, 2012.

[213] Petr A. Golovach, Marcin Kamiński, Daniël Paulusma, and Dimitrios M. Thilikos. Induced packing of odd cycles in planar graphs. *Theor. Comput. Sci.*, 420:28–35, 2012.

[214] Petr A. Golovach, Daniël Paulusma, and Jian Song. Computing vertex-surjective homomorphisms to partially reflexive trees. *Theor. Comput. Sci.*, 457:86–100, 2012.

[215] A.A. Gorbenko and V.Yu. Popov. The set of parameterized k-covers problem. *Theor. Comput. Sci.*, 423:19–24, 2012.

[216] Przemysław Gordinowicz, Richard J. Nowakowski, and Paweł Prałat. POLISH — let us play the cleaning game. *Theor. Comput. Sci.*, 463:123–132, 2012.

[217] Daniel S. Graça, Ning Zhong, and H.S. Dumas. The connection between computability of a nonlinear problem and its linearization: The hartman-grobman theorem revisited. *Theor. Comput. Sci.*, 457:101–110, 2012.

[218] Bernhard Gramlich. Modularity in term rewriting revisited. *Theor. Comput. Sci.*, 464:3–19, 2012.

[219] Janko Gravner and David Griffeath. Robust periodic solutions and evolution from seeds in one-dimensional edge cellular automata. *Theor. Comput. Sci.*, 466:64–86, 2012.

[220] Igor Grunsky, Igor Potapov, and Elena Pryanichnikova. On algebra of languages representable by vertex-labeled graphs. *Theor. Comput. Sci.*, 426-427:42–48, 2012.

[221] Alan Guo. Winning strategies for aperiodic subtraction games. *Theor. Comput. Sci.*, 421:70–73, 2012.

[222] Longkun Guo and Hong Shen. On the complexity of the edge-disjoint min-min problem in planar digraphs. *Theor. Comput. Sci.*, 432:58–63, 2012.

[223] MohammadTaghi Hajiaghayi, Rohit Khandekar, Guy Kortsarz, and Julián Mestre. The checkpoint problem. *Theor. Comput. Sci.*, 452:88–99, 2012.

[224] Yo-Sub Han and Sang-Ki Ko. Analysis of a cellular automaton model for car traffic with a junction. *Theor. Comput. Sci.*, 450:54–67, 2012.

[225] David Harel and Amir Kantor. Multi-modal scenarios revisited: A net-based representation. *Theor. Comput. Sci.*, 429:118–127, 2012.

[226] Tero Harju. Square-free words obtained from prefixes by permutations. *Theor. Comput. Sci.*, 429:128–133, 2012.

[227] Richard A. Hayden, Anton Stefanek, and Jeremy T. Bradley. Fluid computation of passage-time distributions in large markov models. *Theor. Comput. Sci.*, 413(1):106–141, 2012.

[228] Xin He, Jiun-Jie Wang, and Huaming Zhang. Compact visibility representation of 4-connected plane graphs. *Theor. Comput. Sci.*, 447:62–73, 2012.

[229] Pierre-Cyrille Héam, Vincent Hugot, and Olga Kouchnarenko. Loops and overloops for tree-walking automata. *Theor. Comput. Sci.*, 450:43–53, 2012.

[230] Faranak Heidarian, Julien Schmaltz, and Frits Vaandrager. Analysis of a clock synchronization protocol for wireless sensor networks. *Theor. Comput. Sci.*, 413(1):87–105, 2012.

[231] Jeffrey Heinz, Anna Kasprzik, and Timo Kötzing. Learning in the limit with lattice-structured hypothesis spaces. *Theor. Comput. Sci.*, 457:111–127, 2012.

[232] Harald Hempel and Michael Krüger. Inverse Hamiltonian Cycle and inverse 3dimensional matching are conp-complete. *Theor. Comput. Sci.*, 426-427:49–65, 2012.

[233] C. Hermida and R.D. Tennent. Monoidal indeterminates and categories of possible worlds. *Theor. Comput. Sci.*, 430:3–22, 2012.

[234] Wim H. Hesselink and Gerard R. Renardel de Lavalette. Finite and infinite implementation of transition systems. *Theor. Comput. Sci.*, 458:131–135, 2012.

[235] Robert M. Hierons. The complexity of asynchronous model based testing. *Theor. Comput. Sci.*, 451:70–82, 2012.

[236] Peter M. Higgins. Burrows-wheeler transformations and de bruijn words. *Theor. Comput. Sci.*, 457:128–136, 2012.

[237] Mika Hirvensalo. On probabilistic and quantum reaction systems. *Theor. Comput. Sci.*, 429:134–143, 2012.

[238] Markus Holzer, Martin Kutrib, and Katja Meckel. Nondeterministic state complexity of star-free languages. *Theor. Comput. Sci.*, 450:68–80, 2012.

[239] Stephan Holzer, Yvonne Anne Pignolet, Jasmin Smula, and Roger Wattenhofer. Monitoring churn in wireless networks. *Theor. Comput. Sci.*, 453:29–43, 2012.

[240] Seok-Hee Hong and Hiroshi Nagamochi. Minimum cost star-shaped drawings of plane graphs with a fixed embedding and concave corner constraints. *Theor. Comput. Sci.*, 445:36–51, 2012.

[241] Yanmei Hong and Liying Kang. Backup 2-center on interval graphs. *Theor. Comput. Sci.*, 445:25–35, 2012.

[242] Juha Honkala. Marked d0l systems and the $2n$-conjecture. *Theor. Comput. Sci.*, 432:94–97, 2012.

[243] Jun Hosoda, Juraj Hromkovič, Taisuke Izumi, Hirotaka Ono, Monika Steinová, and Koichi Wada. On the approximability and hardness of minimum topic connected overlay and its special instances. *Theor. Comput. Sci.*, 429:144–154, 2012. see Corrigendum in Theor. Comput. Sci., Vol. 562, 2015, 660-661.

[244] Jacob M. Howe and Andy King. A pearl on sat and smt solving in prolog. *Theor. Comput. Sci.*, 435:43–55, 2012.

[245] Sun-Yuan Hsieh and Ying-Hsuan Chang. Extraconnectivity of k-ary n-cube networks. *Theor. Comput. Sci.*, 443:63–69, 2012.

[246] Chunqiang Hu, Xiaofeng Liao, and Xiuzhen Cheng. Verifiable multi-secret sharing based on lfsr sequences. *Theor. Comput. Sci.*, 445:52–62, 2012.

[247] Shuqin Huang, Yongzhi Cao, Hanpin Wang, and Wanling Qu. Value-passing ccs with noisy channels. *Theor. Comput. Sci.*, 433:43–59, 2012.

[248] Florian Huc, Aubin Jarry, Pierre Leone, and José Rolim. Virtual raw anchor coordinates: A new localization paradigm. *Theor. Comput. Sci.*, 453:44–53, 2012.

[249] Mari Huova, Juhani Karhumäki, and Aleksi Saarela. Problems in between words and abelian words: k-abelian avoidability. *Theor. Comput. Sci.*, 454:172–177, 2012.

[250] Oscar H. Ibarra and Nicholas Q. Tran. On synchronized multi-tape and multi-head automata. *Theor. Comput. Sci.*, 449:74–84, 2012.

[251] Oscar H. Ibarra and Hsu-Chun Yen. On the containment and equivalence problems for two-way transducers. *Theor. Comput. Sci.*, 429:155–163, 2012.

[252] Aleksandar Ilić, Sandi Klavžar, and Yoomi Rho. The index of a binary word. *Theor. Comput. Sci.*, 452:100–106, 2012.

[253] Damien Imbs and Michel Raynal. Virtual world consistency: A condition for stm systems (with a versatile protocol with invisible read operations). *Theor. Comput. Sci.*, 444:113–127, 2012.

[254] Giuseppe F. Italiano, Luigi Laura, and Federico Santaroni. Finding strong bridges and strong articulation points in linear time. *Theor. Comput. Sci.*, 447:74–84, 2012.

[255] Masami Ito. Algebraic structures of automata. *Theor. Comput. Sci.*, 429:164–168, 2012.

[256] Kazuo Iwama, Harumichi Nishimura, Rudy Raymond, and Junichi Teruyama. Quantum counterfeit coin problems. *Theor. Comput. Sci.*, 456:51–64, 2012.

[257] Riko Jacob, Stephan Ritscher, Christian Scheideler, and Stefan Schmid. Towards higher-dimensional topological self-stabilization: A distributed algorithm for delaunay graphs. *Theor. Comput. Sci.*, 457:137–148, 2012.

[258] Tobias Jacobs. Analytical aspects of tie breaking. *Theor. Comput. Sci.*, 465:1–9, 2012.

[259] Svante Janson. Renewal theory in the analysis of tries and strings. *Theor. Comput. Sci.*, 416:33–54, 2012.

[260] Kurt Jensen, Lars M. Kristensen, and Thomas Mailund. The sweep-line state space exploration method. *Theor. Comput. Sci.*, 429:169–179, 2012.

[261] Emil Jeřábek. Root finding with threshold circuits. *Theor. Comput. Sci.*, 462:59–69, 2012.

[262] Katarzyna Jesse-Józefczyk. The possible cardinalities of global secure sets in cographs. *Theor. Comput. Sci.*, 414(1):38–46, 2012.

[263] Haitao Jiang, Daming Zhu, and Binhai Zhu. A $(1+\epsilon)$-approximation algorithm for sorting by short block-moves. *Theor. Comput. Sci.*, 439:1–8, 2012.

[264] Minghui Jiang and Yong Zhang. Parameterized complexity in multiple-interval graphs: Domination, partition, separation, irredundancy. *Theor. Comput. Sci.*, 461:27–44, 2012.

[265] Galina Jirásková and Tomáš Masopust. On a structural property in the state complexity of projected regular languages. *Theor. Comput. Sci.*, 449:93–105, 2012.

[266] Galina Jirásková and Juraj Šebej. Reversal of binary regular languages. *Theor. Comput. Sci.*, 449:85–92, 2012.

[267] Timo Jolivet and Jarkko Kari. Consistency of multidimensional combinatorial substitutions. *Theor. Comput. Sci.*, 454:178–188, 2012.

[268] Jean-Pierre Jouannaud and Jiaxiang Liu. From diagrammatic confluence to modularity. *Theor. Comput. Sci.*, 464:20–34, 2012.

[269] Subrahmanyam Kalyanasundaram, Richard J. Lipton, Kenneth W. Regan, and Farbod Shokrieh. Improved simulation of nondeterministic turing machines. *Theor. Comput. Sci.*, 417:66–73, 2012.

[270] Teturo Kamae. Behavior of various complexity functions. *Theor. Comput. Sci.*, 420:36–47, 2012.

[271] Sayaka Kamei and Hirotsugu Kakugawa. A self-stabilizing 6-approximation for the minimum connected dominating set with safe convergence in unit disk graphs. *Theor. Comput. Sci.*, 428:80–90, 2012.

[272] Norihiro Kamide and Heinrich Wansing. Proof theory of nelson's paraconsistent logic: A uniform perspective. *Theor. Comput. Sci.*, 415:1–38, 2012.

[273] Marcin Kamiński. Max-cut and containment relations in graphs. *Theor. Comput. Sci.*, 438:89–95, 2012.

[274] Marcin Kamiński, Paul Medvedev, and Martin Milanič. Complexity of independent set reconfigurability problems. *Theor. Comput. Sci.*, 439:9–15, 2012.

[275] Iyad A. Kanj and Ge Xia. Improved local algorithms for spanner construction. *Theor. Comput. Sci.*, 453:54–64, 2012.

[276] George Karakostas, Jeff Kinne, and Dieter van Melkebeek. On derandomization and average-case complexity of monotone functions. *Theor. Comput. Sci.*, 434:35–44, 2012.

[277] Jarkko Kari. Universal pattern generation by cellular automata. *Theor. Comput. Sci.*, 429:180–184, 2012.

[278] Joost-Pieter Katoen, Jaco van de Pol, Mariëlle Stoelinga, and Mark Timmer. A linear process-algebraic format with data for probabilistic automata. *Theor. Comput. Sci.*, 413(1):36–57, 2012.

[279] Telikepalli Kavitha. Properties of gomory-hu co-cycle bases. *Theor. Comput. Sci.*, 420:48–55, 2012.

[280] Athanasios Kehagias and Paweł Prałat. Some remarks on cops and drunk robbers. *Theor. Comput. Sci.*, 463:133–147, 2012.

[281] Klaus Keimel and Jimmie D. Lawson. Extending algebraic operations to d-completions. *Theor. Comput. Sci.*, 430:73–87, 2012.

[282] Carmel Kent, Moshe Lewenstein, and Dafna Sheinwald. On demand string sorting over unbounded alphabets. *Theor. Comput. Sci.*, 426-427:66–74, 2012.

[283] H.L.M. Kerivin, M. Lacroix, and A.R. Mahjoub. On the complexity of the eulerian closed walk with precedence path constraints problem. *Theor. Comput. Sci.*, 439:16–29, 2012.

[284] Alex Kesselman and Stefano Leonardi. Game-theoretic analysis of internet switching with selfish users. *Theor. Comput. Sci.*, 452:107–116, 2012.

[285] U. Khadim and P.J.L. Cuijpers. Repairing time-determinism in the process algebra for hybrid systems acp^{srt}_{hs}. *Theor. Comput. Sci.*, 446:20–47, 2012.

[286] Rohit Khandekar, Guy Kortsarz, and Zeev Nutov. Approximating fault-tolerant group-steiner problems. *Theor. Comput. Sci.*, 416:55–64, 2012.

[287] Changwook Kim. On the structure of linear apex nlc graph grammars. *Theor. Comput. Sci.*, 438:28–33, 2012.

[288] Daniel Kirsten. Decidability, undecidability, and pspace-completeness of the twins property in the tropical semiring. *Theor. Comput. Sci.*, 420:56–63, 2012.

[289] Oleg Kiselyov. Delimited control in ocaml, abstractly and concretely. *Theor. Comput. Sci.*, 435:56–76, 2012.

[290] Jetty Kleijn and Maciej Koutny. Localities in systems with a/sync communication. *Theor. Comput. Sci.*, 429:185–192, 2012.

[291] Jetty Kleijn, Maciej Koutny, and Marta Pietkiewicz-Koutny. Regions of petri nets with a/sync connections. *Theor. Comput. Sci.*, 454:189–198, 2012.

[292] M. Klonowski, M. Kutyłowski, and J. Zatopiański. Energy efficient alert in single-hop networks of extremely weak devices. *Theor. Comput. Sci.*, 453:65–74, 2012.

[293] Karel Klouda. Bispecial factors in circular non-pushy d0l languages. *Theor. Comput. Sci.*, 445:63–74, 2012.

[294] Yuji Kobayashi. The derivational complexity of string rewriting systems. *Theor. Comput. Sci.*, 438:1–12, 2012.

[295] Pascal Koiran. Arithmetic circuits: The chasm at depth four gets wider. *Theor. Comput. Sci.*, 448:56–65, 2012.

[296] Roman Kolpakov. On primary and secondary repetitions in words. *Theor. Comput. Sci.*, 418:71–81, 2012.

[297] Jiangxu Kong, Weifan Wang, and Xuding Zhu. The surviving rate of planar graphs. *Theor. Comput. Sci.*, 416:65–70, 2012.

[298] Spyros Kontogiannis and Paul Spirakis. On mutual concavity and strategically-zero-sum bimatrix games. *Theor. Comput. Sci.*, 432:64–76, 2012.

[299] Hans-Jörg Kreowski and Sabine Kuske. Polynomial graph transformability. *Theor. Comput. Sci.*, 429:193–201, 2012.

[300] Michal Kunc and Alexander Okhotin. State complexity of operations on two-way finite automata over a unary alphabet. *Theor. Comput. Sci.*, 449:106–118, 2012.