References

[1] Pankaj K. Agarwal, Leonidas J. Guibas, Sariel Har-Peled, Alexander Rabinovitch, and Micha Sharir. Computing the penetration depth of two convex polytopes in 3d. In Magnús M. Halldórsson, editor, *Proceedings of the 7th Scandinavian Workshop on Algorithm Theory, SWAT'2000 (Bergen, Norway, July 5-7, 2000)*, volume 1851 of *LNCS*, pages 328–338. Springer-Verlag, Berlin-Heidelberg-New York-Barcelona-Hong Kong-London-Milan-Paris-Singapore-Tokyo, 2000.

[2] Shlomo Ahal and Yuri Rabinovich. On the complexity of the sub-permutation problem. In Magnús M. Halldórsson, editor, *Proceedings of the 7th Scandinavian Workshop on Algorithm Theory, SWAT'2000 (Bergen, Norway, July 5-7, 2000)*, volume 1851 of *LNCS*, pages 490–503. Springer-Verlag, Berlin-Heidelberg-New York-Barcelona-Hong Kong-London-Milan-Paris-Singapore-Tokyo, 2000.

[3] Jochen Alber, Hans L. Bodlaender, Henning Fernau, and Rolf Niedermeier. Fixed parameter algorithms for planar dominating set and related problems. In Magnús M. Halldórsson, editor, *Proceedings of the 7th Scandinavian Workshop on Algorithm Theory, SWAT'2000 (Bergen, Norway, July 5-7, 2000)*, volume 1851 of *LNCS*, pages 97–110. Springer-Verlag, Berlin-Heidelberg-New York-Barcelona-Hong Kong-London-Milan-Paris-Singapore-Tokyo, 2000.

[4] Lyudmil G. Aleksandrov and Hristo N. Djidjev. A dynamic algorithm for maintaining graph partitions. In Magnús M. Halldórsson, editor, *Proceedings of the 7th Scandinavian Workshop on Algorithm Theory, SWAT'2000 (Bergen, Norway, July 5-7, 2000)*, volume 1851 of *LNCS*, pages 71–82. Springer-Verlag, Berlin-Heidelberg-New York-Barcelona-Hong Kong-London-Milan-Paris-Singapore-Tokyo, 2000.

[5] Stephen Alstrup, Jacob Holm, and Mikkel Thorup. Maintaining center and median in dynamic trees. In Magnús M. Halldórsson, editor, *Proceedings of the 7th Scandinavian Workshop on Algorithm Theory, SWAT'2000 (Bergen, Norway, July 5-7, 2000)*, volume 1851 of *LNCS*, pages 46–56. Springer-Verlag, Berlin-Heidelberg-New York-Barcelona-Hong Kong-London-Milan-Paris-Singapore-Tokyo, 2000.

[6] Kouji Arata, Satoru Iwata, Kazuhisa Makino, and Satoru Fujishige. Locating sources to meet flow demands in undirected networks. In Magnús M. Halldórsson, editor, *Proceedings of the 7th Scandinavian Workshop on Algorithm Theory, SWAT'2000 (Bergen, Norway, July 5-7, 2000)*, volume 1851 of *LNCS*, pages 300–313. Springer-Verlag, Berlin-Heidelberg-New York-Barcelona-Hong Kong-London-Milan-Paris-Singapore-Tokyo, 2000.

[7] Lars Arge, Gerth Stølting Brodal, and Laura Toma. On external-memory mst, sssp, and multi-way planar graph separation. In Magnús M. Halldórsson, editor, *Proceedings of the 7th Scandinavian Workshop on Algorithm Theory, SWAT'2000 (Bergen, Norway, July 5-7, 2000)*, volume 1851 of *LNCS*, pages 433–447. Springer-Verlag, Berlin-Heidelberg-New York-Barcelona-Hong Kong-London-Milan-Paris-Singapore-Tokyo, 2000.

[8] Lars Arge and Jakob Pagter. I/o-space trade-offs. In Magnús M. Halldórsson, editor, *Proceedings of the 7th Scandinavian Workshop on Algorithm Theory, SWAT'2000 (Bergen, Norway, July 5-7, 2000)*, volume 1851 of *LNCS*, pages 448–461. Springer-Verlag, Berlin-Heidelberg-New York-Barcelona-Hong Kong-London-Milan-Paris-Singapore-Tokyo, 2000.

[9] Sunil Arya, Siu-Wing Cheng, David M. Mount, and H. Ramesh. Efficient expected-case algorithms for planar point location. In Magnús M. Halldórsson, editor, *Proceedings of the 7th Scandinavian Workshop on Algorithm Theory, SWAT'2000 (Bergen, Norway, July 5-7, 2000)*, volume 1851 of *LNCS*, pages 353–366. Springer-Verlag, Berlin-Heidelberg-New York-Barcelona-Hong Kong-London-Milan-Paris-Singapore-Tokyo, 2000.

[10] Tetsuo Asano, Tomomi Matsui, and Takeshi Tokuyama. On the complexities of the optimal rounding problems of sequences and matrices. In Magnús M. Halldórsson, editor, *Proceedings of the 7th Scandinavian Workshop on Algorithm Theory, SWAT'2000 (Bergen, Norway, July 5-7, 2000)*, volume 1851 of *LNCS*, pages 476–489. Springer-Verlag, Berlin-Heidelberg-New York-Barcelona-Hong Kong-London-Milan-Paris-Singapore-Tokyo, 2000.

[11] Yossi Azar, Joan Boyar, Lene M. Favrholdt, Kim S. Larsen, and Morten N. Nielsen. Fair versus unrestricted bin packing. In Magnús M. Halldórsson, editor, *Proceedings of the 7th Scandinavian Workshop on Algorithm Theory, SWAT'2000 (Bergen, Norway, July 5-7, 2000)*, volume 1851 of *LNCS*, pages 200–213. Springer-Verlag, Berlin-Heidelberg-New York-Barcelona-Hong Kong-London-Milan-Paris-Singapore-Tokyo, 2000.

[12] Yossi Azar and Leah Epstein. On-line scheduling with precedence constraints. In Magnús M. Halldórsson, editor, *Proceedings of the 7th Scandinavian Workshop on Algorithm Theory, SWAT'2000 (Bergen, Norway, July 5-7, 2000)*, volume 1851 of *LNCS*, pages 164–174. Springer-Verlag, Berlin-Heidelberg-New York-Barcelona-Hong Kong-London-Milan-Paris-Singapore-Tokyo, 2000.

[13] Yossi Azar, Leah Epstein, and Rob van Stee. Resource augmentation in load balancing. In Magnús M. Halldórsson, editor, *Proceedings of the 7th Scandinavian Workshop on Algorithm Theory, SWAT'2000 (Bergen, Norway, July 5-7, 2000)*, volume 1851 of *LNCS*, pages 189–199. Springer-Verlag, Berlin-Heidelberg-New York-Barcelona-Hong Kong-London-Milan-Paris-Singapore-Tokyo, 2000.

[14] Michael A. Bender, Saurabh Sethia, and Steven Skiena. Data structures for maintaining set partitions. In Magnús M. Halldórsson, editor, *Proceedings of the 7th Scandinavian Workshop on Algorithm Theory, SWAT'2000 (Bergen, Norway, July 5-7, 2000)*, volume 1851 of *LNCS*, pages 83–96. Springer-Verlag, Berlin-Heidelberg-New York-Barcelona-Hong Kong-London-Milan-Paris-Singapore-Tokyo, 2000.

[15] Piotr Berman. A $d/2$ approximation for maximum weight independent set in d-claw free graphs. In Magnús M. Halldórsson, editor, *Proceedings of the 7th Scandinavian Workshop on Algorithm Theory, SWAT'2000 (Bergen, Norway, July 5-7, 2000)*, volume 1851 of *LNCS*, pages 214–219. Springer-Verlag, Berlin-Heidelberg-New York-Barcelona-Hong Kong-London-Milan-Paris-Singapore-Tokyo, 2000.

[16] Anne Berry, Jean-Paul Bordat, and Pinar Heggernes. Recognizing weakly triangulated graphs by edge separability. In Magnús M. Halldórsson, editor, *Proceedings of the 7th Scandinavian Workshop on*

Algorithm Theory, SWAT'2000 (Bergen, Norway, July 5-7, 2000), volume 1851 of *LNCS*, pages 139–149. Springer-Verlag, Berlin-Heidelberg-New York-Barcelona-Hong Kong-London-Milan-Paris-Singapore-Tokyo, 2000.

[17] Andreas Björklund. Optimal adaptive fault diagnosis of hypercubes. In Magnús M. Halldórsson, editor, *Proceedings of the 7th Scandinavian Workshop on Algorithm Theory, SWAT'2000 (Bergen, Norway, July 5-7, 2000)*, volume 1851 of *LNCS*, pages 527–534. Springer-Verlag, Berlin-Heidelberg-New York-Barcelona-Hong Kong-London-Milan-Paris-Singapore-Tokyo, 2000.

[18] Gerth Stølting Brodal and Riko Jacob. Dynamic planar convex hull with optimal query time and $o(\log n \cdot \log \log n)$ update time. In Magnús M. Halldórsson, editor, *Proceedings of the 7th Scandinavian Workshop on Algorithm Theory, SWAT'2000 (Bergen, Norway, July 5-7, 2000)*, volume 1851 of *LNCS*, pages 57–70. Springer-Verlag, Berlin-Heidelberg-New York-Barcelona-Hong Kong-London-Milan-Paris-Singapore-Tokyo, 2000.

[19] Ferdinando Cicalese, Daniele Mundici, and Ugo Vaccaro. Least adaptive optimal search with unreliable tests. In Magnús M. Halldórsson, editor, *Proceedings of the 7th Scandinavian Workshop on Algorithm Theory, SWAT'2000 (Bergen, Norway, July 5-7, 2000)*, volume 1851 of *LNCS*, pages 549–562. Springer-Verlag, Berlin-Heidelberg-New York-Barcelona-Hong Kong-London-Milan-Paris-Singapore-Tokyo, 2000.

[20] Peter Damaschke. Parallel attribute-efficient learning of monotone boolean functions. In Magnús M. Halldórsson, editor, *Proceedings of the 7th Scandinavian Workshop on Algorithm Theory, SWAT'2000 (Bergen, Norway, July 5-7, 2000)*, volume 1851 of *LNCS*, pages 504–512. Springer-Verlag, Berlin-Heidelberg-New York-Barcelona-Hong Kong-London-Milan-Paris-Singapore-Tokyo, 2000.

[21] Yefim Dinitz and Ronit Nossenson. Incremental maintenance of the 5-edge-connectivity classes of a graph. In Magnús M. Halldórsson, editor, *Proceedings of the 7th Scandinavian Workshop on Algorithm Theory, SWAT'2000 (Bergen, Norway, July 5-7, 2000)*, volume 1851 of *LNCS*, pages 272–285. Springer-Verlag, Berlin-Heidelberg-New York-Barcelona-Hong Kong-London-Milan-Paris-Singapore-Tokyo, 2000.

[22] Srinivas R. Doddi, Madhav V. Marathe, S.S. Ravi, David Scot Taylor, and Peter Widmayer. Approximation algorithms for clustering to minimize the sum of diameters. In Magnús M. Halldórsson, editor, *Proceedings of the 7th Scandinavian Workshop on Algorithm Theory, SWAT'2000 (Bergen, Norway, July 5-7, 2000)*, volume 1851 of *LNCS*, pages 237–250. Springer-Verlag, Berlin-Heidelberg-New York-Barcelona-Hong Kong-London-Milan-Paris-Singapore-Tokyo, 2000.

[23] Uriel Feige. Coping with the *np*-hardness of the graph bandwidth problem. In Magnús M. Halldórsson, editor, *Proceedings of the 7th Scandinavian Workshop on Algorithm Theory, SWAT'2000 (Bergen, Norway, July 5-7, 2000)*, volume 1851 of *LNCS*, pages 10–19. Springer-Verlag, Berlin-Heidelberg-New York-Barcelona-Hong Kong-London-Milan-Paris-Singapore-Tokyo, 2000.

[24] Joachim Gudmundsson, Christos Levcopoulos, and Giri Narasimhan. Improved greedy algorithms for constructing sparse geometric spanners. In Magnús M. Halldórsson, editor, *Proceedings of the 7th Scandinavian Workshop on Algorithm Theory, SWAT'2000 (Bergen, Norway, July 5-7, 2000)*, volume 1851 of *LNCS*, pages 314–327. Springer-Verlag, Berlin-Heidelberg-New York-Barcelona-Hong Kong-London-Milan-Paris-Singapore-Tokyo, 2000.

[25] Leonidas J. Guibas, Jack Snoeyink, and Li Zhang. Compact voronoi diagrams for moving convex polygons. In Magnús M. Halldórsson, editor, *Proceedings of the 7th Scandinavian Workshop on Algorithm Theory, SWAT'2000 (Bergen, Norway, July 5-7, 2000)*, volume 1851 of *LNCS*, pages 339–352. Springer-Verlag, Berlin-Heidelberg-New York-Barcelona-Hong Kong-London-Milan-Paris-Singapore-Tokyo, 2000.

[26] Arvind Gupta, Naomi Nishimura, Andrzej Proskurowski, and Prabhakar Ragde. Embeddings of *k*-connected graphs of pathwidth *k*. In Magnús M. Halldórsson, editor, *Proceedings of the 7th Scandinavian Workshop on Algorithm Theory, SWAT'2000 (Bergen, Norway, July 5-7, 2000)*, volume 1851 of *LNCS*, pages 111–124. Springer-Verlag, Berlin-Heidelberg-New York-Barcelona-Hong Kong-London-Milan-Paris-Singapore-Tokyo, 2000.

[27] Refael Hassin and Shlomi Rubinstein. Approximation algorithms for maximum linear arrangement. In Magnús M. Halldórsson, editor,

Proceedings of the 7th Scandinavian Workshop on Algorithm Theory, SWAT'2000 (Bergen, Norway, July 5-7, 2000), volume 1851 of *LNCS*, pages 231–236. Springer-Verlag, Berlin-Heidelberg-New York-Barcelona-Hong Kong-London-Milan-Paris-Singapore-Tokyo, 2000.

[28] Refael Hassin and Shlomi Rubinstein. Robust matchings and maximum clustering. In Magnús M. Halldórsson, editor, *Proceedings of the 7th Scandinavian Workshop on Algorithm Theory, SWAT'2000 (Bergen, Norway, July 5-7, 2000)*, volume 1851 of *LNCS*, pages 251–258. Springer-Verlag, Berlin-Heidelberg-New York-Barcelona-Hong Kong-London-Milan-Paris-Singapore-Tokyo, 2000.

[29] John Iacono. Improved upper bounds for pairing heaps. In Magnús M. Halldórsson, editor, *Proceedings of the 7th Scandinavian Workshop on Algorithm Theory, SWAT'2000 (Bergen, Norway, July 5-7, 2000)*, volume 1851 of *LNCS*, pages 32–45. Springer-Verlag, Berlin-Heidelberg-New York-Barcelona-Hong Kong-London-Milan-Paris-Singapore-Tokyo, 2000.

[30] Robert W. Irving, David Manlove, and Sandy Scott. The hospitals/residents problem with ties. In Magnús M. Halldórsson, editor, *Proceedings of the 7th Scandinavian Workshop on Algorithm Theory, SWAT'2000 (Bergen, Norway, July 5-7, 2000)*, volume 1851 of *LNCS*, pages 259–271. Springer-Verlag, Berlin-Heidelberg-New York-Barcelona-Hong Kong-London-Milan-Paris-Singapore-Tokyo, 2000.

[31] Toshimasa Ishii and Hiroshi Nagamochi. On the minimum augmentation of an l-connected graph to a k-connected graph. In Magnús M. Halldórsson, editor, *Proceedings of the 7th Scandinavian Workshop on Algorithm Theory, SWAT'2000 (Bergen, Norway, July 5-7, 2000)*, volume 1851 of *LNCS*, pages 286–299. Springer-Verlag, Berlin-Heidelberg-New York-Barcelona-Hong Kong-London-Milan-Paris-Singapore-Tokyo, 2000.

[32] Bala Kalyanasundaram, John Noga, Kirk Pruhs, and Gerhard Woeginger. Caching for web searching. In Magnús M. Halldórsson, editor, *Proceedings of the 7th Scandinavian Workshop on Algorithm Theory, SWAT'2000 (Bergen, Norway, July 5-7, 2000)*, volume 1851 of *LNCS*, pages 150–163. Springer-Verlag, Berlin-Heidelberg-New York-Barcelona-Hong Kong-London-Milan-Paris-Singapore-Tokyo, 2000.

[33] Ming-Yang Kao, Jared Samet, and Wing-Kin Sung. The enhanced double digest problem for dna physical mapping. In Magnús M. Halldórsson, editor, *Proceedings of the 7th Scandinavian Workshop on Algorithm Theory, SWAT'2000 (Bergen, Norway, July 5-7, 2000)*, volume 1851 of *LNCS*, pages 383–392. Springer-Verlag, Berlin-Heidelberg-New York-Barcelona-Hong Kong-London-Milan-Paris-Singapore-Tokyo, 2000.

[34] Vincenzo Liberatore. Scheduling jobs before shut-down. In Magnús M. Halldórsson, editor, *Proceedings of the 7th Scandinavian Workshop on Algorithm Theory, SWAT'2000 (Bergen, Norway, July 5-7, 2000)*, volume 1851 of *LNCS*, pages 175–188. Springer-Verlag, Berlin-Heidelberg-New York-Barcelona-Hong Kong-London-Milan-Paris-Singapore-Tokyo, 2000.

[35] Kazuhisa Makino, Masafumi Yamashita, and Tiko Kameda. Max- and min-neighborhood monopolies. In Magnús M. Halldórsson, editor, *Proceedings of the 7th Scandinavian Workshop on Algorithm Theory, SWAT'2000 (Bergen, Norway, July 5-7, 2000)*, volume 1851 of *LNCS*, pages 513–526. Springer-Verlag, Berlin-Heidelberg-New York-Barcelona-Hong Kong-London-Milan-Paris-Singapore-Tokyo, 2000.

[36] Naomi Nishimura, Prabhakar Ragde, and Dimitrios M. Thilikos. On graph powers for leaf-labeled trees. In Magnús M. Halldórsson, editor, *Proceedings of the 7th Scandinavian Workshop on Algorithm Theory, SWAT'2000 (Bergen, Norway, July 5-7, 2000)*, volume 1851 of *LNCS*, pages 125–138. Springer-Verlag, Berlin-Heidelberg-New York-Barcelona-Hong Kong-London-Milan-Paris-Singapore-Tokyo, 2000.

[37] Rasmus Pagh. A new trade-off for deterministic dictionaries. In Magnús M. Halldórsson, editor, *Proceedings of the 7th Scandinavian Workshop on Algorithm Theory, SWAT'2000 (Bergen, Norway, July 5-7, 2000)*, volume 1851 of *LNCS*, pages 22–31. Springer-Verlag, Berlin-Heidelberg-New York-Barcelona-Hong Kong-London-Milan-Paris-Singapore-Tokyo, 2000.

[38] Leonidas Palios. A new competitive strategy for reaching the kernel of an unknown polygon. In Magnús M. Halldórsson, editor, *Proceedings of the 7th Scandinavian Workshop on Algorithm Theory, SWAT'2000 (Bergen, Norway, July 5-7, 2000)*, volume 1851 of *LNCS*,

pages 367–382. Springer-Verlag, Berlin-Heidelberg-New York-Barcelona-Hong Kong-London-Milan-Paris-Singapore-Tokyo, 2000.

[39] David Peleg. Approximation algorithms for the label-cover$_{MAX}$ and red-blue set cover problems. In Magnús M. Halldórsson, editor, *Proceedings of the 7th Scandinavian Workshop on Algorithm Theory, SWAT'2000 (Bergen, Norway, July 5-7, 2000)*, volume 1851 of *LNCS*, pages 220–230. Springer-Verlag, Berlin-Heidelberg-New York-Barcelona-Hong Kong-London-Milan-Paris-Singapore-Tokyo, 2000.

[40] Claus Rick. Efficient computation of all longest common subsequences. In Magnús M. Halldórsson, editor, *Proceedings of the 7th Scandinavian Workshop on Algorithm Theory, SWAT'2000 (Bergen, Norway, July 5-7, 2000)*, volume 1851 of *LNCS*, pages 407–418. Springer-Verlag, Berlin-Heidelberg-New York-Barcelona-Hong Kong-London-Milan-Paris-Singapore-Tokyo, 2000.

[41] Tetsuo Shibuya. Generalization of a suffix tree for rna structural pattern matching. In Magnús M. Halldórsson, editor, *Proceedings of the 7th Scandinavian Workshop on Algorithm Theory, SWAT'2000 (Bergen, Norway, July 5-7, 2000)*, volume 1851 of *LNCS*, pages 393–406. Springer-Verlag, Berlin-Heidelberg-New York-Barcelona-Hong Kong-London-Milan-Paris-Singapore-Tokyo, 2000.

[42] Grzegorz Stachowiak. Fibonacci correction networks. In Magnús M. Halldórsson, editor, *Proceedings of the 7th Scandinavian Workshop on Algorithm Theory, SWAT'2000 (Bergen, Norway, July 5-7, 2000)*, volume 1851 of *LNCS*, pages 535–548. Springer-Verlag, Berlin-Heidelberg-New York-Barcelona-Hong Kong-London-Milan-Paris-Singapore-Tokyo, 2000.

[43] Subhash Suri, Tuomas Sandholm, and Priyank Ramesh Warkhede. Optimal flow aggregation. In Magnús M. Halldórsson, editor, *Proceedings of the 7th Scandinavian Workshop on Algorithm Theory, SWAT'2000 (Bergen, Norway, July 5-7, 2000)*, volume 1851 of *LNCS*, pages 462–475. Springer-Verlag, Berlin-Heidelberg-New York-Barcelona-Hong Kong-London-Milan-Paris-Singapore-Tokyo, 2000.

[44] Mikkel Thorup and David R. Karger. Dynamic graph algorithms with applications. In Magnús M. Halldórsson, editor, *Proceedings*

of the 7th Scandinavian Workshop on Algorithm Theory, SWAT'2000 (Bergen, Norway, July 5-7, 2000), volume 1851 of LNCS, pages 1–9. Springer-Verlag, Berlin-Heidelberg-New York-Barcelona-Hong Kong-London-Milan-Paris-Singapore-Tokyo, 2000.

[45] Esko Ukkonen. Toward complete genome data mining in computational biology. In Magnús M. Halldórsson, editor, *Proceedings of the 7th Scandinavian Workshop on Algorithm Theory, SWAT'2000 (Bergen, Norway, July 5-7, 2000)*, volume 1851 of *LNCS*, pages 20–21. Springer-Verlag, Berlin-Heidelberg-New York-Barcelona-Hong Kong-London-Milan-Paris-Singapore-Tokyo, 2000.

[46] Gayathri Venkataraman, Sartaj Sahni, and Srabani Mukhopadhyaya. A blocked all-pairs shortest-paths algorithm. In Magnús M. Halldórsson, editor, *Proceedings of the 7th Scandinavian Workshop on Algorithm Theory, SWAT'2000 (Bergen, Norway, July 5-7, 2000)*, volume 1851 of *LNCS*, pages 419–432. Springer-Verlag, Berlin-Heidelberg-New York-Barcelona-Hong Kong-London-Milan-Paris-Singapore-Tokyo, 2000.