

References

- [1] R.A. Ayoubi, Q.M. Malluhi, and M.A. Bayoumi. The extended cube connected cycles: An efficient interconnection for massively parallel systems. *IEEE Trans. Comput.*, 45(5):609–614, 1996.
- [2] Yossi Azar, Joseph (Seffi) Naor, and Raphael Rom. Routing strategies for fast networks. *IEEE Trans. Comput.*, 45(2):165–173, 1996.
- [3] Nader Bagherzadeh, Martin Dowd, and Nayla Nassif. Embedding an arbitrary binary tree into the star graph. *IEEE Trans. Comput.*, 45(4):474–481, 1996.
- [4] Saïd Bettayeb, Bin Cong, Mike Girou, and I. Hal Sudborough. Embedding star networks into hypercubes. *IEEE Trans. Comput.*, 45(2):186–194, 1996.
- [5] Sandeep N. Bhatt, Gianfranco Bilardi, Geppino Pucci, Abhiram Ranade, Arnold L. Rosenberg, and Eric J. Schwabe. On bufferless routing of variable length messages in leveled networks. *IEEE Trans. Comput.*, 45(6):714–729, 1996.
- [6] Manuel Blum and Hal Wasserman. Reflections on the pentium division bug. *IEEE Trans. Comput.*, 45(4):385–393, 1996.
- [7] Shahid H. Bokhari. Multiphase complete exchange: A theoretical analysis. *IEEE Trans. Comput.*, 45(2):220–229, 1996.
- [8] Beate Bollig and Ingo Wegener. Improving the variable ordering of obdds is np-complete. *IEEE Trans. Comput.*, 45(9):993–1002, 1996.
- [9] Thang Nguyen Bui and Byung Ro Moon. Genetic algorithm and graph partitioning. *IEEE Trans. Comput.*, 45(7):841–855, 1996.
- [10] Wang-Jiunn Cheng and Wen-Tsuen Chen. A new self-routing permutation network. *IEEE Trans. Comput.*, 45(5):630–636, 1996.
- [11] Ge-Ming Chiu and Shui-Pao Wu. A fault-tolerant routing strategy in hypercube multicomputers. *IEEE Trans. Comput.*, 45(2):143–155, 1996.

- [12] Sergio Felperin, Prabhakar Raghavan, and Eli Upfal. A theory of worm-hole routing in parallel computers. *IEEE Trans. Comput.*, 45(6):704–713, 1996.
- [13] Paraskevi Fragopoulou and Selim G. Akl. Edge-disjoint spanning trees on the star network with applications to fault tolerance. *IEEE Trans. Comput.*, 45(2):174–185, 1996.
- [14] Jun Gu, Qian-Ping Gu, and Ding-Zhu Du. Convergence properties of optimization algorithms for the *sat* problem. *IEEE Trans. Comput.*, 45(2):209–219, 1996.
- [15] Qing Hu, Xiaojun Shen, and Weifa Liang. Optimally routing lc permutations on k -extra-stage cube-type networks. *IEEE Trans. Comput.*, 45(1):97–103, 1996.
- [16] Shahram Latifi and Pradip K. Srimani. Transposition networks as a class of fault-tolerant robust networks. *IEEE Trans. Comput.*, 45(2):230–238, 1996.
- [17] Yuh-Rong Leu and Sy-Yen Kuo. A fault-tolerant tree communication scheme for hypercube systems. *IEEE Trans. Comput.*, 45(6):641–650, 1996.
- [18] Zhen Liu and Ting-Yi Sung. Routing and transmitting problems in de bruijn networks. *IEEE Trans. Comput.*, 45(9):1056–1062, 1996.
- [19] C.P. Low and H.W. Leong. A new class of efficient algorithms for re-configuration of memory arrays. *IEEE Trans. Comput.*, 45(5):614–618, 1996.
- [20] Arif Merchant, Benjamin Melamed, Eugen Schenfeld, and Bhaskar Sen-gupta. Analysis of a control mechanism for a variable speed processor. *IEEE Trans. Comput.*, 45(7):793–801, 1996.
- [21] Arif Merchant and Philip S. Yu. Analytic modeling of clustered raid with mapping based on nearly random permutation. *IEEE Trans. Comput.*, 45(3):367–373, 1996.
- [22] Jaroslav Opatrny, Dominique Sotteau, N. Srinivasan, and K. Thulasir-aman. Dcc linear congruential graphs: A new class of interconnection networks. *IEEE Trans. Comput.*, 45(2):156–164, 1996.

- [23] C. Padró, P. Morillo, and M.A. Fiol. Comments on “line digraph iterations and connectivity analysis of de bruijn and kautz graphs”. *IEEE Trans. Comput.*, 6(45):768, 1996.
- [24] Sanguthevar Rajasekaran. Mesh connected computers with fixed and reconfigurable buses: Packet routing and sorting. *IEEE Trans. Comput.*, 45(5):529–539, 1996.
- [25] Weijia Shang, Edin Hodzic, and Zhigang Chen. On uniformization of affine dependence algorithms. *IEEE Trans. Comput.*, 45(7):827–840, 1996.
- [26] Antonios Symvonis and Jonathon Tidswell. An empirical study of off-line permutation packet routing on two-dimensional meshes based on the multistage routing method. *IEEE Trans. Comput.*, 45(5):619–625, 1996.
- [27] Spyros Tragoudas. Min-cut partitioning on underlying tree and graph structures. *IEEE Trans. Comput.*, 45(4):470–474, 1996.
- [28] Yuke Wang and Carl McCrosky. Negation trees: A unified approach to boolean function complementation. *IEEE Trans. Comput.*, 45(5):626–630, 1996.