References

[1] Marc Abrams. An example of deriving performance properties from a visual representation of program execution. *IEEE Trans. Parallel and Distrib. Systems*, 8(6):658–666, 1997.

[2] Nael B. Abu-Ghazaleh, Philip A. Wilsey, Xianzhi Fan, and Debra A. Hensgen. Synthesizing variable instruction issue interpreters for implementing functional parallelism on simd computers. *IEEE Trans. Parallel and Distrib. Systems*, 8(4):412–423, 1997.

[3] Mahamed Adda. A scalable multibus configuration for connecting transputer links. *IEEE Trans. Parallel and Distrib. Systems*, 8(3):245–253, 1997.

[4] Divyakant Agrawal, Ömer Eğecioğlu, and Amr El Abbadi. Analysis of quorum-based protocols for distributed $(k + 1)$-exclusion. *IEEE Trans. Parallel and Distrib. Systems*, 8(5):533–537, 1997.

[5] Abdel-Elah Al-Ayyoub and Khaled Day. Matrix decomposition on the star graph. *IEEE Trans. Parallel and Distrib. Systems*, 8(8):803–812, 1997.

[6] Ibraheem Al-furiah, Srinivas Aluru, Sanjay Goil, and Sanjay Ranka. Practical algorithms for selection on coarse-grained parallel computers. *IEEE Trans. Parallel and Distrib. Systems*, 8(8):813–824, 1997.

[7] Mayez A. Al-Mouhamed and Steven S. Seiden. A heuristic storage for minimizing access time of arbitrary data patterns. *IEEE Trans. Parallel and Distrib. Systems*, 8(4):441–447, 1997.

[8] Robert Allen, Luigi Cinque, Steven Tanimoto, Linda Shapiro, and Dean Yasuda. A parallel algorithm for graph matching and its maspar implementation. *IEEE Trans. Parallel and Distrib. Systems*, 8(5):490–501, 1997.

[9] Rumen Andonov and Sanjay Rajopadhye. Knapsack on vlsi: From algorithm to optimal circuit. *IEEE Trans. Parallel and Distrib. Systems*, 8(6):545–561, 1997.

[10] Suchendra M. Bhandarkar and Hamid R. Arabnia. Parallel computer vision on a reconfigurable multiprocessor network. *IEEE Trans. Parallel and Distrib. Systems*, 8(3):292–309, 1997.

[11] Laxmi N. Bhuyan, Ravi R. Iyer, Tahsin Askar, Ashwini K. Nanda, and Mohan Kumar. Performance of multistage bus networks for a distributed shared memory multiprocessor. *IEEE Trans. Parallel and Distrib. Systems*, 8(1):82–95, 1997.

[12] Guy E. Blelloch, Phillip B. Gibbons, Yossi Matias, and Marco Zagha. Accounting for memory bank contention and delay in high-bandwidth multiprocessors. *IEEE Trans. Parallel and Distrib. Systems*, 8(9):943–958, 1997.

[13] Venkatavasu Bokka, Himabindu Gurla, Stephan Olariu, and James L. Schwing. Podality-based time-optimal computations on enhanced meshes. *IEEE Trans. Parallel and Distrib. Systems*, 8(10):1019–1035, 1997.

[14] Venkatavasu Bokka, Himabindu Gurla, Stephan Olariu, James L. Schwing, and Larry Wilson. Time-optimal domain-specific querying on enhanced meshes. *IEEE Trans. Parallel and Distrib. Systems*, 8(1):13–24, 1997.

[15] Allan Borodin, Yuval Rabani, and Baruch Schieber. Deterministic many-to-many hot potato routing. *IEEE Trans. Parallel and Distrib. Systems*, 8(6):587–596, 1997.

[16] Jehoshua Bruck, Ching-Tien Ho, Shlomo Kipnis, Eli Upfal, and Derrick Weathersby. Efficient algorithms for all-to-all communications in multiport message-passing systems. *IEEE Trans. Parallel and Distrib. Systems*, 8(11):1143–1156, 1997.

[17] Liang-Fang Chao and Edwin Hsing-Mean Sha. Scheduling data-flow graphs via retiming and unfolding. *IEEE Trans. Parallel and Distrib. Systems*, 8(12):1259–1267, 1997.

[18] Chi-Chang Chen and Jianer Chen. Nearly optimal one-to-many parallel routing in star networks. *IEEE Trans. Parallel and Distrib. Systems*, 8(12):1196–1202, 1997.

[19] Guihai Chen and Francis C.M. Lau. Comments — comments on "a new family of cayley graph interconnection networks of constant degree four. *IEEE Trans. Parallel and Distrib. Systems*, 8(12):1299–1300, 1997.

[20] Hsing-Lung Chen and Nian-Feng Tzeng. A boolean expression-based approach for maximum incomplete subcube identification in faulty hypercubes. *IEEE Trans. Parallel and Distrib. Systems*, 8(11):1171–1183, 1997.

[21] Chih-Che Chou and Kang G. Shin. Statistical real-time channels on multiaccess bus networks. *IEEE Trans. Parallel and Distrib. Systems*, 8(8):769–780, 1997.

[22] Asit Dan, Philip S. Yu, and Anant Jhingran. Recovery analysis of data sharing systems under deferred dirty page propagation policies. *IEEE Trans. Parallel and Distrib. Systems*, 8(7):695–711, 1997.

[23] Samir R. Das and Richard M. Fujimoto. An empirical evaluation of performance-memory trade-offs in time warp. *IEEE Trans. Parallel and Distrib. Systems*, 8(2):210–224, 1997.

[24] Khaled Day and Abdel-Elah Al-Ayyoub. The cross product of interconnection networks. *IEEE Trans. Parallel and Distrib. Systems*, 8(2):109–118, 1997.

[25] Khaled Day and Abdel Elah Al-Ayyoub. Fault diameter of k-ary n-cube networks. *IEEE Trans. Parallel and Distrib. Systems*, 8(9):903–907, 1997.

[26] Shlomi Dolev, Amos Israeli, and Shlomo Moran. Uniform dynamic self-stabilizing leader election. *IEEE Trans. Parallel and Distrib. Systems*, 8(4):424–440, 1997.

[27] José Duato. A theory of fault-tolerant routing in wormhole networks. *IEEE Trans. Parallel and Distrib. Systems*, 8(8):790–802, 1997.

[28] Ahmed El-Amawy and Priyalal Kulasinghe. Algorithmic mapping of feedforward neural networks onto multiple bus systems. *IEEE Trans. Parallel and Distrib. Systems*, 8(2):130–136, 1997.

[29] Hossam ElGindy and Lachlan Wetherall. A simple voronoi diagram algorithm for a reconfigurable mesh. *IEEE Trans. Parallel and Distrib. Systems*, 8(11):1133–1142, 1997.

[30] Antonio Fernández and Kemal Efe. Generalized algorithm for parallel sorting on product networks. *IEEE Trans. Parallel and Distrib. Systems*, 8(12):1211–1225, 1997.

[31] Charles M. Fiduccia and Paul J. Hedrick. Edge congestion of shortest path systems for all-to-all communication. *IEEE Trans. Parallel and Distrib. Systems*, 8(10):1043–1054, 1997.

[32] Stephen J. Fink, Craig Huston, Scott B. Baden, and Karl Jansen. Parallel cluster identification for multidimensional lattices. *IEEE Trans. Parallel and Distrib. Systems*, 8(11):1089–1097, 1997.

[33] Ada Waichee Fu. Delay-optimal quorum consensus for distributed systems. *IEEE Trans. Parallel and Distrib. Systems*, 8(1):59–69, 1997.

[34] Shiwa S. Fu and Nian-Feng Tzeng. A circular list-based mutual exclusion scheme for large shared-memory multiprocessors. *IEEE Trans. Parallel and Distrib. Systems*, 8(6):628–639, 1997.

[35] Kumar N. Ganapathy, Benjamin W. Wah, and Chien-Wei Li. Designing a scalable processor array for recurrent computations. *IEEE Trans. Parallel and Distrib. Systems*, 8(8):840–856, 1997.

[36] Sunondo Ghosh, Rami Melhem, and Daniel Mossé. Fault-tolerance through scheduling of aperiodic tasks in hard real-time multiprocessor systems. *IEEE Trans. Parallel and Distrib. Systems*, 8(3):272–284, 1997.

[37] Meenakshisundaram Gopi and Swami Manohar. A unified architecture for the computation of *b*-spline curves and surfaces. *IEEE Trans. Parallel and Distrib. Systems*, 8(12):1275–1287, 1997.

[38] Ronald I. Greenberg and Hyeong-Cheol Oh. Universal wormhole routing. *IEEE Trans. Parallel and Distrib. Systems*, 8(3):254–262, 1997.

[39] F. Guinand, C. Rapine, and D. Trystram. Worst case analysis of lawler's algorithm for scheduling trees with communication delays. *IEEE Trans. Parallel and Distrib. Systems*, 8(10):1085–1086, 1997.

[40] Anshul Gupta, George Karypis, and Vipin Kumar. Highly scalable parallel algorithms for sparse matrix factorization. *IEEE Trans. Parallel and Distrib. Systems*, 8(5):502–520, 1997.

[41] Mounir Hamdi and Siang W. Song. Embedding hierarchical hypercube networks into the hypercube. *IEEE Trans. Parallel and Distrib. Systems*, 8(9):897–902, 1997.

[42] Takashi Harada and Masafumi Yamashita. Nondominated coteries on graphs. *IEEE Trans. Parallel and Distrib. Systems*, 8(6):667–672, 1997.

[43] Hui-I Hsiao, Ming-Syan Chen, and Philip S. Yu. Parallel execution of hash joins in parallel databases. *IEEE Trans. Parallel and Distrib. Systems*, 8(8):872–883, 1997.

[44] D. Frank Hsu and David S.L. Wei. Efficient routing and sorting schemes for de Bruijn networks. *IEEE Trans. Parallel and Distrib. Systems*, 8(11):1157–1170, 1997.

[45] Wen-Jing Hsu, Moon Jung Chung, and Amitabha Das. Linear recursive networks and their applications in distributed systems. *IEEE Trans. Parallel and Distrib. Systems*, 8(7):673–680, 1997.

[46] Chi-Chung Hui and Samuel T. Chanson. Allocating task interaction graphs to processors in heterogeneous networks. *IEEE Trans. Parallel and Distrib. Systems*, 8(9):908–925, 1997.

[47] F.K. Hwang and Wenan Zang. Detecting corrupted pages in m replicated large files. *IEEE Trans. Parallel and Distrib. Systems*, 8(12):1241–1245, 1997.

[48] Giulio Iannello. Efficient algorithms for the reduce-scatter operation in loggp. *IEEE Trans. Parallel and Distrib. Systems*, 8(9):970–982, 1997.

[49] Ravi Jain, Kiran Somalwar, John Werth, and J.C. Browne. Heuristics for scheduling i/o operations. *IEEE Trans. Parallel and Distrib. Systems*, 8(3):310–320, 1997.

[50] Ju-wook Jang, Madhusudan Nigam, Viktor K. Prasanna, and Sartaj Sahni. Constant time algorithms for computational geometry on the reconfigurable mesh. *IEEE Trans. Parallel and Distrib. Systems*, 8(1):1–12, 1997.

[51] Ju-wook Jang, Heonchul Park, and Viktor K. Prasanna. An optimal multiplication algorithm on reconfigurable mesh. *IEEE Trans. Parallel and Distrib. Systems*, 8(5):521–532, 1997.

[52] Feng-Shr Jiang, Shi-Jinn Horng, and Tzong-Wann Kao. Embedding of generalized fibonacci cubes in hypercubes with faulty nodes. *IEEE Trans. Parallel and Distrib. Systems*, 8(7):727–737, 1997.

[53] Theodore Johnson and Krishna Harathi. A prioritized multiprocessor spin lock. *IEEE Trans. Parallel and Distrib. Systems*, 8(9):926–933, 1997.

[54] Hirotsugu Kakugawa and Masafumi Yamashita. Uniform and self-stabilizing token rings allowing unfair daemon. *IEEE Trans. Parallel and Distrib. Systems*, 8(2):154–163, 1997.

[55] Ben Kao and Hector Garcia-Molina. Deadline assignment in a distributed soft real-time system. *IEEE Trans. Parallel and Distrib. Systems*, 8(12):1268–1274, 1997.

[56] Jae H. Kim, Ziqiang Liu, and Andrew A. Chien. Compressionless routing: A framework for adaptive and fault-tolerant routing. *IEEE Trans. Parallel and Distrib. Systems*, 8(3):229–244, 1997.

[57] Hung-Kuei Ku and John P. Hayes. Connective fault tolerance in multiple-bus systems. *IEEE Trans. Parallel and Distrib. Systems*, 8(6):574–586, 1997.

[58] Yu-Chen Kuo and Shing-Tsaan Huang. A geometric approach for constructing coteries and k-coteries. *IEEE Trans. Parallel and Distrib. Systems*, 8(4):402–411, 1997.

[59] Cheol-Hoon Lee and Kang G. Shin. Optimal task assignment in homogeneous networks. *IEEE Trans. Parallel and Distrib. Systems*, 8(2):119–129, 1997.

[60] PeiZong Lee. Efficient algorithms for data distribution on distributed memory parallel computers. *IEEE Trans. Parallel and Distrib. Systems*, 8(8):825–839, 1997.

[61] Ho-fung Leung and Hing-fung Ting. An optimal algorithm for global termination detection in shared-memory asynchronous multiprocessor systems. *IEEE Trans. Parallel and Distrib. Systems*, 8(5):538–543, 1997.

[62] Walter B. Ligon III and Umakishore Ramachandran. Toward a more realistic performance evaluation of interconnection networks. *IEEE Trans. Parallel and Distrib. Systems*, 8(7):681–694, 1997.

[63] Virginia Lo, Kurt J. Windisch, Wanqian Liu, and Bill Nitzberg. Non-contiguous processor allocation algorithms for mesh-connected multicomputers. *IEEE Trans. Parallel and Distrib. Systems*, 8(7):712–726, 1997.

[64] Nihar R. Mahapatra and Shantanu Dutt. Scalable global and local hashing strategies for duplicate pruning in parallel a* graph search. *IEEE Trans. Parallel and Distrib. Systems*, 8(7):738–756, 1997.

[65] D. Manivannan, Robert H.B. Netzer, and Mukesh Singhal. Finding consistent global checkpoints in a distributed computation. *IEEE Trans. Parallel and Distrib. Systems*, 8(6):623–627, 1997.

[66] Naraig Manjikian and Tarek S. Abdelrahman. Fusion of loops for parallelism and locality. *IEEE Trans. Parallel and Distrib. Systems*, 8(2):193–209, 1997.

[67] Ignacio Martín and Francisco Tirado. Relationships between efficiency and execution time of full multigrid methods on parallel computers. *IEEE Trans. Parallel and Distrib. Systems*, 8(6):562–573, 1997.

[68] Jason A. Moore and Michael J. Quinn. Generating an efficient broadcast sequence using reflected gray codes. *IEEE Trans. Parallel and Distrib. Systems*, 8(11):1117–1122, 1997.

[69] Christine Morin and Isabelle Puaut. A survey of recoverable distributed shared virtual memory systems. *IEEE Trans. Parallel and Distrib. Systems*, 8(9):959–969, 1997.

[70] Koji Nakano and Stephan Olariu. An optimal algorithm for the angle-restricted all nearest neighbor problem on the reconfigurable

mesh, with applications. *IEEE Trans. Parallel and Distrib. Systems*, 8(9):983–990, 1997.

[71] Alberto Negro, Nicola Santoro, and Jorge Urrutia. Efficient distributed selection with bounded messages. *IEEE Trans. Parallel and Distrib. Systems*, 8(4):397–401, 1997.

[72] Lionel M. Ni, Yadong Gui, and Sherry Moore. Performance evaluation of switch-based wormhole networks. *IEEE Trans. Parallel and Distrib. Systems*, 8(5):462–474, 1997.

[73] Chao-Wei Ou and Sanjay Ranka. Parallel incremental graph partitioning. *IEEE Trans. Parallel and Distrib. Systems*, 8(8):884–896, 1997.

[74] Jamshed N. Patel, Ashfaq A. Khokhar, and Leah H. Jamieson. Scalable parallel implementations of list ranking on fine-grained machines. *IEEE Trans. Parallel and Distrib. Systems*, 8(10):1006–1018, 1997.

[75] Robert L. Popp, Krishna R. Pattipati, Yaakov Bar-Shalom, and Reda A. Ammar. Shared-memory parallelization of the data association problem in multitarget tracking. *IEEE Trans. Parallel and Distrib. Systems*, 8(10):993–1005, 1997.

[76] Chunming Qiao and Rami Melhem. Reducing communication latency with path multiplexing in optically interconnected multiprocessor systems. *IEEE Trans. Parallel and Distrib. Systems*, 8(2):97–108, 1997.

[77] Sanguthevar Rajasekaran and Sartaj Sahni. Sorting, selection, and routing on the array with reconfigurable optical buses. *IEEE Trans. Parallel and Distrib. Systems*, 8(11):1123–1132, 1997.

[78] Shankar Ramaswamy, Sachin Sapatnekar, and Prithviraj Banerjee. A framework for exploiting task and data parallelism on distributed memory multicomputers. *IEEE Trans. Parallel and Distrib. Systems*, 8(11):1098–1116, 1997.

[79] Adele A. Rescigno. Optimal polling in communication networks. *IEEE Trans. Parallel and Distrib. Systems*, 8(5):449–461, 1997.

[80] Jennifer Rexford, Wu-chang Feng, James Dolter, and Kang G. Shin. Pp-mess-sim: A flexible and extensible simulator for evaluating multicomputer networks. *IEEE Trans. Parallel and Distrib. Systems*, 8(1):25–40, 1997.

[81] Jr. Reynolds, Paul F., Craig Williams, and Jr. Wagner, Raymond R. Isotach networks. *IEEE Trans. Parallel and Distrib. Systems*, 8(4):337–348, 1997.

[82] Alan Roberts and Antonios Symvonis. A general method for deflection worm routing on meshes based on packet routing algorithms. *IEEE Trans. Parallel and Distrib. Systems*, 8(8):781–789, 1997.

[83] Martina Schollmeyer and Bruce McMillin. A general method for maximizing the error-detecting ability of distributed algorithms. *IEEE Trans. Parallel and Distrib. Systems*, 8(2):164–172, 1997.

[84] Vishal Sharma and Emmanouel A. Varvarigos. Circuit switching with input queuing: An analysis for the d-dimensional wraparound mesh and the hypercube. *IEEE Trans. Parallel and Distrib. Systems*, 8(4):349–366, 1997.

[85] Shiuh-Pyng Shieh and Fu-Shen Ho. Correspondence items — a comment on "a total ordering multicast protocol using propagation trees". *IEEE Trans. Parallel and Distrib. Systems*, 8(10):1084–1084, 1997.

[86] Jian Song and Oliver Yang. Backbone networks using rotation counters. *IEEE Trans. Parallel and Distrib. Systems*, 8(12):1288–1298, 1997.

[87] Ivan Stojmenovic. Honeycomb networks: Topological properties and communication algorithms. *IEEE Trans. Parallel and Distrib. Systems*, 8(10):1036–1042, 1997.

[88] Ming-Yang Su, Gen-Huey Chen, and Dyi-Rong Duh. A shortest-path routing algorithm for incomplete wk-recursive networks. *IEEE Trans. Parallel and Distrib. Systems*, 8(4):367–379, 1997.

[89] Ting-Yi Sung, Men-Yang Lin, and Tung-Yang Ho. Multiple-edge-fault tolerance with respect to hypercubes. *IEEE Trans. Parallel and Distrib. Systems*, 8(2):187–192, 1997.

[90] Min Tan, Howard Jay Siegel, John K. Antonio, and Yan Alexander Li. Minimizing the application execution time through scheduling of subtasks and communication traffic in a heterogeneous computing system. *IEEE Trans. Parallel and Distrib. Systems*, 8(8):857–871, 1997.

[91] Alexander Thomasian and Jai Menon. Raid5 performance with distributed sparing. *IEEE Trans. Parallel and Distrib. Systems*, 8(6):640–657, 1997.

[92] Josep Torrellas and Zheng Zhang. The performance of the cedar multistage switching network. *IEEE Trans. Parallel and Distrib. Systems*, 8(4):321–336, 1997.

[93] Horng-Ren Tsai, Shi-Jinn Horng, Shun-Shan Tsai, Tzong-Wann Kao, and Shung-Shing Lee. Solving an algebraic path problem and some related graph problems on a hyper-bus broadcast network. *IEEE Trans. Parallel and Distrib. Systems*, 8(12):1226–1235, 1997.

[94] Yih-jia Tsai and Philip K. McKinley. An extended dominating node approach to broadcast and global combine in multiport wormhole-routed mesh networks. *IEEE Trans. Parallel and Distrib. Systems*, 8(1):41–58, 1997.

[95] Yu-Chee Tseng, Shu-Hui Chang, and Jang-Ping Sheu. Fault-tolerant ring embedding in a star graph with both link and node failures. *IEEE Trans. Parallel and Distrib. Systems*, 8(12):1185–1195, 1997.

[96] Yu-Chee Tseng, Ting-Hsien Lin, Sandeep K.S. Gupta, and Dhabaleswar K. Panda. Bandwidth-optimal complete exchange on wormhole-routed 2d/3d torus networks: A diagonal-propagation approach. *IEEE Trans. Parallel and Distrib. Systems*, 8(4):380–396, 1997.

[97] Manuel Ujaldon, Emilio L. Zapata, Barbara M. Chapman, and Hans P. Zima. Vienna-fortran/hpf extensions for sparse and irregular problems and their compilation. *IEEE Trans. Parallel and Distrib. Systems*, 8(10):1068–1083, 1997.

[98] S. Venkatesan, Tony Tong-Ying Juang, and Sridhar Alagar. Optimistic crash recovery without changing application messages. *IEEE Trans. Parallel and Distrib. Systems*, 8(3):263–271, 1997.

[99] Alan S. Wagner, Halsur V. Sreekantaswamy, and Samuel T. Chanson. Performance models for the processor farm paradigm. *IEEE Trans. Parallel and Distrib. Systems*, 8(5):475–489, 1997.

[100] Feng-Hsu Wang and Ferng-Ching Lin. On routing maskable messages in hypercube-derived multistage interconnection networks. *IEEE Trans. Parallel and Distrib. Systems*, 8(3):285–291, 1997.

[101] Yue-Li Wang, Hon-Chan Chen, and Wei-Kai Liu. A parallel algorithm for constructing a labeled tree. *IEEE Trans. Parallel and Distrib. Systems*, 8(12):1236–1240, 1997.

[102] D. Scott Wills, Huy H. Cat, José Cruz-Rivera, W. Stephen Lacy, Jr. Baker, James M., John C. Eble, Abelardo López-Lagunas, and Michael Hopper. High-throughput, low-memory applications on the pica architecture. *IEEE Trans. Parallel and Distrib. Systems*, 8(10):1055–1067, 1997.

[103] Jie Wu. Extended fibonacci cubes. *IEEE Trans. Parallel and Distrib. Systems*, 8(12):1203–1210, 1997.

[104] Min-You Wu. On runtime parallel scheduling for processor load balancing. *IEEE Trans. Parallel and Distrib. Systems*, 8(2):173–186, 1997.

[105] Hong Xu, Yadong Gui, and Lionel M. Ni. Optimal software multicast in wormhole-routed multistage networks. *IEEE Trans. Parallel and Distrib. Systems*, 8(6):597–607, 1997.

[106] Shalini Yajnik and Niraj K. Jha. Analysis and randomized design of algorithm-based fault tolerant multiprocessor systems under an extended model. *IEEE Trans. Parallel and Distrib. Systems*, 8(7):757–768, 1997.

[107] Shalini Yajnik and Niraj K. Jha. Graceful degradation in algorithm-based fault tolerant multiprocessor systems. *IEEE Trans. Parallel and Distrib. Systems*, 8(2):137–153, 1997.

[108] Yong Yan, Canming Jin, and Xiaodong Zhang. Adaptively scheduling parallel loops in distributed shared-memory systems. *IEEE Trans. Parallel and Distrib. Systems*, 8(1):70–81, 1997.

[109] Tao Yang and Cong Fu. Heuristic algorithms for scheduling iterative task computations on distributed memory machines. *IEEE Trans. Parallel and Distrib. Systems*, 8(6):608–622, 1997.

[110] Seong-Moo Yoo, Hee Yong Youn, and Behrooz Shirazi. An efficient task allocation scheme for 2d mesh architectures. *IEEE Trans. Parallel and Distrib. Systems*, 8(9):934–942, 1997.

[111] Kelvin K. Yue and David J. Lilja. An effective processor allocation strategy for multiprogrammed shared-memory multiprocessors. *IEEE Trans. Parallel and Distrib. Systems*, 8(12):1246–1258, 1997.